

The influence of religious well-being on the resilience of family spirituality during the COVID-19 pandemic

by Artikel 4


Submission date: 29-Dec-2023 09:54AM (UTC+0700)

Submission ID: 2265405811

File name: silience_of_family_spirituality_during_the_COVID-19_pandemic.pdf (329.04K)

Word count: 5445

Character count: 30119



eISSN: 2281-7824

<https://www.pagepressjournals.org/index.php/hls/index>

Publisher's Disclaimer. E-publishing ahead of print is increasingly important for the rapid dissemination of science. The **Early Access** service lets users access peer-reviewed articles well before print / regular issue publication, significantly reducing the time it takes for critical findings to reach the research community. These articles are searchable and citable by their DOI (Digital Object Identifier).

The **Healthcare in Low-resource Settings** is, therefore, e-publishing PDF files of an early version of manuscripts that undergone a regular peer review and have been accepted for publication, but have not been through the typesetting, pagination and proofreading processes, which may lead to differences between this version and the final one. The final version of the manuscript will then appear on a regular issue of the journal.

E-publishing of this PDF file has been approved by the authors.

Healthc Low-resour S 2023 [Online ahead of print]

To cite this Article:

Prasetyo YB, Faridi F, MasrurohNL, et al. **The influence of religious well-being on the resilience of family spirituality during the COVID-19 pandemic.** *Healthc Low-resour S* doi: 10.4081/hls.2023.11747

©The Author(s), 2023
Licensee PAGEPress, Italy

6 The publisher is not responsible for the content or functionality of any supporting information supplied by the authors. Any queries should be directed to the corresponding author for the article.

3 All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article or claim that may be made by its manufacturer is not guaranteed or endorsed by the publisher.



The influence of religious well-being on the resilience of family spirituality during the COVID-19 pandemic

Yoyok Bakti Prasetyo,¹ Faridi Faridi,² Nur Lailatul Masruroh,¹ Nur Melizza,¹ Sita Afkarina Mutmainnah³

¹Department of Community Health Nursing, Faculty of Health Science, Universitas Muhammadiyah Malang, Malang; ²Department of Islamic Religion, Faculty of Islamic Religion, Universitas Muhammadiyah Malang, Malang; ³Student of Nursing Science, Faculty of Health Science, Universitas Muhammadiyah Malang, Malang, Indonesia

Correspondence: ¹Nur Melizza, Department of Community Health Nursing, Faculty of Health Science, Universitas Muhammadiyah Malang, Malang, Indonesia.

E-mail: melizza@umm.ac.id

Key words: COVID-19; family spirituality; resilience; religious well-being.

Contributions: YBP Conceptual, ²study design, analysis, data interpretation, and overall guidance; FF ²Consultant in the field of religious and conceptual research frameworks; NLM ²Supervision from research conception to final approval of the proposed version; NM ²Compilation of articles, overall guidance, and facilitation in article revision for content accuracy, SAM Data collection, article writing under the supervision of all authors.

Conflict of interest: ¹⁰no potential conflict of interest was reported by the authors.

Ethics approval and consent to participate: this study received ethical approval from the Health Research ⁸Ethics Commission of the University of Muhammadiyah Malang with protocol number E.5.a/007/KEPK-UMM/I/2022. Participants provided written consent for participation before data collection.

Patient consent for publication: written informed consent was obtained for anonymized patient information to be published in this article.

Funding: this research was supported by a research grant from Productive Innovative Research Funding/Riset Inovatif Produktif (RISPRO) from the Ministry of Finance's Education Fund Management Institute with contract number 166/E4.1/AK.04.RA/2021.

⁹
Availability of data and materials: all data generated or analyzed during this study are included in this published article.

Acknowledgment: the authors would like to thank the Indonesian Ministry of Education, Culture, Research and Technology which has provided funding for this research. The researcher also thanks the Directorate of Research and Community Service, the Universitas Muhammadiyah Malang, which has provided administrative and policy assistance in this study.

Abstract

Religious or spiritual well-being has a significant influence on family resilience, particularly in the spiritual aspect when dealing with changes or crises. The COVID-19 pandemic represents a significant change and crisis that can potentially impact religiosity and affect family resilience in spirituality. ¹ This study aimed to analyze the impact of religious well-being on family resilience in terms of family spirituality during the COVID-19 pandemic. ⁸ This was a descriptive study, utilizing a cross-sectional survey approach. A total of 243 respondents were recruited for this research using accidental sampling technique. Data collection was conducted through questionnaires. Data analysis involved binary logistic regression and multivariate logistic regression, with a 95% degree of freedom and a standard error of 0.05. The main finding of this study indicates that religious well-being ($p=0.000$) significantly influences family resilience in family spirituality. Families with sufficient religious well-being are four times more likely to exhibit resilience in family spirituality compared to families with inadequate religious well-being (OR: 3.807; 95% CI: 2.230–6.498). The family resilience in family spirituality is strongly influenced by the factor of religious well-being. Strengthening the community with a religious approach is essential to bolster the family's ability to cope with the challenges posed by the pandemic.

Introduction

The high transmission and rapid spread of the COVID-19 disease pose a significant threat to communities, affecting people's health indiscriminately.¹⁻³ In September 2021, there were 230,326,827 new cases reported worldwide, resulting in 4,722,924 deaths due to COVID-19. Unsurprisingly, the fear of COVID-19 has a profound impact on people's well-being.⁴ This fear can significantly affect mental health and overall well-being.⁵⁻⁸ Previous research has revealed alarming statistics, indicating that during the pandemic, the prevalence of depression was at 26.1%, anxiety at 33.2%, and stress at 5.8%.⁹⁻¹² Furthermore, the implementation of social distancing and self-isolation regulations in many countries worldwide has led to significant societal changes and has given rise to various mental health issues, including anxiety, fear, sadness, feelings of worry, impulsive behavior, and difficulty in concentration. However, a previous study has suggested that spiritual beliefs can help reduce fear and anxiety, providing individuals with a sense of security.¹³

Religious well-being represents a spiritual expression through which an individual connects with themselves, God, society, and the environment. It is typically measured within the dimensions of existential and religious well-being.¹⁴⁻¹⁶ This form of well-being has a notable impact on family resilience, particularly in the spiritual aspect, enabling families to cope with changes and crises effectively.¹⁷ The advent of the COVID-19 pandemic presented a significant crisis, potentially challenging religiosity and influencing family resilience in the spiritual domain.¹⁸ Family resilience, in essence, signifies the strength to endure and recover from adversity, necessitating constructive adaptation.¹⁹ The COVID-19 pandemic, marked by elevated levels of fear and anxiety, has prompted significant lifestyle changes, including alterations in religious beliefs and behaviors.²⁰ Resilience during a pandemic can reduce anxiety levels.²¹

The results of a study conducted in Italy indicated that participants perceived lower levels of spiritual well-being and mental health than in pre-pandemic situations with significant gender differences.²² A low level of spirituality will result in psychological impacts such as mental disorders (adjustment disorder or stress reactions that result in depression) (80.2%) and the remaining 19.8% only have a low impact.²² Besides that, World Health Organization (WHO) also explains Practical considerations and recommendations for religious leaders that increase spirituality and apply it in daily life during the co-19 pandemic to provide greater resilience to families and society in general.²³

Furthermore, a low level of spiritual well-being is related to a decreased life satisfaction level and a disturbing sense of meaning and purpose in life experienced by the community due to

the COVID-19 pandemic.^{24,25} This can be overcome by strengthening spiritual resilience.²⁶⁻²⁸

Spiritual resilience is different from other forms of resilience, spiritual resilience can strengthen and empower resilience that is manifested in other bio-psychosocial emotional forms.²⁶ Spirituality is an effective factor for dealing with stress and anxiety related to COVID-19.^{19,20,29} Spirituality is a source of social support that creates a sense of meaning to overcome confusion and increases a sense of indirect control over an event.³⁰⁻³² In addition, previous research shows that according to indicators of family resilience, 95% of participants believe that this pandemic is a test from God Almighty and makes participants aware of the importance of family, this shows that spiritual values can be a good coping in the family.³³ Spiritual health is created when a person voluntarily strengthens his spiritual strength through prayer, relaxation, and associating with like-minded people, as well as learning from spiritual guides and reading books on religion.³⁴

Prior research regarding the impact of spirituality on the resilience of patients with chronic illnesses has indicated that spirituality plays a significant role in enhancing an individual's ability to withstand adversity, resulting in increased resilience³⁵. Furthermore, spirituality fosters cognitive flexibility and resilience by encouraging individuals to accept and reconcile with challenging circumstances. Patients with higher levels of spiritual well-being demonstrate more effective coping and adaptation to challenging conditions, leading to heightened levels of resilience and improved stress management. Positive religious coping and regular spiritual experiences have been linked to positive influences and higher life satisfaction. Conversely, religious coping is negatively associated with negative affect and psychological distress. Nevertheless, it's noteworthy that there has been no previous research specifically investigating the influence of religious well-being on the resilience of family spirituality.

In overcoming the impact of declining spiritual resilience, religious well-being or spiritual well-being can be used as a protector in psychological and mental health as well as physical health.²² The purpose of the current study was to analyze the influence of religious well-being on family spirituality resilience during the COVID-19 pandemic. This study also stated that addressing psychosocial and spiritual needs can improve the quality of life and individual well-being, especially in the current pandemic conditions.

Materials and Methods

Design and participants

The study was descriptive study, utilizing a cross-sectional survey approach. The study was conducted in 2022 with data collection carried out in January-February 2022. The study's population consisted of all Indonesian citizens residing in Malang, East Java Province. For eligibility, the sample was defined as adults capable of reading and completing the questionnaire. The sample size, determined using G Power version 3.1, with a z-test, logistic regression, odds ratio of 1.5, a power of 80%, and a probability error of 0.05, resulted in a sample size of 243 respondents. Sampling was conducted through accidental sampling technique. In this study, the inclusion criteria encompassed village residents aged 17 years and older who were literate and willing to participate in the research, while the exclusion criteria included individuals who met the inclusion criteria but were ill and unable to complete the distributed questionnaire.

Procedure

The data obtained by an online survey using Google Forms. Before the research begins, respondents were recruited based on written criteria. After finding suitable respondents, the respondents join the WhatsApp group that has been created. Then the researcher gathered the respondents in the hall, the researcher explained filling in the link, gave informed consent, and then asked the respondent to access the questionnaire link that the researcher distributed via the WhatsApp application. Overall, it took 30 minutes to complete the questionnaire. Meanwhile, for respondents who had not yet come to the hall, data collection was carried out by gathering respondents at one of the respondents' houses closest to them. To increase and maintain research contribution provisions, incentives are given to respondents after completing the questionnaire.

Instruments

The main independent variable was religious well-being, which was assessed through a questionnaire consisting of 10 items with a score range of 1–6 (1=often used, 6=never used). Sample questions from this questionnaire include: "I don't feel satisfaction when I pray to God personally" and "I don't know who I am, where I am from, or where I am going." The total scores for this questionnaire can range from 10 to 60. Subsequently, these scores were categorized into two groups: poor (above the median) and good (below the median). Additionally, there were several other independent variables under consideration, such as age, education, family type, income, and occupation. Age is classified into six categories: 17–25 years (late adolescence); 26–35 years (early adulthood); 36–45 years (late adulthood); 46–55

years (early elderly); 56–65 years (late old age); and over 65 years (old age). Education levels include no schooling, elementary school, junior high school, senior high school, or college. Family types are categorized as nuclear family, extended family, or single-parent. Income is divided into two groups: less than 3 million and more than 3 million. Occupation is categorized as having a job or being jobless.

The dependent variable was family resilience in the context of family spirituality, which was assessed through four question items related to worshiping in places of worship, seeking advice from religious figures, belief in God, and participating in worship activities.

Respondents provide their answers on a Likert scale ranging from 1 (disagree) to 4 (strongly agree). The composite scores for this variable fall within the range of 4 to 108 and are subsequently categorized as either adequate (above the median) or inadequate (below the median).

Data analysis

All data were analyzed using Statistical Package for Social Science (SPSS) version 21 software (IBM USA). Descriptive analysis was used to identify religious coping, age, education, family type, income, occupation, and family resilience with frequency and percentage. Logistic binary analysis was used to select candidate variables. Variables with $p < 0.25$) were included in the modeling. Multivariate analysis was used to analyze the effect of candidate variables on family resilience in communicating and solving problems during the COVID-19 pandemic. The degree of freedom used is 95% with a standard error of 0.05.

Ethical considerations

This study received ethical approval from the Health Research Ethics Commission of the University of Muhammadiyah Malang with protocol number E.5.a/007/KEPK-UMM/I/2022. Participants provided written consent for participation before data collection.

Results

Univariate analysis among all demographic data was presented in Table 1. Most of the ages ranged from 46 to 55 years as much as 30.9%, with a high school education level (47.7%). The most common type of family was the nuclear family (66.7%). Most of the residents' income was less than 3 million rupiahs (90.5%). Moreover, the data was also dominated by 162 residents, or 66,7% of people who lost a job during the pandemic, nevertheless, there

were 51% of respondents have Good religious well-being and adequate family resilience in family spirituality 53.5% (Table 1).

From Figure 1, it can be seen that the practice and faith of family resilience in family spirituality are indicated by activities in the form of maintaining their belief in the power of the Almighty (God) is 91.4%, there were 61,7% of respondents who participate in religious activities and 56 % who worshipping in places of worship, and consulting with religious leaders as much as 53.1%.

One factor that influences family resilience in family spirituality is religious well-being. Families with adequate religious well-being were 4 times more likely to have resilience in family spirituality than families with inadequate religious well-being (OR: 3,807; 95% CI: 2,230 – 6,498) (Table 2).

The selection of candidates who entered the model was religious well-being, while the variables were not included in the model because they had a $p > 0.25$ value, namely age ($p = 0.288$), family type ($p = 0.268$), occupation ($p = 0.552$), income ($p = 0.321$).

Discussion

The study's findings indicated that religious well-being or spiritual well-being significantly impacts family resilience in the context of family spirituality. Religious well-being encompasses the sense of satisfaction and inner peace experienced by individuals in the practice of their religion or spirituality. On the other hand, spiritual resilience within a family can be understood as the family's capacity to uphold their faith and spiritual values in the face of pressure and challenging circumstances. This resilience can also assist individuals in coping with stress, anxiety, and life's trials. As a result, an increase in the family's religious well-being is likely to contribute to the enhancement of their spiritual resilience. This is in line with previous research that mentions that the relationship with God contributes to the welfare of life.³⁶ Families affected by COVID-19 sometimes experience loneliness, religious well-being or spiritual well-being can reduce the loneliness they feel.³⁷ Spiritual well-being also has a role in overcoming stress that occurs, this is because ¹¹there is a relationship between spiritual well-being, peace, faith, and psychological adjustment to the stress that occurs.^{38,39} ¹¹Spiritual well-being along with hope and resilience can be good predictors of stress.⁴⁰ The ongoing pandemic has brought about significant changes in family routines, which, in turn, can serve as triggers for family problems and health issues.⁴¹ In response, families are increasingly relying on mutual support, including spiritual support, as spirituality can be a valuable source of strength⁴². It has become increasingly recognized as a significant

contributor to overall health and well-being, and its benefits should not be underestimated.⁴³

A systematic review has demonstrated that various aspects of spirituality and religiosity, such as attendance at places of worship and the significance of religious beliefs, possess a modest yet consistent ability to predict levels of mental health problems over time.⁴⁴

Religious well-being or spiritual well-being is widely regarded as a stabilizing factor in life, fostering a sense of spiritual peace.⁴⁵ Several studies have demonstrated that enhancing the spiritual dimension in one's life can enhance adaptability to changing circumstances,⁴⁶ promote the maintenance of mental health,⁴⁷ and improve social functioning.⁴⁸ Additionally, spirituality contributes to increased cognitive flexibility and individual resilience when faced with challenging situations.⁴⁹ The increasing family resilience is associated with higher degrees of spiritual well-being, religious well-being and existential well-being.⁵⁰

The results of this study also found that age, family type, family income, and education level did not affect family spirituality resilience. The age factor is a direct factor related to a person's maturity to perceive something. So age does not affect spiritual resilience.⁵¹ This is also in line with previous research that age has a significant impact on a person's perception of spiritual well-being. Family type and family income do not affect spiritual resilience. High family income does not guarantee good spiritual resilience, and low family income does not rule out the possibility of the family having good spiritual resilience.⁵² This depends on how grateful the family is for everything that happens, revealing the importance of creating gratitude practices every day to build family welfare and family resilience.⁵³

The high and low level of education does not guarantee the strength of spiritual resilience in the family. Since spiritual resilience arises from self-belief and awareness of the existence of a Supreme Being (God), it is in line with research which states that spirituality refers to experiences and deep inner feelings and beliefs that arise from awareness of the existence of the Holy One which can increase the meaning of life's purpose and inner peace.⁵⁴ The level of education does not find a significant relationship with the level of spiritual resilience.⁵¹ This study shows that work does not affect family spirituality resilience. During this pandemic, the unemployment rate has increased, as well as changes to working regulations to reduce exposure to COVID-19. This is in line with the statement which mentions the development of a global pandemic causing mass unemployment, and an increase in remote work.⁵⁵ There is a positive impact from working remotely, where families will have more time to be closer to other family members. Previous research stated that apart from the negative impact of the pandemic that can disrupt family relationships, the pandemic also has a positive impact on families, where families have a lot of quality time and can be spent together.⁵⁶ This research

was conducted on respondents who are Muslim, so it has not been able to generalize to other religions. Questionnaires can be developed for other religions.

This study has several limitations. This research was only conducted on Muslim populations, so the spiritual level data focused on only one religion. Recommendations for further research are that similar research can be carried out with various types of religions so that the data obtained is more diverse. By making diverse religions, it is hoped that future research can represent the entire population without distinguishing between religions.

Conclusions

Family resilience in spirituality is heavily influenced by factors of religious well-being. Strengthening the community through a religious approach is essential to bolster the family's defense against the challenges of this pandemic. The findings from this study can serve as a foundation for delivering spiritual support therapy to families in distress. Exploring the application of such spiritual support, especially to distressed families, is a compelling topic for subsequent research. This study can aid in enhancing nursing interventions, particularly those centered on spirituality-based family nursing, taking into account the factors discussed above.

References

1. Polizzi C, Lynn SJ, Perry A. Stress and coping in the time of COVID-19: Pathways to resilience and recovery. *Clin Neuropsychiatry* 2020;17:59–62.
2. Fajar JK, Sallam M, Soegiarto G, et al. Global Prevalence and Potential Influencing Factors of COVID-19 Vaccination Hesitancy: A Meta-Analysis. *Vaccines* 2022;10:1356.
3. Wahyuhadi J, Efendi F, Al Farabi MJ, et al. Association of stigma with mental health and quality of life among Indonesian COVID-19 survivors. *PLoS One*. 2022;17:e0264218.
4. October KR, Petersen LR, Adebiyi B, Rich E, Roman NV. COVID-19 daily realities for families: A South African sample. *Int J Environ Res Public Health* 2021;19:221.
5. Masuyama A, Shinkawa H, Kubo T. Validation and psychometric properties of the Japanese version of the fear of COVID-19 scale among adolescents. *Int J Ment Health Addict* 2020;1–11.
6. Yusuf A, Fitriani DD, Efendi F, et al. Outcomes of nurse-led telecoaching intervention for patients with heart failure: A systematic review and meta-analysis of randomised

- controlled trials. M.A. R, editor. *Indian J Public Heal Res Dev* 2020;10:1125–35.
7. D'Arqom A, Akram M, Azzahranisa NS, et al. Societal influence and psychological distress among Indonesian adults in Java on the early Omicron wave of COVID-19. *Futur Sci OA* 2023;9:FSO894.
 8. Sya'diyah H, Widayanti DM, Myra M, et al. Resilience Influenced with Anxiety Level among Family with Elderly in Facing the Covid-19 Pandemic: A Correlational Study. *Malaysian J Nurs* 2022;14:138–42.
 9. Parvar SY, Ghamari N, Pezeshkian F, Shahriarirad R. Prevalence of anxiety, depression, stress, and perceived stress and their relation with resilience during the COVID-19 pandemic, a cross-sectional study. *Heal Sci Reports* 2022;5:e460.
 10. Oosterhoff B, Palmer CA, Wilson J, Shook N. Adolescents' motivations to engage in social distancing during the COVID-19 pandemic: associations with mental and social health. *J Adolesc Heal* 2020;67:179–85.
 11. Pramukti I, Strong C, Sitthimongkol Y, et al. Anxiety and suicidal thoughts during the COVID-19 pandemic: Cross-country comparative study among Indonesian, Taiwanese, and Thai university students. *J Med Internet Res* 2020;22:e24487.
 12. Pradipta Lusida MA, Salamah S, Jonatan M, et al. Prevalence of and risk factors for depression, anxiety, and stress in non-hospitalized asymptomatic and mild COVID-19 patients in East Java province, Indonesia. *PLoS One*. 2022;17:e0270966.
 13. Krok D, Zarzycka B, Telka E. Religiosity, meaning-making and the fear of COVID-19 affecting well-being among late adolescents in Poland: A moderated mediation model. *J Relig Health* 2021;60:3265–81.
 14. Malinakova K, Kopcakova J, Kolarcik P, et al. The Spiritual Well-Being Scale: Psychometric evaluation of the shortened version in Czech adolescents. *J Relig Health* 2017;56:697–705.
 15. Oglesby LW, Gallucci AR, Wynveen C, et al. The relationship between spiritual well-being and burnout in collegiate athletic trainers. *J Athl Train* 2021;56:518–28.
 16. Zoldan-Calhoun C. The Contribution of Spiritual Well-Being to the Self-Efficacy, Resilience, and Burnout of Substance Use Disorder Counselors. The University of Akron; 2021.
 17. Li Y, Qiao Y, Luan X, et al. Family resilience and psychological well-being among Chinese breast cancer survivors and their caregivers. *Eur J Cancer Care (Engl)* 2019;28:e12984.

18. Hassan SM, Ring A, Tahir N, Gabbay M. The impact of COVID-19 social distancing and isolation recommendations for Muslim communities in North West England. *BMC Public Health* 2021;21:1–11.
19. Walsh F. Loss and resilience in the time of COVID-19: Meaning making, hope, and transcendence. *Fam Process* 2020;59:898–911.
20. Lucchetti G, Góes LG, Amaral SG, et al. Spirituality, religiosity and the mental health consequences of social isolation during Covid-19 pandemic. *Int J Soc Psychiatry* 2021;67:672–9.
21. Barzilay R, Moore TM, Greenberg DM, et al. Resilience, COVID-19-related stress, anxiety and depression during the pandemic in a large population enriched for healthcare providers. *Transl Psychiatry*. 2020;10:291.
22. Coppola I, Rania N, Parisi R, Lagomarsino F. Spiritual well-being and mental health during the COVID-19 pandemic in Italy. *Front Psychiatry* 2021;12:626944.
23. WHO. Practical considerations and recommendations for religious leaders and faith-based communities in the context of COVID-19: interim guidance, 7 April 2020. World Health Organization; 2020.
24. Zhang SX, Wang Y, Rauch A, Wei F. Unprecedented disruption of lives and work: Health, distress and life satisfaction of working adults in China one month into the COVID-19 outbreak. *Psychiatry Res* 2020;288:112958.
25. Nugraha S, Robiatul Adawiyah A, Trisuci Aprilia Y, Agustina L, Rahardjo BW. Pandemic in Indonesian older people: The implication for sleep deprivation, loss of appetite, and psychosomatic complaints. *J Ners* 2022;17:67–73.
26. Nelson-Becker H, Thomas M. Religious/spiritual struggles and spiritual resilience in marginalised older adults. *Religions* 2020;11:431.
27. Gardiner E, Mâsse LC, Iarocci G. A psychometric study of the Family Resilience Assessment Scale among families of children with autism spectrum disorder. *Health Qual Life Outcomes* 2019;17:1–10.
28. George-Edwards LL. The Relationships among Spirituality, Religious Coping, and Resilience in Northern Appalachian Displaced Workers. Grand Canyon University; 2019.
29. Ang CS, Lee KW, Ho MC, et al. Validation of the Malay Version of the COVID-19 Anxiety Scale in Malaysia. *Malaysian J Med Sci* 2022;29:122–32.
30. Kwek CL, Yeow KS, Zhang L, et al. The Determinants of Fake News Adaptation during COVID-19 Pandemic: A Social Psychology Approach. *Recoletos Multidiscip*

Res J 2022;10:19–39.

31. Dehghan M, Namjoo Z, Zarei A, et al. The Relationship between Coronavirus Anxiety, Mindfulness and Spiritual Health in Patients with Cancer: A Survey in Southeast Iran. *Psychiatry Investig* 2021;18:443–52.
32. Jannat T, Omar NA, Che Senik Z, et al. People's Perceptions and Coping Strategies During the COVID-19 Pandemic: A Phenomenological-Longitudinal Study in Bangladesh. *Omega* 2023;00302228231173605.
33. Sunarti E, Fithriyah AF, Khoiriyah N, et al. Portrait of Indonesian family during one year the COVID-19 pandemic: analysis of factors influencing family welfare and resilience. *J Disaster Res* 2022;17:31–42.
34. Sadat Hoseini AS, Razaghi N, Khosro Panah AH, Dehghan Nayeri N. A concept analysis of spiritual health. *J Relig Health* 2019;58:1025–46.
35. RahimZahedi M, Torabizadeh C, Najafi Kalyani M, Moayedi SA. The Relationship between Spiritual Well-Being and Resilience in Patients with Psoriasis. *Dermatol Res Pract* 2021;2021.
36. Mendonça AB, Pereira ER, Magnago C, et al. Distress and Spiritual Well-Being in Brazilian Patients Initiating Chemotherapy during the COVID-19 Pandemic—A Cross-Sectional Study. *Int J Environ Res Public Health* 2021;18:13200.
37. Durmuş M, Çiftci N, Gerçek A, Durmuş Y. The Effect of COVID-19 Crisis on Hopelessness, Loneliness and Spiritual Well-Being of Patients with Type 1 and Type 2 Diabetes in Turkey. *J Relig Health* 2022;61:1703–18.
38. Park CL. Spiritual well-being after trauma: Correlates with appraisals, coping, and psychological adjustment. *J Prev Interv Community* 2017;45:297–307.
39. Sabbagh HJ, Abdelaziz W, Alghamdi W, et al. Anxiety among Adolescents and Young Adults during COVID-19 Pandemic: A Multi-Country Survey. *Int J Environ Res Public Health*. 2022;19:10538.
40. Nooripour R, Hosseinian S, Hussain AJ, et al. How resiliency and hope can predict stress of Covid-19 by mediating role of spiritual well-being based on machine learning. *J Relig Health* 2021;1–16.
41. Ameis SH, Lai MC, Mulsant BH, Szatmari P. Coping, fostering resilience, and driving care innovation for autistic people and their families during the COVID-19 pandemic and beyond. *Mol Autism* 2020;11:1–9.
42. Kvarfordt CL, Herba K. Religion and spirituality in social work practice with children and adolescents: A survey of Canadian practitioners. *Child Adolesc Soc Work J*

2018;35:153–67.

43. Koenig HG, Al-Zaben F, VanderWeele TJ. Religion and psychiatry: Recent developments in research. *B J Psych Adv* 2020;26:262–72.
44. Braam AW, Koenig HG. Religion, spirituality and depression in prospective studies: A systematic review. *J Affect Disord* 2019;257:428–38.
45. Tassell-Matamua NA, Frewin KE. Psycho-spiritual transformation after an exceptional human experience. *J Spiritual Ment Heal* 2019;21:237–58.
46. Corbett M, Lovell M, Siddall PJ. The role of spiritual factors in people living with chronic pain: a qualitative investigation. *J Study Spiritual* 2017;7:142–53.
47. Vitorino LM, Lucchetti G, Leão FC, et al. The association between spirituality and religiousness and mental health. *Sci Rep* 2018;8:17233.
48. Mohammadi M, Alavi M, Bahrami M, Zandieh Z. Assessment of the relationship between spiritual and social health and the self-care ability of elderly people referred to community health centers. *Iran J Nurs Midwifery Res* 2017;22:471.
49. Plexico LW, Erath S, Shores H, Burrus E. Self-acceptance, resilience, coping and satisfaction of life in people who stutter. *J Fluency Disord* 2019;59:52–63.
50. Ebrahimi A, Yadollahpour MH, Akbarzadeh Pasha A, Seyedi-Andi SJ. The Relationship between Spiritual Health and Resilience in Hemodialysis Patients. *J Babol Univ Med Sci* 2021;23:135–41.
51. Iqbal M, Adriani SR. Overview of Family Resilience Index in South Tangerang City During COVID-19 Pandemic. *J Psikol Malaysia* 2022;35(3).
52. Koenig HG. Maintaining health and well-being by putting faith into action during the COVID-19 pandemic. *J Relig Health* 2020;59:2205–14.
53. Gayatri M, Irawaty DK. Family Resilience during COVID-19 Pandemic: A Literature Review. *Fam J Alex Va* 2022;30:132-138.
54. Dey NEY, Amponsah B, Wiafe-Akenteng CB. Spirituality and subjective well-being of Ghanaian parents of children with special needs: The mediating role of resilience. *J Health Psychol* 2021;26:1377–88.
55. Fan J, Senthanar S, Macpherson RA, et al. An umbrella review of the work and health impacts of working in an epidemic/pandemic environment. *Int J Environ Res Public Health* 2021;18:6828.
56. Luttik MLA, Mahrer-Imhof R, García-Vivar C, et al. The COVID-19 pandemic: A family affair. Vol. 26, *Journal of family nursing*. SAGE Publications Sage CA: Los Angeles, CA; 2020. p. 87–9.

Table 1. Demographic characteristics of respondents (n=243).

Characteristics	n	Percentage
Age		
17-25	19	7.8%
26-35	57	23.5%
36-45	56	23.0%
46-55	75	30.9%
56-65	27	11.1%
>65	9	3.7%
Education		
No formal education	1	0.4%
Elementary school	46	19%
Junior high school	55	22.6%
Senior High School	116	47.7%
College	25	10.3%
Family type		
Nuclear family	162	66.7%
Extended family	60	24.7%
Single parent	21	8.6%
Income		
<3 million	220	90.5%
>3 million	23	9.5%
Occupation (during the pandemic)		
Have a job	81	33.3%
Jobless	162	66.7%
Religious well-being		
Poor	119	49%
Good	124	51%
Family spirituality resilience		
Inadequate	113	46.5%
Adequate	130	53.5%
Total	243	100%

Table 2. The final multivariate logistic regression model of family resilience in family spirituality

Variable	B	SE	Wald	p-value	OR	95% CI for Exp (B)	
						Lower	Upper
Religious well-being	1.337	.273	24.016	0.000	3.807	2.230	6.498
Constant	-1.822	.419	18,936	0.000	0.162		




Figure 1. Family Resilience Questionnaire Item Scores in Family Spirituality During The COVID-19 Pandemic

Submitted: 11 September 2023

Accepted: 18 October 2023

Early access: 09 November 2023

The influence of religious well-being on the resilience of family spirituality during the COVID-19 pandemic

ORIGINALITY REPORT

12%

SIMILARITY INDEX

8%

INTERNET SOURCES

12%

PUBLICATIONS

6%

STUDENT PAPERS

PRIMARY SOURCES

1

saber.ucv.ve

Internet Source

2%

2

Alib Birwin, Ahmad Faridi, Mohammad Furqan, Taufik Maryusman, Arif Seytawan. "Descriptive Epidemiological Study of TB Occurrence in Matraman District Health Center Post Covid-19 Pandemic", Jurnal Aisyah : Jurnal Ilmu Kesehatan, 2023

Publication

2%

3

Carolina Campodonico, Katherine Berry, Gillian Haddock, Filippo Varese. "Protective Factors Associated With Post-traumatic Outcomes in Individuals With Experiences of Psychosis", Frontiers in Psychiatry, 2021

Publication

2%

4

eprints.rums.ac.ir

Internet Source

1%

5

Mohammadhossein RahimZahedi, Camellia Torabizadeh, Majid Najafi Kalyani, Seyed Alireza Moayedi. "The Relationship between

1%

Spiritual Well-Being and Resilience in Patients with Psoriasis", Dermatology Research and Practice, 2021

Publication

6

A. J. Horst, J. A. Karson, R. J. Varga. "Large Rotations of Crustal Blocks in the Tjörnes Fracture Zone of Northern Iceland", Tectonics, 2018

Publication

1 %

7

e-journal.unair.ac.id

Internet Source

1 %

8

Nur Lailatul Masruroh, Riyya Novinda Sari, Anggraini Dwi Kurnia, Nur Melizza, Yoyok Bkti Prasetyo. "Relationship Between Knowledge and Behavior in Facing the COVID-19 Pandemic in a Rural Community", KnE Medicine, 2022

Publication

1 %

9

www.dovepress.com

Internet Source

1 %

10

napier-repository.worktribe.com

Internet Source

1 %

11

Roghieh Nooripour, Simin Hosseinian, Abir Jaafar Hussain, Mohsen Annabestani et al. "How Resiliency and Hope Can Predict Stress of Covid-19 by Mediating Role of Spiritual

1 %

Well-being Based on Machine Learning", Journal of Religion and Health, 2021

Publication

Exclude quotes	On	Exclude matches	< 1%
Exclude bibliography	On		



Digital Receipt

This receipt acknowledges that **Turnitin** received your paper. Below you will find the receipt information regarding your submission.

The first page of your submissions is displayed below.

Submission author: Artikel 4
Assignment title: Faridi 1
Submission title: The influence of religious well-being on the resilience of fa...
File name: silience_of_family_spirituality_during_the_COVID-19_pandem...
File size: 329.04K
Page count: 16
Word count: 5,445
Character count: 30,119
Submission date: 29-Dec-2023 09:54AM (UTC+0700)
Submission ID: 2265405811

