

Manuskrip riligijs vs interaksi

by Artikel 2

Submission date: 14-Feb-2024 03:43AM (UTC+0700)

Submission ID: 2294106259

File name: Manuskrip_religious_vs_interaksi.pdf (692.18K)

Word count: 7150

Character count: 39175



The influence of religious coping on family resilience in family interactions during the COVID-19 pandemic

Yoyok Bakti Prasetyo¹, Dinda Putri Savira², Faridi³, Nur Lailatul Masruroh¹, Nur Melizza^{1*}

¹ Lecture, Department of Community Health Nursing, Faculty of Health Science, University of Muhammadiyah Malang, Indonesia

² Nursing Student, Faculty of Health Science, University of Muhammadiyah Malang, Indonesia

³ Lecture, Department of Islamic Religion, Faculty of Health Science, University of Muhammadiyah Malang, Indonesia

ARTICLE INFO

Article history:

Received 10 October 2022

Accepted 31 January 2023

Published 20 March 2023

Keyword:

religious coping
resilience
family interactions
COVID-19

ABSTRACT

Background: Religious coping is very important in overcoming difficult problems in the family. This study aims to analyze the influence of religious coping on family resilience in family interactions during the COVID-19 pandemic.

Methods: The research design used is descriptive with a cross-sectional survey approach. Two hundred and forty-two villagers in East Java Province, Indonesia were respondents in this study. Data collection by questionnaire, data analysis using binary logistic regression and multivariate logistic regression. The degree of freedom used is 95% with a standard error of 0.05.

Result: Religious coping and education influence family resilience in interacting. Families with adequate religious coping will have 1 time chance of having resilience in interacting compared to families with inadequate religious coping (OR: 1.059; 95% CI: 1.019 – 1.101). Families who work will have a 0.8 times chance of having resilience in interacting compared to families who do not work (OR: 0.759; 95% CI: 0.572 – 1.006). Conclusion: Religious coping factors strongly influence family resilience in utilizing socioeconomic resources. Strengthening the community with a religious approach is needed to support the family's line of defense against this pandemic condition.

This open access article is under the CC-BY-SA license.



Kata kunci:

religious coping
resilience
family interactions
COVID-19

*) corresponding author

Nur Melizza

Jalan Bendungan Sutami 188A
Malang, Indonesia

Email: melizza@umm.ac.id

DOI: 10.30604/jika.v8i1.1657

Copyright 2023 @author(s)

ABSTRAK

Background: Religious coping is very important in overcoming difficult problems in the family. This study aims to analyze the influence of religious coping on family resilience in family interactions during the COVID-19 pandemic.

Methods: The research design used is descriptive with a cross-sectional survey approach. Two hundred and forty-two villagers in East Java Province, Indonesia were respondents in this study. Data collection by questionnaire, data analysis using binary logistic regression and multivariate logistic regression. The degree of freedom used is 95% with a standard error of 0.05.

Result: Religious coping and education influence family resilience in interacting. Families with adequate religious coping will have 1 time chance of having resilience in interacting compared to families with inadequate religious coping (OR: 1.059; 95% CI: 1.019 – 1.101). Families who work will have a 0.8 times chance of having resilience in interacting compared to families who do not work (OR: 0.759; 95% CI: 0.572 – 1.006). Conclusion: Religious coping factors strongly influence family resilience in utilizing socioeconomic resources. Strengthening the community with a religious approach is needed to support the family's line of defense against this pandemic condition.

This open access article is under the CC-BY-SA license.



INTRODUCTION

COVID-19 is a disease caused by the new SARS CoV-2 virus which is a single-coated positive-sense RNA virus originating from Wuhan-China and has spread to all countries in the world (Onyeaka et al., 2021). During the COVID-19 pandemic, most people have had to face various restrictions such as lockdowns which made them fearful, insecure and isolated (Büssing et al., 2020). The COVID-19 pandemic has been shown to have the potential to trigger mental health problems, including anxiety, stress, and depression (Shah et al., 2021). Globally, from 21 to 27 February 2022, the number of COVID-19 cases and deaths continued to decline by 16% and 10% respectively compared to the previous week with more than 433 million confirmed cases and more than 5.9 million deaths, reported globally as of 27 February 2022 (WHO, 2022). At the regional level, the Southeast Asia region reported a decrease in the number of new weekly cases by about 37% and a decrease in the number of weekly deaths by about 9% (WHO, 2022).

To contain widespread viral infections and reduce morbidity and mortality, physical or social distancing is enforced (Chu et al., 2020). A study showed a positive relationship between social distancing, isolation, and other experiences during the COVID-19 pandemic and fear and anxiety (Koenig, 2020), as well as various mental health problems (Hossain et al., 2020). This physical distancing policy has led to various short-term and long-term psychosocial and mental health implications for all family members which can have an impact on family resilience in family interactions (Gayatri & Irawaty, 2021).

Family resilience is the capacity of the family to maintain or improve its function in the context of challenges that have three main processes, namely family communication patterns, belief systems, and organizational processes (Isaacs et al., 2020; Walsh, 2016). According to research from (A. et al., 2020), the COVID-19 pandemic can have a positive impact on families such as the more free time that can be spent with all family members, but this pandemic can also disrupt family relationships. During quarantine, everyone will lose the ability to have face-to-face connections and social interactions, and many of them perceive this crisis as a very stressful phenomenon (Zhang et al., 2020).

The pandemic has changed the structure and routine of the family so that it has an impact on changes in several domains such as physical, mental health problems, and family resilience problems (Ameis et al., 2020; Gayatri & Irawaty, 2021). An epidemiological study conducted during the COVID-19 pandemic has reported a drastic increase in mental health problems, such as depression, anxiety, increased feelings of loneliness, and feelings of disconnection from others during COVID-19 which negatively impact family resilience (Godara et al., 2021). The COVID-19 pandemic has had a major impact on society globally, especially families around the world who have had to adapt to a new lifestyle dominated by the uncertainty that is testing the resilience of their families (Mariotti et al., 2021). To overcome various health challenges during the COVID-19 pandemic, everyone will adopt various steps to overcome them (Fullana et al., 2020). Usually, everyone copes with their stress by engaging in creative activities, recreation, sports, work or online study, yoga, meditation, and prayer or religious coping (Fatima et al., 2020).

Religious coping (RC) is an individual's way of using cognitive or behavioral strategies based on religious beliefs or practices to deal with stress and life problems which can be divided into 2 types, namely positive religious coping

(reading scriptures, seeking advice from religious leaders, and reducing stress). unpleasant thoughts) and negative religious coping (maladaptive coping that interprets life's problems as God's punishment) (Francis et al., 2019; Rego et al., 2020; Zarrouq et al., 2021). In one study, it was seen that positive religious coping was associated with reduced stress (Pirutinsky et al., 2020). However, COVID-19 and government regulations related to social distancing, isolation, and prohibitions on other forms of crowding make religious coping difficult (Digregorio et al., 2021). Previous studies have shown that natural disasters have long-term effects on religiosity that are spread from generation to generation (Sinding Bentzen, 2019). The long-term effect of COVID-19 on religiosity is feared to be one of the risk factors for impaired family resilience given the positive relationship between religious coping and family resilience scores in previous studies.

Research related to religious coping shows the uniqueness of this type of coping compared to other coping, as well as its important role in dealing with stress (David A. Bowlus, 2018). Many studies have confirmed the effectiveness of religious coping behaviors in helping individuals manage their feelings of depression and anxiety because this coping can enable individuals to overcome guilt, submit completely to God's will, see things from the positive side, and control their fears (Rababa et al., 2021). The increase in religious coping scores also greatly influences the increase in family resilience scores (Saputro et al., 2021). This is supported by research from (Ebrahim & Alotthman, 2021) which states that there is a significant positive correlation between family resilience in family interactions and religious coping.

Previous research work (Zhuang et al., 2021) which examined the impact of the COVID-19 pandemic on family members of adolescents who tend to have health problems in Hong Kong, showed that 30.6% and 11.5% of respondents reported moderate levels of psychological distress, and almost double the weight compared to before the COVID-19 pandemic, this is considered a risk factor for family resilience. This is supported by a study from (Eales et al., 2021) which examined the effect of the COVID-19 pandemic on family resilience in the United States found that 10.4% of the studied families reported worsening family relationships during the pandemic, 45% reported poor relationships, unchanged, and another 44.5% reported an improved relationship.

Since the beginning of the COVID-19 pandemic, many studies have been conducted to evaluate the impact of COVID-19 on family coping and family resilience (Eales et al., 2021; Marzilli et al., 2021), but there are still few studies that discuss the relationship between religious coping (RC) on family resilience in family interactions during the COVID-19 pandemic. In addition, based on the previously described data related to religious coping and family resilience during the COVID-19 pandemic, this is what makes researchers interested in knowing the effect of religious coping on family resilience in family interactions, especially in Indonesia. The main purpose of this study is to analyze the influence of religious coping on family resilience in family interactions.

Method

Design and Participants

This cross-sectional survey study was conducted from 2021 - to February 2022. The sample in this study were

residents of Tamanharjo Village, Singosari District, Malang Regency which was determined by G Power version 3.1 with z test, logistic regression, odds ratio 1.5, power 80%, and probability error of 0.05 obtained a sample size of 243 respondents from the total population of all residents. Sampling was done by non-probability sampling with an accidental sampling technique.

Measures

Independent Variable

The main independent variable is religious coping. There are 9 items of questionnaire questions with a score range of 1 – 4 (1 = rarely done to 4 = often done). Some questions are as follows; “How often do you do individual prayers? How often do you go to the mosque or place of worship to pray?” The minimum and maximum scores for this questionnaire are 9 – 36. Furthermore, they are categorized into 2, namely good (> median), and poor (<median). The instrument of this research is based on (Cruz et al., 2016), after being translated by the researcher, it was then re-tested by 20 respondents and the results of the reliability test obtained Cronbach's alpha 0.912 and were valid.

In addition to the main variable, there are other independent variables including age, education, family type, income, occupation, family resilience in interaction (family connectedness), and religious coping. Age was categorized into 6 categories (1= 17 – 25 years; 2 = 26 – 35 years; 3 = 36 – 45 years; 4 = 46 – 55 years; 5 = 56 – 65 years; 6 = >65 years). Education includes: 0: no school; 1: SD; 2: Middle school; 3: high school; 4: PT. Family types are divided into: nuclear family = 1; extended family = 2; and single parent = 3. Income is divided into 2, namely: less than 3 million = 1; more than 3 million = 2. Jobs. Family resilience questionnaire in interaction is based on research (Nadrowska et al., 2021), Cronbach's alpha for this entire scale is 0.912, Family Connectedness item (FC, = 0.70, with 6 items), there is a 4-point scale (1 – strongly disagree to 4 – strongly agree). The higher the yield, the higher the level of family resilience.

Dependent Variable

The dependent variable of this study is family resilience in family interactions. There are 6 question items including appreciation, acceptance, love, and others. The questionnaire uses a Likert scale of 1 – 4 (1 = disagree; 4 = strongly agree). The composite score is between 12 – 108. Furthermore, it is categorized into 2, namely adequate (> median), and inadequate (<median).

Procedure

The researcher designed the survey in the form of an electronic questionnaire using a google form. Participants will get a link from the electronic survey. Preparation takes 30 minutes to fill out the questionnaire. During filling out the questionnaire, participants will be assisted to fill out the survey if there are difficulties in filling out survey. To increase participation, incentives were given to participants after filling out the questionnaire.

Ethical Consideration

This study received ethical approval from the Health Research Ethics Commission of the University of

Muhammadiyah Malang with protocol number E.5.a/007/KEPK-UMM/I/2022. Participants provided written consent for participation before data collection.

Data Analysis

All data were analyzed using SPSS (Statistical Package for Social Science) version 21 (IBM USA). Descriptive analysis was used to identify religious coping, age, age, education, family type, income, occupation, and family resilience with frequency and percentage. Logistic binary analysis was used to select candidate variables. Variables with $p < 0.25$ were included in the modeling. Multivariate analysis was used to analyze the effect of candidate variables on family resilience in communication and problem solving during the COVID-19 pandemic. The degree of freedom used is 95% with a standard error of 0.05.

Result

Most of the ages ranged from 46 to 55 years as much as 30.9%, with a high school education level (47.7%). The most common type of family is the nuclear family (66.7%). Some residents earn less than 3 million rupiahs (90.5%). Residents who work by 33.3%. Good religious coping 58.4% and adequate family resilience in family interactions 51% (table 1).

Table 1 Characteristics of Respondents (N=243)

Characteristics	N	Percentages
Age		
17-25	19	7.8%
26-35	57	23.5%
36-45	56	23.0%
46-55	75	30.9%
56-65	27	11.1%
>65	9	3.7%
Education		
No school	1	0.4%
SD	46	18.9%
junior high school	55	22.6%
senior High School	116	47.7%
PT	25	10.3%
Family type		
Nuclear family	162	66.7%
Extended family	60	24.7%
Single parent	21	8.6%
Income		
<3 million	220	90.5%
>3 million	23	9.5%
Work		
Work	81	33.3%
Does not work	162	66.7%
Religious coping		
Poor	101	41.6%
Good	142	58.4%
Resilience interaction		
Inadequate	119	49.0%
Adequate	124	51.0%

Figure 1 shows the resilience of families in interacting during the COVID-19 pandemic in the form of mutual love and affection (85.2%). Mutual acceptance in the family (79%), it is not important to interfere in the affairs of neighbors (76.2%).




Figure 1. Family resilience in family interaction during the COVID-19 pandemic

Factors that influence family resilience in interacting are religious coping and education. Families that have adequate religious coping will have 1-time opportunity to have resilience in interacting compared to families whose religious coping is inadequate (OR: 1.059; 95% CI: 1.019 –

1.101). Families who work will have a 0.8 times chance of having resilience in interacting compared to families who do not work (OR: 0.759; 95% CI: 0.572 – 1.006) (table 3).

Table 3 The final multivariate logistic regression model of family resilience in socio-economic benefits

Variable	B	SE	Wald	p-value	OR	95%CI for Exp (B)	
						Lower	Upper
Pendidikan	-0.276	0.144	3.682	0.050	0.759	0.572	1.006
Religious coping	0.058	0.020	8.647	0.003	1.059	1.019	1.101
Constant	-2.190	1.063	4.247	.039	0.112		

Selection of candidates who entered the model were religious coping, education, and age with p value < 0.25 respectively 0.000, 0.050, 0.189, while the variables were not included in the model because they had p value > 0.25, namely family type (p: 0.835), income (p:0.730), Work (p:0.618).

Discussion

The results of the study explain that there is a relationship between religious coping and family resilience in family interactions during the COVID-19 pandemic. Interaction, in this case, is illustrated by appreciation from friends, acceptance from family, keeping feelings for oneself, listening to concerns about one's problems, showing love and affection, and not interfering in neighbors' affairs.

The COVID-19 pandemic has led to increased levels of stress and anxiety experienced by many people around the world (Agbaria & Abu-Mokh, 2022). Not only presenting a global medical health crisis, but the COVID-19 pandemic has also created a family welfare and mental health crisis (Prime et al., 2020). Several problems that have occurred due to the COVID-19 pandemic show that resilience plays an important role in maintaining family stability (CASMINI, 2020). Faced with ambiguity and difficulties, humans usually prefer to use religion to find comfort and explanations for what is happening (Fatima et al., 2020). This study aims to analyze the influence of religious coping on family resilience in family interactions during the COVID-19 pandemic.

In this study, it was found that during the COVID-19 pandemic, religious coping could affect family resilience in interacting. This is indicated by the data results, that families who have adequate religious coping will have one chance to have resilience in interacting compared to families who have inadequate religious coping (OR: 1.059; 95% CI: 1.019 – 1.101). The results of this study are supported by the opinion

of (Somos, 2020) which states that there is a strong positive correlation between positive religious coping and resilience. In addition, research from (Saputro et al., 2021) also reports that religious Islamic coping can encourage individuals to have positive behavior towards themselves and others, to increase resilience. This can be caused because a high level of spirituality allows families to be able to overcome or explore problems and return problems to God so that families will feel inner relief (Sriyono et al., 2020).

According to research (Ekwonye et al., 2021), participants in his research get meaning from social relationships, life goals, religious beliefs, services, and good health that comes from relationships. A relationship can positively contribute to a person when experiencing a negative event such as COVID-19. During a pandemic, individuals tend to feel lonely, lost, isolated, and angry, which affects a person's ability to interact with others. Some people view relationships as part of a value system, self-development, satisfaction, happiness, joy, pleasure, and inner well-being (Wissing et al., 2020). When interactions in relationships are interrupted, there will be hopelessness, meaninglessness, and defeat. High spirituality will improve a person's well-being and his relationship with the surrounding environment (Borges et al., 2021).

In addition to its relationship with religious coping, family resilience is also influenced by work. This is evidenced by the results in this study, where working families have a 0.8 times chance of having resilience in interacting compared to families who do not work (OR: 0.759; 95%CI: 0.572 – 1.006). The implementation of a lockdown that causes an

increase in the number of unemployed and disrupts transportation routes can have an impact on local and international supply chains (Dasgupta & Robinson, 2022). Some of the consequences of the economic crisis, such as unemployment, increased workload or work reorganization, and reduction of staff and wages can turn into stress factors that can hurt mental health (Marazziti et al., 2021). Unemployment is one of the risk factors that can develop mental symptoms, especially depression during the pandemic period (Lei et al., 2020). The existence of a relationship between family resilience and work can be caused because aspects of family resilience come from psychological, economic, health, and psychosocial aspects which are interrelated and cannot be separated from one another (CASMINI, 2020). The reported decline in life and social interactions during the COVID-19 pandemic may be associated with decreased quality of life as well as increased depression (Lebrasseur et al., 2021). Visitation restrictions also have a serious negative impact on the well-being and health of family members (Creutzfeldt et al., 2021). Some of the problems related to these visit restrictions can be overcome with technology, but these solutions still cannot replace real face-to-face presence (Mercadante et al., 2020).

This study found that the factors of family type, income, and education did not affect family resilience during the COVID-19 pandemic. This is not in line with previous research which states that family resilience is significantly influenced by awareness of personal financial management, working conditions of parents or caregivers, average monthly income or family income level, number of human resources owned by the family, number of siblings, and level of education (Saputra et al., 2021; Xie et al., 2022; Yang et al., 2021). The COVID-19 pandemic has an impact on the socio-economic aspect, according to research from (de Almeida et al., 2020), 55.1% of participants in this study experienced a decrease in family income, 70% had no income, and 25.8% lost their profession. Loss of a job or a large lack of income can lead to violence between parents which can result in all kinds of child abuse (Wong et al., 2021).

According to (Pinchoff et al., 2021), loss of income in adults associated with skipping meals, depressive symptoms, domestic tension or violence, and neglect of health care can result in food insecurity and worsening depressive symptoms. This could be because, during the pandemic, there are problems in balancing work with childcare or homeschooling and financial instability are key factors that can affect family stress (Carroll et al., 2020). Families with low socioeconomic backgrounds can increase food insecurity during the COVID-19 pandemic (Singh et al., 2021). Research from (Santana et al., 2021) found that 614% of respondents who have a monthly income of less than or equal to 70 dollars can be more at risk of experiencing food insecurity and can be classified as a group at high risk of experiencing psychological stress. In addition, the most common type of family in this study was the nuclear family as much as 66.7%. According to research conducted by (Rana et al., 2021), the culture of living in a nuclear family environment was greatly shaken during the COVID-19 pandemic. This could be because, during the COVID-19 pandemic, nuclear family types tend to face challenges in caring for sick or disabled family members, caring for their children, supporting children in distance learning, and continuing their work activities. seems to have led to a sort of retreating in the family itself (Mazzucchelli et al., 2020). Research from (Tok & Ünal, 2020) states that there is a relationship between education level and family resilience, this is because with

increasing education level, parents' attitudes become more democratic, as well as parents' socio-emotional development, such as communication, empathy, and protective relationships can be further supported.

This study also did not find any influence of the age factor on family resilience during the COVID-19 pandemic. This is similar to the study (Hawryluck et al., 2004; Mazza et al., 2020), where no association was found between participants' age and depression during the SARS quarantine period. In addition, the age range of most of the respondents between 46 - 55 years, can also affect the results of this study. The age range of 45 - 64 years can be categorized as the middle-aged adult age group (Backonja et al., 2018; Okoro et al., 2018). This could be because, in every aspect of the mental health test conducted by (Pieh et al., 2020), older adults (over 35 years of age) seemed to be able to handle situations beyond expectations better than the younger age group of older adults. less than 35 years. In addition, other studies have also stated that the younger age group can be associated with higher levels of anxiety during the COVID-19 pandemic (Mazza et al., 2020).

Conclusion and Recommendation

Family resilience in interacting is strongly influenced by religious coping factors. Strengthening the community with a religious approach is needed to support the family's line of defense against this pandemic condition. Similar research can be carried out in other countries with more customs and various religions so that the picture of religious coping described and practiced is broader. This research was conducted in Indonesia where the majority of the population is Muslim. In addition, further research can be carried out to develop coping models and religious interventions to overcome related problems, especially during the pandemic period by taking into account the influencing factors above.

Acknowledgments

The author would like to thank the Education Fund Management Institute of the Indonesian Ministry of Finance for allowing us to participate in the selection and being selected to conduct this research. We also thank the University of Muhammadiyah Malang for supporting us in our research. As well as the research team, both lecturers and students involved. And thanks also to the respondents who are willing to be the subject of our research.

Conflict of Interest

The authors declare no conflicts of interest in this study.

Funding

The research received Productive Innovative Research Funding/Riset Inovatif Produktif (RISPRO) from the Ministry of Finance's Education Fund Management Institute.

Author Contribution

YBP: Conceptual, study design, analysis, data interpretation, and overall guidance; DPS: Data collection, article writing under the supervision of all authors; FR: Consultant in the field of religious and conceptual research frameworks; NLM: supervision from research conception to final approval of the proposed version; NMZ: Compilation of

articles, overall guidance and facilitation in article revision for content accuracy

REFERENCES

- A., M. L., Mahrer-Imhof, R., Garcia-vivar, C., Brodsgaard, A., Dieperink, K. B., Imhof, L., Østergaard, B., Svavarsdottir, E. K., & Konradsen, H. (2020). The COVID-19 Pandemic: A Family Affair. *Journal of Family Nursing*, 26(2), 87–89. <https://doi.org/10.1177/1074840720920883>
- Agbaria, Q., & Abu-Mokh, A. J. (2022). The use of religious and personal resources in coping with stress during COVID-19 for Palestinians. *Current Psychology*, 0123456789. <https://doi.org/10.1007/s12144-021-02669-5>
- Ameis, S. H., Lai, M. C., Mulsant, B. H., & Szatmari, P. (2020). Coping, fostering resilience, and driving care innovation for autistic people and their families during the COVID-19 pandemic and beyond. *Molecular Autism*, 11(1), 1–9. <https://doi.org/10.1186/s13229-020-00365-y>
- Backonja, U., Hall, A. K., Painter, I., Kneale, L., Lazar, A., Cakmak, M., Thompson, H. J., & Demiris, G. (2018). Comfort and Attitudes Towards Robots Among Young, Middle-Aged, and Older Adults: A Cross-Sectional Study. *Journal of Nursing Scholarship*, 50(6), 623–633. <https://doi.org/10.1111/jnu.12430>
- Borges, C. C., dos Santos, P. R., Alves, P. M., Borges, R. C. M., Lucchetti, G., Barbosa, M. A., Porto, C. C., & Fernandes, M. R. (2021). Association between spirituality/religiousness and quality of life among healthy adults: a systematic review. *Health and Quality of Life Outcomes*, 19(1), 1–13. <https://doi.org/10.1186/s12955-021-01878-7>
- Büssing, A., Rodrigues Recchia, D., Hein, R., & Dienberg, T. (2020). Perceived changes of specific attitudes, perceptions and behaviors during the Corona pandemic and their relation to wellbeing. *Health and Quality of Life Outcomes*, 18(1), 1–17. <https://doi.org/10.1186/s12955-020-01623-6>
- Carroll, N., Sadowski, A., Laila, A., Hruska, V., Nixon, M., Ma, D. W. L., & Haines, J. (2020). The impact of covid-19 on health behavior, stress, financial and food security among middle to high income canadian families with young children. *Nutrients*, 12(8), 1–14. <https://doi.org/10.3390/nu12082352>
- CASMINI. (2020). Read the reality of family resilience in facing pandemics Covid-19 in Indonesia. *International Journal of Psychosocial Rehabilitation*, 24(10), 4354–4365.
- Chu, D. K., Akl, E. A., Duda, S., Solo, K., Yaacoub, S., Schünemann, H. J., El-harakeh, A., Bognanni, A., Lotfi, T., Loeb, M., Hajjzadeh, A., Bak, A., Izcovich, A., Cuello-Garcia, C. A., Chen, C., Harris, D. J., Borowiack, E., Chamseddine, F., Schünemann, F., ... Reinap, M. (2020). Physical distancing, face masks, and eye protection to prevent person-to-person transmission of SARS-CoV-2 and COVID-19: a systematic review and meta-analysis. *The Lancet*, 395(10242), 1973–1987. [https://doi.org/10.1016/S0140-6736\(20\)31142-9](https://doi.org/10.1016/S0140-6736(20)31142-9)
- Creutzfeldt, C. J., Schutz, R. E. C., Zahuranec, D. B., Lutz, B. J., Curtis, J. R., & Engelberg, R. A. (2021). Family Presence for Patients with Severe Acute Brain Injury and the Influence of the COVID-19 Pandemic. *Journal of Palliative Medicine*, 24(5), 743–746. <https://doi.org/10.1089/jpm.2020.0520>
- Cruz, J. P., Baldacchino, D. R., & Alquwez, N. (2016). Validity and reliability of the spiritual coping strategies scale arabic version in saudi patients undergoing haemodialysis. *Journal of Renal Care*, 42(2), 107–114. <https://doi.org/10.1111/jorc.12155>
- Dasgupta, S., & Robinson, E. J. Z. (2022). Impact of COVID-19 on food insecurity using multiple waves of high frequency household surveys. *Scientific Reports*, 12(1). <https://doi.org/10.1038/s41598-022-05664-3>
- David A. Bowlus. (2018). *Alliance Theological Seminary the Relationship Between Religious Coping and Resilience Among Senior Army Leaders in the United States Army War College a Dissertation Submitted To the Faculty in Partial Fulfillment for the Degree of Doctor of Ministry By D. January.*
- de Almeida, W. da S., Szwarcwald, C. L., Malta, D. C., Barros, M. B. de A., Júnior, P. R. B. de S., Azevedo, L. O., Romero, D., Lima, M. G., Damacena, G. N., Machado, Í. E., Gomes, C. S., de Pina, M. de F., Gracie, R., Werneck, A. O., & da Silva, D. R. P. (2020). Changes in brazilians' socioeconomic and health conditions during the covid-19 pandemic. *Revista Brasileira de Epidemiologia*, 23, 1–14. <https://doi.org/10.1590/1980-549720200105>
- Digregorio, B. D., Corcoran, K. E., Colyer, C. J., & Stein, R. E. (2021). 'When the Waves Roll High': Religious Coping among the Amish and Mennonites during the COVID-19 Pandemic. *Religions*, 12(9). <https://doi.org/10.3390/rel12090678>
- Eales, L., Ferguson, G. M., Gillespie, S., Smoyer, S., & Carlson, S. M. (2021). Family Resilience and Psychological Distress in the COVID-19 Pandemic: A Mixed Methods Study. *Developmental Psychology*, 57(10), 1563–1581. <https://doi.org/10.1037/dev0001221>
- Ebrahim, M. T., & Allothman, A. A. (2021). Resilience and social support as predictors of post-traumatic growth in mothers of children with autism spectrum disorder in Saudi Arabia. *Research in Developmental Disabilities*, 113(March), 103943. <https://doi.org/10.1016/j.ridd.2021.103943>
- Ekwonye, A. U., Ezumah, B. A., & Nwosisi, N. (2021). Meaning in life and impact of COVID-19 pandemic on African immigrants in the United States. *Wellbeing Space and Society*, 2(January), 100033. <https://doi.org/10.1016/j.wss.2021.100033>
- Fatima, H., Oyetunji, T. P., Mishra, S., Sinha, K., Olorunsogbon, O. F., Akande, O. S., Srinivasan, & Kar, S. K. (2020). Religious coping in the time of COVID-19 Pandemic in India and Nigeria: Finding of a cross-national community survey. *International Journal of Social Psychiatry*. <https://doi.org/10.1177/0020764020984511>
- Francis, B., Gill, J. S., Yit Han, N., Petrus, C. F., Azhar, F. L., Ahmad Sabki, Z., Said, M. A., Ong Hui, K., Chong Guan, N., & Sulaiman, A. H. (2019). Religious Coping, Religiosity, Depression and Anxiety among Medical Students in a Multi-Religious

- Setting. *International Journal of Environmental Research and Public Health*, 18(2), 1–13. <https://doi.org/10.3390/ijerph16020259>
- Fullana, M. A., Hidalgo-Mazzei, D., Vieta, E., & Radua, J. (2020). Coping behaviors associated with decreased anxiety and depressive symptoms during the COVID-19 pandemic and lockdown. *Journal of Affective Disorders*, 275, 80–81. <https://doi.org/10.1016/j.jad.2020.06.027>
- Gayatri, M., & Irawaty, D. K. (2021). Family Resilience during COVID-19 Pandemic: A Literature Review. *Family Journal*, 1. <https://doi.org/10.1177/10664807211023875>
- Godara, M., Silveira, S., Matthäus, H., Heim, C., Voelkle, M., Hecht, M., Binder, E. B., & Singer, T. (2021). Investigating differential effects of socioemotional and mindfulness-based online interventions on mental health, resilience and social capacities during the COVID-19 pandemic: The study protocol. In *PLoS ONE* (Vol. 16, Issue 11 November 2021). <https://doi.org/10.1371/journal.pone.0256323>
- Hawryluck, L., Gold, W. L., Robinson, S., Pogorski, S., Galea, S., & Styra, R. (2004). SARS control and psychological effects of quarantine, Toronto, Canada. *Emerging Infectious Diseases*, 10(7), 1206–1212. <https://doi.org/10.3201/eid1007.030703>
- Hossain, M. M., Sultana, A., & Purohit, N. (2020). Mental health outcomes of quarantine and isolation for infection prevention: a systematic umbrella review of the global evidence. *Epidemiology and Health*, 42, 1–11. <https://doi.org/10.4178/epih.e2020038>
- Isaacs, S. A., Roman, N., & Carlson, S. (2020). Fostering Family Resilience: A Community Participatory Action Research Perspective. *Child Care in Practice*, 26(4), 358–372. <https://doi.org/10.1080/13575279.2020.1801578>
- Koenig, H. G. (2020). Maintaining Health and Well-Being by Putting Faith into Action During the COVID-19 Pandemic. *Journal of Religion and Health*, 59(5), 2205–2214. <https://doi.org/10.1007/s10943-020-01035-2>
- Lebrasseur, A., Fortin-Bédard, N., Lettre, J., Raymond, E., Bussièrès, E. L., Lapièrre, N., Faieta, J., Vincent, C., Duchesne, L., Ouellet, M. C., Gagnon, E., Tourigny, A., Lamontagne, M. È., & Routhier, F. (2021). Impact of the COVID-19 pandemic on older adults: Rapid review. *JMIR Aging*, 4(2). <https://doi.org/10.2196/26474>
- Lei, L., Huang, X., Zhang, S., Yang, J., Yang, L., & Xu, M. (2020). Comparison of Prevalence and Associated Factors of Anxiety and Depression among People Affected by versus People Unaffected by Quarantine during the COVID-19 Epidemic in Southwestern China. *Medical Science Monitor*, 26, 1–12. <https://doi.org/10.12659/MSM.924609>
- Marazziti, D., Avella, M. T., Mucci, N., Della Vecchia, A., Ivaldi, T., Palermo, S., & Mucci, F. (2021). Impact of economic crisis on mental health: A 10-year challenge. *CNS Spectrums*, 26(1), 7–13. <https://doi.org/10.1017/S1092852920000140>
- Mariotti, M., Muratori, G., Langella, A., & Scaltriti, N. (2021). COVID: Using the DAN Model with Couples to Increase Family Resilience. *Australian and New Zealand Journal of Family Therapy*, 42(1), 44–57. <https://doi.org/10.1002/anzf.1436>
- Marzilli, E., Cerniglia, L., Tambelli, R., Trombini, E., De Pascalis, L., Babore, A., Trumello, C., & Cimino, S. (2021). The covid-19 pandemic and its impact on families' mental health: The role played by parenting stress, parents' past trauma, and resilience. *International Journal of Environmental Research and Public Health*, 18(21). <https://doi.org/10.3390/ijerph182111450>
- Mazza, C., Ricci, E., Biondi, S., Colasanti, M., Ferracuti, S., Napoli, C., & Roma, P. (2020). A nationwide survey of psychological distress among italian people during the covid-19 pandemic: Immediate psychological responses and associated factors. *International Journal of Environmental Research and Public Health*, 17(9), 1–14. <https://doi.org/10.3390/ijerph17093165>
- Mazzucchelli, S., Bosoni, M. L., & Medina, L. (2020). The Impact of COVID-19 on Family Relationships in Italy: Withdrawal on the Nuclear Family. *Italian Sociological Review*, 10(November), 687–709. <https://doi.org/10.13136/isr.v10i3S.394>
- Mercadante, S., Adile, C., Ferrera, P., Giuliana, F., Terruso, L., & Piccione, T. (2020). Palliative Care in the Time of COVID-19. *Journal of Pain and Symptom Management*, 60(2), e79–e80. <https://doi.org/10.1016/j.jpainsymman.2020.04.025>
- Nadrowska, N., Białek, M., & Lewandowska-Walter, A. (2021). Polish adaptation of the Family Resilience Assessment Scale (FRAS). *Community Mental Health Journal*, 57(1), 153–160. <https://doi.org/10.1007/s10597-020-00626-3>
- Okoro, C. A., Hollis, N. D., Cyrus, A. C., & Griffin-Blake, S. (2018). Prevalence of Disabilities and Health Care Access by Disability Status and Type Among Adults – United States, 2016. *MMWR. Morbidity and Mortality Weekly Report*, 67(32), 882–887. <https://doi.org/10.15585/mmwr.mm6732a3>
- Onyeaka, H., Anumudu, C. K., Al-Sharify, Z. T., Egele-Godswill, E., & Mbaegbu, P. (2021). COVID-19 pandemic: A review of the global lockdown and its far-reaching effects. *Science Progress*, 104(2), 1–18. <https://doi.org/10.1177/00368504211019854>
- Pieh, C., Budimir, S., & Probst, T. (2020). The effect of age, gender, income, work, and physical activity on mental health during coronavirus disease (COVID-19) lockdown in Austria. *Journal of Psychosomatic Research*, 136(May), 110186. <https://doi.org/10.1016/j.jpsychores.2020.110186>
- Pinchoff, J., Friesen, E. L., Kangwana, B., Mbushi, F., Muluve, E., Ngo, T. D., & Austrian, K. (2021). How Has COVID-19-Related Income Loss and Household Stress Affected Adolescent Mental Health in Kenya? *Journal of Adolescent Health*, 69(5), 713–720. <https://doi.org/10.1016/j.jadohealth.2021.07.023>
- Pirutinsky, S., Cherniak, A. D., & Rosmarin, D. H. (2020). COVID-19, Mental Health, and Religious Coping Among American Orthodox Jews. *Journal of Religion and Health*, 59(5), 2288–2301. <https://doi.org/10.1007/s10943-020-01070-z>
- Rababa, M., Hayajneh, A. A., & Bani-Iss, W. (2021). Association of Death Anxiety with Spiritual Well-Being and Religious Coping in Older Adults During the COVID-19 Pandemic. *Journal of Religion and Health*, 60(1), 50–63. <https://doi.org/10.1007/s10943-020-01129-x>

- Rana, R., Sood, R., & Bhardwaj, S. (2021). Women and children's well-being in Indian nuclear families during the COVID-19 pandemic. *Journal of Childhood, Education & Society*, 2(2), 178–193. <https://doi.org/10.37291/2717638x.202122108>
- Rego, F., Gonçalves, F., Moutinho, S., Castro, L., & Nunes, R. (2020). The influence of spirituality on decision-making in palliative care outpatients: A cross-sectional study. *BMC Palliative Care*, 19(1), 1–14. <https://doi.org/10.1186/s12904-020-0525-3>
- Santana, C. L. A., Manfrinato, C. V., Souza, P. R. P., Marino, A., Condé, V. F., Stedefeldt, E., Tomita, L. Y., & do Carmo Franco, E. (2021). Psychological distress, low-income, and socio-economic vulnerability in the COVID-19 pandemic. *Public Health*, 199, 42–45. <https://doi.org/10.1016/j.puhe.2021.08.016>
- Saputra, N., Manurung, A. H., & Sholeh, M. A. N. (2021). The Influential Factor of Family Resilience: Awareness of Islamic Law on Family. *Psychology and Education Journal*, 58(1), 3195–3207. <https://doi.org/10.17762/pae.v58i1.1261>
- Saputro, I., Nashori, F., & Sulistyarini, I. (2021). Promoting Resilience among Family Caregiver of Cancer through Islamic Religious Coping. *Q2*, 55–66.
- Shah, S. M. A., Mohammad, D., Qureshi, M. F. H., Abbas, M. Z., & Aleem, S. (2021). Prevalence, Psychological Responses and Associated Correlates of Depression, Anxiety and Stress in a Global Population, During the Coronavirus Disease (COVID-19) Pandemic. *Community Mental Health Journal*, 57(1), 101–110. <https://doi.org/10.1007/s10597-020-00728-y>
- Sinding Bentzen, J. (2019). Acts of god? Religiosity and natural disasters across subnational world districts*. *Economic Journal*, 129(622), 2295–2321. <https://doi.org/10.1093/ej/uez008>
- Singh, D. R., Sunuwar, D. R., Shah, S. K., Sah, L. K., Karki, K., & Sah, R. K. (2021). Food insecurity during COVID-19 pandemic: A genuine concern for people from disadvantaged community and low-income families in Province 2 of Nepal. *PLoS ONE*, 16(July), 1–20. <https://doi.org/10.1371/journal.pone.0254954>
- Somos, A. (2020). The Impact of Religious Coping and Resilience on Psychological Well-Being among International Students in Hungary The Impact of Religious Coping and Resilience on Psychological well-being among International Students in Hungary. *Iscte*, 48.
- Sriyono, S., Nursalam, N., & Hamzah, H. (2020). Religious behavior shapes adaptive family coping into well-prepared in Disaster. *Systematic Reviews in Pharmacy*, 11(6), 1145–1147. <https://doi.org/10.31838/srp.2020.6.166>
- Tok, Y., & Ünal, M. (2020). Examining the correlation between resilience levels and math and science process skills of 5-year-old preschoolers. *Research in Pedagogy*, 10(2), 203–228. <https://doi.org/10.5937/istrped2002203t>
- Walsh, F. (2016). Applying a Family Resilience Framework in Training, Practice, and Research: Mastering the Art of the Possible. *Family Process*, 55(4), 616–632. <https://doi.org/10.1111/famp.12260>
- WHO. (2022). COVID-19 weekly epidemiological update. *World Health Organization*, 58, 1–23.
- Wissing, M. P., Wilson Fadji, A., Schutte, L., Chigeza, S., Schutte, W. D., & Temane, Q. M. (2020). Motivations for Relationships as Sources of Meaning: Ghanaian and South African Experiences. *Frontiers in Psychology*, 11(August), 1–21. <https://doi.org/10.3389/fpsyg.2020.02019>
- Wong, J. Y. H., Wai, A. K. C., Wang, M. P., Lee, J. J., Li, M., Kwok, J. Y. Y., Wong, C. K. H., & Choi, A. W. M. (2021). Impact of COVID-19 on child maltreatment: Income instability and parenting issues. *International Journal of Environmental Research and Public Health*, 18(4), 1–10. <https://doi.org/10.3390/ijerph18041501>
- Xie, J., Mei, H., Ouyang, Y., Huang, Y., Liu, K., Zhu, G., Hou, S., & Wang, Y. (2022). Analysis of Influencing Factors of Family Resilience in Children with Congenital Tibial Pseudoarthrosis. *February*, 331–337.
- Yang, B., Feldman, M. W., & Li, S. (2021). The Status of Family Resilience: Effects of Sustainable Livelihoods in Rural China. *Social Indicators Research*, 153(3), 1041–1064. <https://doi.org/10.1007/s11205-020-02518-1>
- Zarrouq, B., Abbas, N., Hilaly, J. El, Asri, A. El, Abbouyi, S., Omari, M., Malki, H., Bouazza, S., Moutawakkil, S. G., Halim, K., & Ragala, M. E. (2021). An investigation of the association between religious coping, fatigue, anxiety and depressive symptoms during the COVID-19 pandemic in Morocco: a web-based cross-sectional survey. *BMC Psychiatry*, 21(1), 1–13. <https://doi.org/10.1186/s12888-021-03271-6>
- Zhang, J., Wu, W., Zhao, X., & Zhang, W. (2020). Recommended psychological crisis intervention response to the 2019 novel coronavirus pneumonia outbreak in China: a model of West China Hospital. *Precision Clinical Medicine*, 3(1), 3–8.
- Zhuang, X., Lau, Y. Y., Chan, W. M. H., Lee, B. S. C., & Wong, D. F. K. (2021). Risk and resilience of vulnerable families in Hong Kong under the impact of COVID-19: an ecological resilience perspective. *Social Psychiatry and Psychiatric Epidemiology*, 56(12), 2311–2322. <https://doi.org/10.1007/s00127-021-02117-6>

Manuskrip riligijs vs interaksi

ORIGINALITY REPORT

2%

SIMILARITY INDEX

4%

INTERNET SOURCES

3%

PUBLICATIONS

0%

STUDENT PAPERS

PRIMARY SOURCES

1

Tri Anjaswarni, Sri Mugianti, Edy Suyanto, Atti Yudiernawati, Ahmad Zakaria. "Analysis of factors related to adolescent role and behavior in preventing transmission: Covid-19 viewed from predisposing, enabling, reinforcing and environmental factors", Jurnal Aisyah : Jurnal Ilmu Kesehatan, 2023

Publication

2%

Exclude quotes On

Exclude matches < 2%

Exclude bibliography Off