

Digital Receipt

This receipt acknowledges that Turnitin received your paper. Below you will find the receipt information regarding your submission.

The first page of your submissions is displayed below.

Submission author: Rahmad Wisnu Wardana

Assignment title: Publication Articles Juli-September 2023

Submission title: Integrated Analytic Hierarchy Process and Preference Ranki...

File name: er_Selection_Multi-Criteria_Decision_Making_AHP_PROMETH...

File size: 547.79K

Page count: 7

Word count: 3,598

Character count: 18,159

Submission date: 14-Jul-2023 08:54PM (UTC+0700)

Submission ID: 2131048802



Integrated Analytic Hierarchy Process and Preference Ranking Organization Method for Enrichment Evaluation II for Supplier Selection

by Rahmad Wisnu Wardana

Submission date: 14-Jul-2023 08:54PM (UTC+0700)

Submission ID: 2131048802

File name: er Selection Multi-Criteria Decision Making AHP PROMETHEE II.pdf (547.79K)

Word count: 3598

Character count: 18159

18

Integrated analytic hierarchy process and preference ranking organization method for enrichment evaluation II for supplier selection

Cite as: AIP Conference Proceedings 2453, 020049 (2022); https://doi.org/10.1063/5.0094738
Published Online: 25 July 2022

Rahmad Wisnu Wardana, Annisa Kesy Garside and Adhitya Tri Anggara





ARTICLES YOU MAY BE INTERESTED IN

Performance evaluation of ungened four junctions in Malang city

AIP Conference Proceedings 2453, 020031 (2022); https://doi.org/10.1063/5.0094920

11

11 uting of frozen food delivery using particle swarm optimization algorithm

AIP Conference Proceedings 2453, 020039 (2022); https://doi.org/10.1063/5.0094282

Evaluation of aircraft cabin comfort: Contributing factors, dissatisfaction indicators, and pagrees of influence

AIP Conference Proceedings 2453, 020047 (2022); https://doi.org/10.1063/5.0094297





Integrated Analytic Hierarchy Process and Preference Ranking Organization Method for Enrichment Evaluation II for Supplier Selection

Rahmad Wisnu Wardanaa), Annisa Kesy Garside, Adhitya Tri Anggara

12

Department of Mechanical Engineering, Universitas Muhammadiyah Malang, Malang, Indonesia

a)Corresponding author: rahmadwisnu78@umm.ac.id

Abstract. Supplier selection serves as the most critical factor in the supply chain, which involves several criteria. The selection of the right supplier supports the company competition. To support the right decision-making, a credible and practical decision-making method is thus required. This study aims to integrate the Analytic 10 rarchy Process (AHP) and PROMETHEE II methods for supplier selection. In utilizing this method, AHP is utilized to determine the weight of each criterion, and PROMETHEE II is employed to determine supplier ranking. The case study was conducted in the wood processing industry, involving the ten criteria applied in supplier selection. Furthermore, the three suppliers are ranked according to the PROMETHEE II method, indicating that Al is ranked first with a net flow value of 0.1850.

INTRODUCTION

Suppliers are business partners who play an essential role in ensuring the availability of goods required by the company [1] [2]. Therefore, the selection of the proper supplier affects the success of a manufacturing company [3]. Supplier selection is how a company identifies, evaluates, and contracts with suppliers [4]. Therefore, choosing the right supplier helps reduce purchasing costs and enhances company competitiveness [5] [6]. In the traditional method, supplier selection is solely based on the lowest price criteria. However, upon considering the cost, several arising problems are inevitable due to the company's decision. For example, the quality of raw materials is not utilized as an indicator in the selection of suppliers, in which raw materials were below the standard. Furthermore, suppliers' delivery delays are also not employed as an indicator in supplier selection, compromising the production activities.

Several methods are utilized to solve problems in supplier selection. Durmic utilizes the UCOM method and the Rough SAW model for supplier selection to achieve sustainability [7]. Haeri employs the best-worst method and fuzzy 10 gnitive maps for supplier selection that combines economic and environmental criteria [8]. Badi uses the Grey-MARCOS method for supplier selection to iron and steel companies [9]. Cavalcante utilizes simulation techniques and machine learning to navigate the best suppliers in digital manufacturing [10]. Kannan combines the best-worst fuzzy method and the VIKOR interval to evaluate and prioritize suppliers [11].

There 20 several methods utilized to solve problems in supplier selection. However, studies related to supp 20 selection using the AHP and PROMETHEE II methods have been inadequate. This study attempts to propose the AHP and PROMETHEE II procedures for the AHP and PROMETHEE II methods, frequently navigated in fields such as 3PL selection, such as: [12], selection of deputy candidates for nomination [13], machine tool selection [14], evaluation of solar power plant location alternatives [15], and selection of Training Participants[16]. In addition, the AHP method has been widely utilized to address MCDM problems [13]18]. However, the conventional AHP method cannot overcome the uncertainty and ambiguity of a person to the exact number or ratio. Therefore, the AHP method is recognized as 13 ractical approach [19]. Furthermore, the PROMETHEE II method is a ranking method that is relatively simple in terms of concept and application compared to other methods for multi-criteria analysis [20]. In this study, the Analytical Hierarchy Process was utilized to resolve the unstructured criteria into a hierarchical form and weighted each criterion. Furthermore, the latter is utilized as input for supplier ranking with PROMETHEE II.

METHODS

This section describ 17 he stages of the Analytical Hierarchy Process (AHP) and PROMETHEE II procedure 19 supplier selection. The Analytical Hierarchy Process (AHP) was initially developed by Thomas L. Saaty [21]. The Analytical Hierarchy Process (AHP) is designed to solve complex problems, indicating that the criteria for a problem are many (multi-criteria), and the problem structure is unclear. Therefore, AHP was elected to choose the best alternative evaluated with related criteria.

AHP steps and procedures in solving problems are as follows: (1) Defining the problem and the desired solution, in setting priorities, the problem of prioritization is decomposed into the goals (goals) of an activity, identification of options (alternatives), and formulation of criteria for selecting priorities; (2) Decoping the hierarchy initiated with the primary goal. According to Saaty [21], hierarchy is defined as representing a complex problem in a multi-level structure where the first level includes the goal, followed by the level of factors, criteria, sub-criteria, and up to down last level of alternatives.

Step (3) contains the assessment of the priority elements of the criteria and alternatives. At this stage, the assessment is based on pairwise comparisons between criteria. A scale of 1 to 9 is utilized to express the opinion of an expert. Sep (4) is conducted to create a paired matrix. For each criterion and also native, the pairwise comparison compares each element with other elements at each hierarchy level in pairs. Thus the value of the importance of the elements in the form of a quastrative opinion is obtained.

Step (5) is conducted to calculate the value of the normalized matrix and the weighting value. The calculation of the normalized matrix value is based on Equation 1. Furthermore, the weighted value 19 based on Equation 2, in which, a_{ij} is the row normalization matrix, and W_{ij} is the weighting value. Step 6 is to calculate the eigenvector 17 ue, consistency index and consistency ratio. The eigenvector calculation is based on Equation 3. Furthermore, the calculation of consistency index and consistency ratio is based on Equation 4 and Equation 5, in which λ max denotes 15 maximum eigenvector, and CI is the index consistency. The consistency ratio is denoted by CR, and RI indicate the random index. n is as the number of criteria.

The last step of AHP is to test the consistency value, in accordance with the study of Saaty explained that there was an inconsistency when filling out the criteria weights, thus Saaty defined a consistency ratio to provide a consistent tolerance matrix criteria. The matrix is considered consistent if CR<0.1 or inconsistency is allowed to reach 0% according to Rodriguez [22]. The results of the AHP calculation is utilized to determine the priority criteria based on the highest weighted score.

$$a_{ij} = \frac{a_{ij}}{\max a_{ij}} \tag{1}$$

$$W_{ij} = \frac{\sum_{i} a_{ij}}{n} \tag{2}$$

$$\lambda \max = \frac{\sum a_{ij}}{n} \tag{3}$$

$$CI = \frac{(\lambda \max - n)}{(n-1)} \tag{4}$$

$$CR = \frac{CI}{RI}$$
(5)

After the weight of the criteria is calculated, the next step is the ranking of suppliers based on the PROMETHEE II method, as one of the methods for solving multi-criteria problem developed by JP Brans in 1982. The PROMETHEE II principle is to be conducted to utilize the principle of the value of the relationship between outranking [23]. PROMETHEE II is developing the PROMETHEE II method by considering the net flow value in the ranking process. This method has four main steps. Step (1) is to normalize the decision matrix. The decision matrix is based on the supplier's assessment on each criterion. Decision matrix normalization is utilized since the assessment of each criterion has a different scale. This normalization produces a new value with the same scale, including a minimum value of 0 (zero) and a maximum of 1 (one). This procedure is presented in Equation 6 and

Equation 7. Equation 6 is utilized to normalize the criteria for higher value is better (benefit), and Equation 7 is utilized to normalize the criteria for lower value (cost).

$$r_{ij} = \frac{[x_{ij} - \min(x_{ij})]}{[\max(x_{ij}) - \min(x_{ij})]}$$
(6)

$$r_{ij} = \frac{[\max(x_{ij}) - x_{ij}]}{[\max(x_{ij}) - \min(x_{ij})]}$$
(7)

Step (29 contains the determination of the preference function. PROMETHEE II has 6 (six) types/preference types[23]: Type I (usual criterion), Type II (quasi criterion), Type III (linear criterion), Type IV (level criterion), Type V (linear area criterion), 18 be VI (Gaussian criterion). The type of preference determines each criterion. Stage (3) contains the calculation of the multi-criteria preference index, determined based on the average weight of the preference function presented in Equation 8, in which φ represents the preference index, π presents the weight, and P indicate the preference function. The final step includes rank using the PROMETHEE II. It based on the net flow value Equation 11, difference Leaving flow Equation 9 and Entering flow Equation 10.

$$\varphi(a,b) = \sum_{i=1}^{n} \pi P_i(a,b); \forall a,b \in A$$
(8)

$$\emptyset^{+}(a) = \frac{1}{n-1} \sum \varphi(a, x) x \in A$$
(9)

$$\emptyset^{-}(a) = \frac{1}{n-1} \sum \varphi(x,a)x \in A \tag{10}$$

$$\phi(a) = \phi^{+}(a) - \phi^{-}(a)$$
 (11)

This study is regarded as a case study on a wood processing industry located in Indonesia. The 10 criteria used in this research are illustrated in Table 1. The selected company has 3 suppliers that supply goods. This problem hierarchy which explains the objectives, criteria and alternatives, is illustrated in Figure 1. The purpose of this AHP calculation is to determine the weight of the criteria for supplier selection. The respondents of this research include the wood processing industry procurement manager.

TABLE 1. Supplier criteria list

	Trible Trouphier errein not							
No	Criteria	Description						
1.	Conformance of specifications (C1)	Assessing the raw materials are in accordance with the standard desired by the company.						
2.	Consistent quality (C2)	Assessing the quality of the delivered materials is the same with every purchase [24].						
3.	Price (C3)	Assessing the price of products offered by suppliers [24]						
4.	Payment system (C4)	Assessing the length of the payment grace period.						
5.	Discount (C5)	Providing a discount on the goods for the suppliers [25]						
6.	Lack of raw materials (C6)	Assessing the amount of raw materials provided by the supplier in accordance with the quantity ordered [26]						
7.	Shipping (C7)	Timeliness in ordering [24].						
8.	Distance (C8)	The distance from the supplier to the company is large.						
9.	Ease of contact (C9)	Suppliers are easy to contact when there is a request v						
10.	Replacement of damaged goods (C10)	Replacing the supplier when finding the damaged goods [26]						




FIGURE 1. Hierarchy of supplier selection

RESULTS AND DISCUSSION

The results of the pairwise comparison matrix are illustrated in Table, 2, utilized to determine the weight of each criterion. The results of normalization to the calculation of the normalization matrix value and the weighting value are illustrated in Table 3, indicating that the price criterion (C3) obtains the largest weight of 0.22. Product price serves as one of the biggest contributors to the company's operating costs. Therefore, price has a high level of importance compared to other criteria. Furthermore, the discount criteria (C5), ease of contact (C9), and replacement of damaged goods (10) produce the lowest weight of 0.03. Furthermore, the calculation of the inconsistency is conducted, indicating the result of 0.07, concluded that the data is consistent because the value is <0.1.

			TABLE 2	Pairwise l	Matrix.				
C1	C2	C3	C4	C5	C6	C7	C8	C9	C10
1.00	3.00	1.00	5.00	3.00	3.00	3.00	3.00	5.00	5.00
0.33	1.00	0.33	3.00	5.00	3.00	0.33	1.00	5.00	5.00
1.00	3.00	1.00	5.00	5.00	3.00	3.00	5.00	5.00	5.00
0.20	0.33	0.20	1.00	3.00	0.20	0.20	1.00	3.00	3.00
0.20	0,20	0.20	0.33	1.00	0,33	0.20	0.33	1.00	1.00
0.33	0.33	0.33	5.00	3.00	1.00	0.33	3.00	3.00	3.00
0.33	3.00	0.33	5.00	5.00	3.00	1.00	3.00	5.00	5.00
0.20	0.20	0.33	5.00	3.00	0.33	0.33	1.00	3.00	3.00
0.20	0.20	0.20	0.33	1.00	0.33	0.20	0.33	1.00	1.00
0.20	0.20	0.20	0.33	1.00	0.33	0.20	0.33	1.00	1.00
3.99	11.47	4.12	30.00	30.00	14.53	8.80	18.00	32.00	32.00
	1.00 0.33 1.00 0.20 0.20 0.33 0.33 0.20 0.20	1.00 3.00 0.33 1.00 1.00 3.00 0.20 0.33 0.20 0.20 0.33 0.33 0.33 3.00 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20	C1 C2 C3 1.00 3.00 1.00 0.33 1.00 0.33 1.00 3.00 1.00 0.20 0.33 0.20 0.20 0.20 0.20 0.33 0.33 0.33 0.20 0.20 0.33 0.20 0.20 0.33 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0.20	C1 C2 C3 C4 1.00 3.00 1.00 5.00 0.33 1.00 0.33 3.00 1.00 3.00 1.00 5.00 0.20 0.33 0.20 1.00 0.20 0.20 0.20 0.33 0.33 0.33 0.33 5.00 0.20 0.20 0.33 5.00 0.20 0.20 0.20 0.33 0.20 0.20 0.20 0.33 0.20 0.20 0.20 0.33	C1 C2 C3 C4 C5 1.00 3.00 1.00 5.00 3.00 0.33 1.00 0.33 3.00 5.00 1.00 3.00 1.00 5.00 5.00 0.20 0.33 0.20 1.00 3.00 0.20 0.20 0.20 0.33 1.00 0.33 0.33 0.33 5.00 3.00 0.20 0.20 0.33 5.00 5.00 0.20 0.20 0.33 5.00 3.00 0.20 0.20 0.20 0.33 1.00 0.20 0.20 0.20 0.33 1.00	1.00 3.00 1.00 5.00 3.00 3.00 0.33 1.00 0.33 3.00 5.00 3.00 1.00 3.00 1.00 5.00 5.00 3.00 0.20 0.33 0.20 1.00 3.00 0.20 0.20 0.20 0.20 0.33 1.00 0.33 0.33 0.33 0.33 5.00 3.00 1.00 0.33 3.00 0.33 5.00 5.00 3.00 0.20 0.20 0.33 5.00 3.00 0.33 0.20 0.20 0.20 0.33 1.00 0.33 0.20 0.20 0.20 0.33 1.00 0.33 0.20 0.20 0.20 0.33 1.00 0.33	C1 C2 C3 C4 C5 C6 C7 1.00 3.00 1.00 5.00 3.00 3.00 3.00 0.33 1.00 0.33 3.00 5.00 3.00 0.33 1.00 3.00 1.00 5.00 5.00 3.00 3.00 0.20 0.33 0.20 1.00 3.00 0.20 0.20 0.20 0.20 0.20 0.33 1.00 0.33 0.20 0.33 0.33 0.33 5.00 3.00 1.00 0.33 0.33 3.00 0.33 5.00 3.00 1.00 0.33 0.20 0.20 0.33 5.00 3.00 0.33 0.33 0.20 0.20 0.33 5.00 3.00 0.33 0.33 0.20 0.20 0.33 5.00 3.00 0.33 0.33 0.20 0.20 0.33 1.00 0.33 0.20	C1 C2 C3 C4 C5 C6 C7 C8 1.00 3.00 1.00 5.00 3.00 3.00 3.00 3.00 0.33 1.00 0.33 3.00 5.00 3.00 0.33 1.00 1.00 3.00 1.00 5.00 5.00 3.00 3.00 5.00 0.20 0.33 0.20 1.00 3.00 0.20 0.20 1.00 0.20 0.20 0.20 0.33 1.00 0.33 0.20 0.33 0.33 0.33 0.33 5.00 3.00 1.00 0.33 3.00 0.20 0.20 0.33 5.00 3.00 1.00 0.33 3.00 0.20 0.20 0.33 5.00 3.00 1.00 3.00 0.20 0.20 0.33 5.00 3.00 1.00 3.00 0.20 0.20 0.33 5.00 3.00 0.33 0	C1 C2 C3 C4 C5 C6 C7 C8 C9 1.00 3.00 1.00 5.00 3.00 3.00 3.00 3.00 5.00 0.33 1.00 0.33 3.00 5.00 3.00 0.33 1.00 5.00 1.00 3.00 1.00 5.00 3.00 0.20 0.20 1.00 3.00 0.20 0.23 0.20 1.00 3.00 0.20 0.20 1.00 3.00 0.33 0.33 0.33 5.00 3.00 1.00 0.33 1.00 0.33 0.33 5.00 3.00 1.00 0.33 3.00 3.00 0.33 3.00 0.33 5.00 3.00 1.00 0.33 3.00 3.00 0.33 3.00 0.33 5.00 3.00 1.00 3.00 5.00 0.20 0.20 0.33 5.00 3.00 1.00 3.00

Criteria	CI	4	C3	C4	C5	C6	C7	C8	C9	C10	Amount	Weight
C1	0.25	0.26	0.24	0.17	0.10	0.21	0.34	0.17	0.16	0.16	2.05	0.20
C2	0.08	0.09	0.08	0.10	0.17	0,21	0.04	0.06	0.16	0.16	1.13	0.11
21	0.25	0.26	0.24	0.17	0.17	0.21	0.34	0.28	0.16	0.16	2.23	0.22
C4	0.05	0.03	0.05	0.03	0.10	0.01	0.02	0.06	0.09	0.09	0.54	0.05
C5	0.05	0.02	0.05	0.01	0.03	0.02	0.02	0.02	0.03	0.03	0.29	0.03
C6	0.08	0.03	0.08	0.17	0.10	0.07	0.04	0.17	0.09	0.09	0.92	0.09
1	0.08	0.26	0.08	0.17	0.17	0.21	0.11	0.17	0.16	0.16	1,56	0.16
C8:	0.05	0.02	0.08	0.17	0.10	0.02	0.04	0.06	0.09	0.09	0.72	0.07
C9	0.05	0.02	0.05	0.01	0.03	0.02	0.02	0.02	0.03	0.03	0.29	0.03
C10	0.05	0.02	0.05	0.01	0.03	0.02	0.02	0.02	0.03	0.03	0.29	0.03
					To	tal						1

This study utilizes the two types of preferences, of the usual and the V-shape. The usual preference type is utilized for qualitative data such as C1, C2, C4, C9, and C10. Another C7 also utilized the usual type since the difference is insignificant. Meanwhile, quantitative data such as C3, 95, C6, and C8 use the V-shape preference type. The data and preference types are illustrated in Table 4 in which the results of the PROMETHEE II calculation are illustrated in Table 5.

TABLE	4. Pre	ference	data	and	types

		TABLE 4. ITCICI	chee data and types			
Code		Alternative	Aim	Preferen		
	A1	A2	A3-		ce Type	
C1	5	4	4	Max	Usual	
C2	4	3	3	Max	Usual	
C3	IDR. 650,000	IDR. 430,000	IDR. 500,000	Min	V-shape	
C4	4	2	3	Max	Usual	
C5	7%	0%	10%	Min	V-shape	
C6	4.8 m3	11.36 m3	7.5 m3	Min	V-shape	
C7	3 days	1 day	5 days	Min	Usual	
C8	72 Km	31 Km	58 Km	Min	V-shape	
C9	-5	3	4	Max	Usual	
C10	4	2	1	Max	Usual	

TABLE 5, PROMETHEE II Calculation Results

Alternative	Leaving	Entering	Net Flow	Order
A1	0.5050	0.3200	0.185	1
A2	0,3804	0.4144	-0.034	2
A3	0.2459	0.3969	-0.151	3

10

A higher net flow value indicates that the supp 5 r has priority to choose. The research results indicate that the best supplier is supplier A1 with a value of 0.185. The second position is supplier A2 with a value of -0.0340, and the last position is supplier A3 with a value of -0.1510. The reason alternative A1 obtains the first place is that it excels in several criteria, such as Conformance of specifications (C1), Consistent quality (C2), Payment system (C4), Accuracy of raw materials (C6), Ease of contact (C9), and Replacement of damaged goods (C10). Meanwhile, alternative A3 obtains the last order because it does not excel in all aspects of the criteria.

CONCLUSIONS

16

This study attempts to utilize the AHP and PROMETHEE II methods in selecting the best supplier. The case study was conducted on the wood processing industry in Indonesia. The three alternative suppliers are ranked based on ten criteria. The results of the weighting with AHP indicate that the Conformity Specification presents a weight of 0.20. Consistent Quality presents a weight of 0.11, and Price presents a weight of 0.22. The Payment System denotes a weight of 0.05, and the Discount denotes a weight of 0.03. The criteria for lack of raw materials have a weight of 0.09, and on-time delivery results in a weight of 0.16. The criteria for Distance have a weight of 0.07, Ease of contact, and Replacement of damaged goods both obtain a weight of 0.03. The results of supplier ranking using PROMETHEE II indicate supplier A1 as the first rank with a net flow value of 0.185, followed by supplier A2 with a net flow value of -0.034, and the third rank indicates supplier A3 with a net flow value of -0.151.

REFERENCES

- M. Djunaidi, C. D. Utami, A. K. Alghofari, and H. Munawir, "Selection of furniture raw material suppliers using fuzzy analytical hierarchy process," Jurnal Teknik Industri, 20 (1), 12-21 (2019).
- D. M. Utama, "AHP and TOPSIS Integration for Green Supplier Selection: A Case Study in Indonesia," Journal of Physics: Conference Series, 1845 (1), 012015 (2021).
- R. Wulandari, "Pemilihan Supplier Bahan Baku Partikel Dengan Metode AHP Dan Promethee," Jurnal Teknik Industri, 16 (1), 22-30 (2015).

- H. Taherdoost and A. Brard, "Analyzing the process of supplier selection criteria and methods," Procedia Manufacturing, 32, 1024-1034 (2019).
- N. Arunkumar, L. a. Karunamoorthy, and S. Muthukumar, "Multi-criteria supplier evaluation and selection using fuzzy AHP (alpha cut analysis): a case study," <u>International Journal of Industrial and Systems Engineering</u>, 8 (4), 449-471 (2011).
- D. M. Utama, B. Maharani, and I. Amallynda, "Integration Dematel and ANP for The Supplier Selection in The Textile Industry: A Case Study," Jurnal Ilmiah Teknik Industri, 20 (1), 119-130 (2021).
- E. Durmić, Ž. Stević, P. Chatterjee, M. Vasiljević, and M. Tomašević, "Sustainable supplier selection using combined FUCOM-Rough SAW model," Reports in mechanical engineering, 1 (1), 34-43 (2020).
- S. A. S. Haeri and J. Rezaei, "A grey-based green supplier selection model for uncertain environments," Journal of cleaner production, 221, 768-784 (2019).
- I. Badi and D. Pamucar, "Supplier selection for steelmaking company by using combined Grey-MARCOS methods," Decision Making: Applications in Management and Engineering, 3 (2), 37-48 (2020).
- I. M. Cavalcante, E. M. Frazzon, F. A. Forcellini, and D. Ivanov, "A supervised machine learning approach
 to data-driven simulation of resilient supplier selection in digital manufacturing," International Journal of
 Information Management, 49, 86-97 (2019).
- D. Kannan, H. Mina, S. Nosrati-Abarghooee, and G. Khosrojerdi, "Sustainable circular supplier selection: A novel hybrid approach," Science of the Total Environment, 722, 137936 (2020).
- A. Bansal and P. Kumar, "3PL selection using hybrid model of AHP-PROMETHEE," International Journal of Services and Operations Management, 14 (3), 373-397 (2013).
- H. Kazan, S. Özçelik, and E. H. Hobikoğlu, "Election of deputy candidates for nomination with AHP-Promethee methods," Procedia-Social and Behavioral Sciences, 195, 603-613 (2015).
- Z. Taha and S. Rostam, "A hybrid fuzzy AHP-PROMETHEE decision support system for machine tool selection in flexible manufacturing cell," Journal of Intelligent Manufacturing, 23 (6), 2137-2149 (2012).
- F. Samanlioglu and Z. Ayağ, "A fuzzy AHP-PROMETHEE II approach for evaluation of solar power plant location alternatives in Turkey," Journal of Intelligent & Fuzzy Systems, 33 (2), 859-871 (2017).
- D. A. Istiqomah and V. A. Windarni, "Comparative Analysis of the Implementation of the AHP and AHP-PROMETHEE for the Selection of Training Participants," 2019 4th International Conference on Information Technology, Information Systems and Electrical Engineering (ICITISEE), 67-72 (2019).
- D. M. Utama, M. S. Asrofi, and I. Amallynda, "Integration of AHP-MOORA Algorithm in Green Supplier Selection in the Indonesian Textile Industry," Journal of Physics: Conference Series, 1933 (1), 012058 (2021).
- D. M. Utama, T. Baroto, M. F. Ibrahim, and D. S. Widodo, "Evaluation of Supplier Performance in Plastic Manufacturing Industry: A Case Study," Journal of Physics: Conference Series, 1845 (1), 012016 (2021).
- K. M. A.-S. Al-Harbi, "Application of the AHP in project management," International journal of project management, 19 (1), 19-27 (2001).
- D. C. Morais and A. T. de Almeida, "Group decision-making for leakage management strategy of water network," Resources, Conservation and Recycling, 52 (2), 441-459 (2007).
- T. L. Saaty, "The analytic hierarchy process (AHP)," The Journal of the Operational Research Society, 41 (11), 1073-1076 (1980).
- R. Rodriguez, "Models, methods, concepts and applications of the analytic hierarchy process," Interfaces, 32 (6), 93 (2002).
- J.-P. Brans and Y. De Smet, "PROMETHEE methods", in Multiple criteria decision analysis (Springer, 2016), pp. 187-219.
- T. S. Mahendra, "Pemilihan Supplier Kayu Mebel Menggunakan Metode AHP (Analytical Hierarchy Process) di UD. Riyan Pasuruan," Jurnal Valtech, 2 (1), 104-109 (2019).
- L. Merry, M. Ginting, and B. Marpaung, "Pemilihan Supplier Buah dengan Pendekatan Metode Analytical Hierarchy Proses (AHP) Dan Topsis: Studi Kasus Pada Perusahaan Retail," Jurnal Teknik Dan Ilmu Komputer, 3 (9), 48-58 (2014).
- D. Kurniawati, H. Yuliando, and K. H. Widodo, "Kriteria Pemilihan Pemasok Menggunakan Analytical Network Process," Jurnal Teknik Industri, 15 (1), 25-32 (2013).

Integrated Analytic Hierarchy Process and Preference Ranking Organization Method for Enrichment Evaluation II for Supplier Selection

ORIGINALITY REPORT

SIMILARITY INDEX

INTERNET SOURCES

PUBLICATIONS

STUDENT PAPERS

PRIMARY SOURCES

Seyed Amin Seyed Haeri, Jafar Rezaei. "A greybased green supplier selection model for uncertain environments", Journal of Cleaner Production, 2019

2%

Publication

Ilangkumaran, M., V. Sasirekha, M. Dinesh, M.M. Jegan, T. Loganathan, K.M. Mouleeshwaran, Boopathi Raja, Nizamuddin Pallikadath, S. Praveen Kumar, T. Ruban Sundara Raj, and C.N.S. Siddharatha. "A hybrid MCDM approach to supplier selection", International Journal of Engineering Management and Economics, 2012.

%

Publication

www.semanticscholar.org Internet Source

www.hindawi.com Internet Source

Prihandoko, Ardiono Roma Nugraha, Mufni % 5 Alida, Muhammad Nizar Yoga Pratama, R. Agushinta Dewi. "Analysis of Disease Data in Indonesia by Using SAW and AHP Decision Support Methods", 2018 Third International Conference on Informatics and Computing (ICIC), 2018 **Publication** ejournal.nusamandiri.ac.id 1 % Internet Source Submitted to Washington State University 1 % System Student Paper media.neliti.com 1% Internet Source bcc.bas.bg 1 % Internet Source ejournal.umm.ac.id 1 % 10 Internet Source Annisa Kesy Garside, Luki Trihardani, Baiq 11 Nurul Izzah Farida Ramadhani, Amelia Khoidir. "Routing of frozen food delivery using particle swarm optimization algorithm", AIP Publishing, 2022 Publication

		1 %
13	pubs.sciepub.com Internet Source	1 %
14	Dana Marsetiya Utama. "An effective hybrid crow search algorithm for energy-efficient flow shop scheduling", AIP Publishing, 2022 Publication	1 %
15	dergipark.org.tr Internet Source	1 %
16	josi.ft.unand.ac.id Internet Source	1 %
17	core.ac.uk Internet Source	1 %
18	www.mdpi.com Internet Source	1 %
19	Ahmad Mubin, Dana Marsetiya Utama, Reflieks Chandra Nusantara. "Manufacturing Sustainability Assessment Comprising Physical and Mental Workload: An Integrated Modified SVSM and AHP Approach", Process Integration and Optimization for Sustainability, 2022 Publication	1%
	Ruxing Gao. Hyo On Nam. Won Il Ko. Hong	1

Ruxing Gao, Hyo On Nam, Won Il Ko, Hong Jang. "Integrated system evaluation of nuclear

%

fuel cycle options in China combined with an analytical MCDM framework", Energy Policy, 2018

Publication

21

Submitted to University of Birmingham Student Paper

1 %

Exclude quotes On
Exclude bibliography On

Exclude matches

< 1%