



2nd International Conference on Medical Health Science

4 October 2022

Malang, Indonesia

ISSN 2519-125X



2nd International Conference on Medical Health Science (2nd ICMEDH)

[KnE Medicine](#) / 2nd International Conference on Medical Health Science (2nd ICMEDH)

This collection contains selected papers from the **2nd International Conference on Medical Health Science** held in Malang, East Java, Indonesia on the 4th of October 2022. This event was hosted by the Faculty of Medicine and Faculty of Health Science, University of Muhammadiyah Malang.

This *KnE Medicine* collection contains 61 peer-reviewed articles exploring the key challenges faced by education and medical sectors during the COVID-19 pandemic. These articles focus on determining states of resilience across several institutional and individual levels. By dealing with major themes including medical practices, social support, and mental health, these studies explore some of the ways in which COVID-19 exacerbated existing medical and mental health conditions experienced by people before and after contracting the virus. While the medical sector continues to take on a major role in safeguarding the health and well-being of those most affected, some of the articles in this issue also evaluate the role of families and social institutions in providing valuable support systems for vulnerable populations. This collection sheds light on the necessity of improving institutional collaboration across a web of actors, including government, private, medical, and society.

These papers will be of interest to academics, students, or professionals researching or working in the field of health sciences.

Conference date: 4 October 2022

Location: Malang, Indonesia

Organizer: The Faculty of Medicine and Faculty of Health Science, University of Muhammadiyah Malang

Editors: Firasti Agung Nugrahening Sumadi, Alvina Arum Puspitasari, Indah Dwi Pratiwi, Anggraini Dwi Kurnia, Sirikul Karuncharernoanit, Lam Le Trinh, Sriyani Padmalatha

Published: 8 March 2023

ISSN: 2519-125X

[The Effect of Ambon Banana \(*Musa acuminata cola*\) Diet on Young Adults' Resting Metabolic Rate](#)

[2ND INTERNATIONAL CONFERENCE ON MEDICAL HEALTH SCIENCE \(2ND ICMEDH\)](#)

Pages 1–7 • [Alif Maulida Habibia](#), [Fathiyah Safithri](#), [Aji Muthi'ah Nur Azizah](#), [Diah Hermayanti](#)

[120 DOWNLOADS](#)

[Download fulltext](#)

[Evaluating Peer Assisted Learning \(PAL\) of the Online Study of Neuromusculoskeletal System Anatomy Based on the Objective Structured Practice Examination \(OSPE\) Scores](#)

[2ND INTERNATIONAL CONFERENCE ON MEDICAL HEALTH SCIENCE \(2ND ICMEDH\)](#)

Pages 8–14 • [Anung Putri Illahika](#), [Thontowi Djauhari](#), [Husnan .](#)

[175 DOWNLOADS](#)

[Download fulltext](#)

[Signs, Symptoms, and Management of Maternity Nursing Care in Post Sectio Caesarea with Indications of Preeclampsia: A Case Report](#)

[2ND INTERNATIONAL CONFERENCE ON MEDICAL HEALTH SCIENCE \(2ND ICMEDH\)](#)

Pages 15–27 • [Henny Dwi Susanti](#), [Vidia Arisandi Laksito](#), [Tri Lestari Handayani](#), [Juwitasari .](#), [Ririn Harini](#)

[327 DOWNLOADS](#)

[Download fulltext](#)

[Menopause Status and Risk Factors for COVID-19 in the Elderly](#)

[2ND INTERNATIONAL CONFERENCE ON MEDICAL HEALTH SCIENCE \(2ND ICMEDH\)](#)

Pages 28–34 • [Juwitasari .](#), [Ririn Harini](#), [Henny Dwi Susanti](#), [Tri Lestari Handayani](#)

[100 DOWNLOADS](#)

[Download fulltext](#)

[The Influence of Mother's Occupation and Employment Status on Emotional Behavior of School-age Children](#)

[2ND INTERNATIONAL CONFERENCE ON MEDICAL HEALTH SCIENCE \(2ND ICMEDH\)](#)

Pages 35–47 • [Lilis Setyowati](#), [Dwi Rahayu](#), [Reni Ilmiasih](#), [Nur Aini](#), [Ollyvia Freeska Dwi Marta](#), [Erma Wahyu Mashfufa](#)

[224 DOWNLOADS](#)

[Download fulltext](#)

[Adverse Events Following Immunization \(AEFI\) of COVID-19 Vaccine: A Descriptive Survey in Malang City](#)

[2ND INTERNATIONAL CONFERENCE ON MEDICAL HEALTH SCIENCE \(2ND ICMEDH\)](#)

Pages 48–60 • [Nur Lailatul Masruroh](#), [Imelda Devi Oktaviana](#), [Chairul Huda Al Husna](#), [Nur Melizza](#), [Anggraini Dwi Kurnia](#)

[79 DOWNLOADS](#)

[Download fulltext](#)

[Financial Risk Management Analysis of the Use of Health Services During the COVID-19 Pandemic](#)

[2ND INTERNATIONAL CONFERENCE ON MEDICAL HEALTH SCIENCE \(2ND ICMEDH\)](#)

Pages 61–69 • [Rezky Ami Cahyaharnita](#), [Thontowi Djauhari Nur Subchi](#), [Subi Hariyanto](#), [Intan Putri Andriyani](#), [Husni Fauziah](#), [Amalia Nur Hidayati](#)

[107 DOWNLOADS](#)

[Download fulltext](#)

[Age, History of Vaccination, and Occupation As the Determining Factors of Higher Acceptance of the COVID-19 Vaccination in Tanah Laut Regency](#)

[2ND INTERNATIONAL CONFERENCE ON MEDICAL HEALTH SCIENCE \(2ND ICMEDH\)](#)

Pages 70–81 • [Eka Putri Aisyah](#), [Sendi Lia Yunita](#), [Rizka Novia Atmadani](#)

[149 DOWNLOADS](#)

[Download fulltext](#)

[Prevalence of Chronic Kidney Disease with Hepatitis B and/or Hepatitis C Comorbid in Hemodialysis Installation at the University of Muhammadiyah Malang General Hospital](#)

[2ND INTERNATIONAL CONFERENCE ON MEDICAL HEALTH SCIENCE \(2ND ICMEDH\)](#)

Pages 82–90 • [Ro'di Nur Fajri](#), [Achmad Rifa'i](#), [Anggita Puspitasari](#)

[286 DOWNLOADS](#)

[Download fulltext](#)

[**Differences in Folate and Vitamin B12 Serum Levels Between Mothers Whose Children were Diagnosed with Non-syndromic Cleft Lip and Cleft Lip with Palate**](#)

[2ND INTERNATIONAL CONFERENCE ON MEDICAL HEALTH SCIENCE \(2ND ICMEDH\)](#)

[Pages 91–98 • Ruby Riana Asparini, Satria Bintang Dirgantara, Diah Hermayanti](#)

[106 DOWNLOADS](#)

[Download fulltext](#)

[**Analyzing Predictors of Low Back Pain Among Farmers in Bayung Gede, Kintamani, Bangli: A Case Report Study**](#)

[2ND INTERNATIONAL CONFERENCE ON MEDICAL HEALTH SCIENCE \(2ND ICMEDH\)](#)

[Pages 99–105 • Sri Sunaringsih Ika Wardojo, Rakhmad Rosadi, I Gede Rama Wahyu Prayoga](#)

[91 DOWNLOADS](#)

[Download fulltext](#)

[**Risk Factors for Acute Myocardial Infarction in Young Adults: Literature Review**](#)

[2ND INTERNATIONAL CONFERENCE ON MEDICAL HEALTH SCIENCE \(2ND ICMEDH\)](#)

[Pages 106–111 • Indri Wahyuningsih, Wahyu Mega Ika Deni, Henik Tri Rahayu, Indah Dwi Pratiwi](#)

[247 DOWNLOADS](#)

[Download fulltext](#)

[**Cognitive Empowerment Model to Improve the Quality of Life of PLWHA**](#)

[2ND INTERNATIONAL CONFERENCE ON MEDICAL HEALTH SCIENCE \(2ND ICMEDH\)](#)

[Pages 112–119 • Tri Nurhudi Sasono, Esti Yunitasari, Ninuk Dian Kurniawati, Nursalam .](#)

[84 DOWNLOADS](#)

[Download fulltext](#)

[**Application of Precordial Lead ECG SafOne to Patients with Cardiovascular Disease: Evidence-based Practice**](#)

[2ND INTERNATIONAL CONFERENCE ON MEDICAL HEALTH SCIENCE \(2ND ICMEDH\)](#)

[Pages 120–128 • Wan Nishfa Dewi, Hellena Deli, Safri Safri, Yulia Rizka, Irwan Irwan](#)

[70 DOWNLOADS](#)

[Download fulltext](#)

[**The Relationship Between Family Involvement in Physiotherapy Home Programs and Activity Daily Living in Post-stroke Patients**](#)

[2ND INTERNATIONAL CONFERENCE ON MEDICAL HEALTH SCIENCE \(2ND ICMEDH\)](#)

[Pages 129–135 • Kurnia Putri Utami, Alif Rizky Rinanda Nur Fauziyah, Anita Faradilla Rahim](#)

[120 DOWNLOADS](#)

[Download fulltext](#)

[**Factors Influencing Adherence to the Treatment in Stroke Patients**](#)

[2ND INTERNATIONAL CONFERENCE ON MEDICAL HEALTH SCIENCE \(2ND ICMEDH\)](#)

[Pages 136–145 • Anis Ika Nur Rohmah, Syanindita Maha,](#)

[Back to top](#)

[Issue Details](#)

[124 DOWNLOADS](#)

[Download fulltext](#)

[Identifying COVID-19 Prevention Practices among Health Students](#)

[2ND INTERNATIONAL CONFERENCE ON MEDICAL HEALTH SCIENCE \(2ND ICMEDH\)](#)

[Pages 146–155](#) • [Anggraini Dwi Kurnia](#), [Manahilul Irvan](#), [Nur Melizza](#), [Nur Lailatul Masruroh](#)

[78 DOWNLOADS](#)

[Download fulltext](#)

[The Correlation Between Body Mass Index \(BMI\) and Hemodialysis Adequacy in Hemodialysis Patients](#)

[2ND INTERNATIONAL CONFERENCE ON MEDICAL HEALTH SCIENCE \(2ND ICMEDH\)](#)

[Pages 156–161](#) • [Chairul Huda Al Husna](#), [Anis Ika Nur Rohmah](#), [Iruruh Brihananto](#)

[95 DOWNLOADS](#)

[Download fulltext](#)

[Level of Knowledge of the Omicron Variant of the Sars-Cov2 Virus of Medical Students at Muhammadiyah Malang University](#)

[2ND INTERNATIONAL CONFERENCE ON MEDICAL HEALTH SCIENCE \(2ND ICMEDH\)](#)

[Pages 162–177](#) • [Diah Hermayanti](#), [Alifia Salsabila Teka](#), [Vania Nabila Putri](#), [Yosiene Dhea Elfita](#)

[142 DOWNLOADS](#)

[Download fulltext](#)

[Enhanced Antibacterial Activity of Piper betle Extract Niosome Serum Gel and Its Irritation Effects](#)

[2ND INTERNATIONAL CONFERENCE ON MEDICAL HEALTH SCIENCE \(2ND ICMEDH\)](#)

[Pages 178–188](#) • [Santika Tri Wahyuni](#), [Dyah Rahmasari](#), [Rifqi Sandi Nugroho](#), [Ilham Agusta](#), [Revie Dithya Kurnia Daminda](#), [Riko Vikri Sundugesti](#), [Dian Ermawati](#)

[247 DOWNLOADS](#)

[Download fulltext](#)

[The Differences Between the Effect of Oral and Intraperitoneal Induction of Aluminum Chloride \(AlCl3\) on the Memory Function of White Rats \(Rattus norvegicus strain wistar\) Menopause Model](#)

[2ND INTERNATIONAL CONFERENCE ON MEDICAL HEALTH SCIENCE \(2ND ICMEDH\)](#)

[Pages 189–194](#) • [Kusuma Andriana](#), [Irma Aulia](#), [Rahayu](#) .

[166 DOWNLOADS](#)

[Download fulltext](#)

[Stress in Adolescents During the Pandemic](#)

[2ND INTERNATIONAL CONFERENCE ON MEDICAL HEALTH SCIENCE \(2ND ICMEDH\)](#)

[Pages 195–209](#) • [Gita Sekar Prihanti](#), [Adnexa Miftah Firdausy](#), [Ghea Aprillia](#), [Asti Yumna Adiningrum](#), [Bima Mahardhika Aji](#), [Novia Aprilia Rahma](#)

[110 DOWNLOADS](#)

[Download fulltext](#)

[Back to top](#)

[Issue Details](#)

[Comparison of Liver Disease in Patients Before and During the COVID-19 Pandemic Who were Admitted to the General Hospital of the University of Muhammadiyah Malang](#)

[2ND INTERNATIONAL CONFERENCE ON MEDICAL HEALTH SCIENCE \(2ND ICMEDH\)](#)

[Pages 210–217 • Djoni Djunaedi, Gerry Permadi, Rezky Ami Cahyaharnita](#)

[67 DOWNLOADS](#)

[Download fulltext](#)

[Social Support and Quality of Life Patients with Acquired Immune Deficiency Syndrome](#)

[2ND INTERNATIONAL CONFERENCE ON MEDICAL HEALTH SCIENCE \(2ND ICMEDH\)](#)

[Pages 218–230 • Edi Purwanto, Mayang Sari, Aini Alifatin, Risa Herlianita](#)

[106 DOWNLOADS](#)

[Download fulltext](#)

[Comparative Analysis of the Components of a Child's Gait Pattern with Flat Foot Disorder](#)

[2ND INTERNATIONAL CONFERENCE ON MEDICAL HEALTH SCIENCE \(2ND ICMEDH\)](#)

[Pages 231–242 • Atika Yulianti, Alfina Ramadani Dyah Efendi, Zidni Imanurrohmah Lubis](#)

[135 DOWNLOADS](#)

[Download fulltext](#)

[Correlation Between Adaptation Readiness and Psychological Well-being in the Elderly During the Transition Period of the COVID-19 Pandemic](#)

[2ND INTERNATIONAL CONFERENCE ON MEDICAL HEALTH SCIENCE \(2ND ICMEDH\)](#)

[Pages 243–250 • Ayesie Natasa Zulka, Ely Rahmatika Nugrahani](#)

[90 DOWNLOADS](#)

[Download fulltext](#)

[Nurses' Burnout in the Emergency Department and the Intensive Care Unit During COVID-19: A Literature Review](#)

[2ND INTERNATIONAL CONFERENCE ON MEDICAL HEALTH SCIENCE \(2ND ICMEDH\)](#)

[Pages 251–258 • Indah Dwi Pratiwi, Risa Herlianita, Indri Wahyuningsih](#)

[114 DOWNLOADS](#)

[Download fulltext](#)

[Study of Lisinopril in Heart Failure Patients](#)

[2ND INTERNATIONAL CONFERENCE ON MEDICAL HEALTH SCIENCE \(2ND ICMEDH\)](#)

[Pages 259–269 • Nailis Syifa, Nabila Rahmayanti, Lilik Yusetyani, Didik Hasmono](#)

[157 DOWNLOADS](#)

[Download fulltext](#)

[The Role of Adolescents in Bullying at School](#)

[2ND INTERNATIONAL CONFERENCE ON MEDICAL HEALTH SCIENCE \(2ND ICMEDH\)](#)

[Pages 270–277 • Nia Agustiningsih, Ah Yusuf, Ahsan .](#)

[Back to top](#)

[Issue Details](#)

[129 DOWNLOADS](#)

[Download fulltext](#)

[**The Effect of the Combination of Tera Gymnastics and Square Stepping Exercises on the Level of the Elderly's Dynamic Balance**](#)

[2ND INTERNATIONAL CONFERENCE ON MEDICAL HEALTH SCIENCE \(2ND ICMEDH\)](#)

Pages 278–283 • [Nungki Marlian Y](#), [Agus Setiawan](#), [Rama Manggala P](#)

[318 DOWNLOADS](#)

[Download fulltext](#)

[**Optimization of Tablet Formulations Containing Green Robusta Coffee Beans \(Coffea canephora\) Extract with Various Concentrations of Sodium Starch Glycolate As a Disintegrant**](#)

[2ND INTERNATIONAL CONFERENCE ON MEDICAL HEALTH SCIENCE \(2ND ICMEDH\)](#)

Pages 284–289 • [Raditya Weka Nugraheni](#), [Galih Ardhana Putra](#), [Dian Ermawati](#)

[108 DOWNLOADS](#)

[Download fulltext](#)

[**Overview of Knowledge Levels of People Who Are Willing to Vaccinate Against COVID-19 in the COVID-19 Vaccination Program at RSUMM**](#)

[2ND INTERNATIONAL CONFERENCE ON MEDICAL HEALTH SCIENCE \(2ND ICMEDH\)](#)

Pages 290–295 • [Thontowi Djauhari](#), [Rahma Sabila Rindradi](#)

[66 DOWNLOADS](#)

[Download fulltext](#)

[**Mothers' Knowledge and Self-efficacy on Preventing Infections in Low-birth-weight Infants during the COVID-19 Pandemic**](#)

[2ND INTERNATIONAL CONFERENCE ON MEDICAL HEALTH SCIENCE \(2ND ICMEDH\)](#)

Pages 296–304 • [Resti Utami](#), [Siti Kholifah](#)

[103 DOWNLOADS](#)

[Download fulltext](#)

[**Characteristics and Outcomes of COVID-19 Patients with Diabetes Mellitus at the University of Muhammadiyah Malang General Hospital**](#)

[2ND INTERNATIONAL CONFERENCE ON MEDICAL HEALTH SCIENCE \(2ND ICMEDH\)](#)

Pages 305–314 • [Ro'di Nur Fajri](#), [Ardhi Bustami](#), [Zata Dini](#), [Dinda Amalia Eka Putri](#), [Anggita Puspitasari](#)

[67 DOWNLOADS](#)

[Download fulltext](#)

[**Ethical Issues Found in Healthcare Providers in Suicide Prevention in Indonesia**](#)

[2ND INTERNATIONAL CONFERENCE ON MEDICAL HEALTH SCIENCE \(2ND ICMEDH\)](#)

Pages 315–324 • [Tutu April Ariani](#), [Ollyvia Freeska Dwi Marta](#)

[122 DOWNLOADS](#)

[Back to top](#)

[Issue Details](#)

[Download fulltext](#)

[Correlation Between the Quick of Blood and Quality of Life of Chronic Kidney Disease Patients in Dialysis Therapy in the Hemodialysis Unit at Wava Husada Hospital](#)

[2ND INTERNATIONAL CONFERENCE ON MEDICAL HEALTH SCIENCE \(2ND ICMEDH\)](#)

Pages 325–332 • [Wiwit Dwi Nurbadriyah](#), [Nursalam Nursalam](#), [Ika Yuni Widyawati](#), [Hardiyanto .](#), [Ardhiles Wahyu Kurniawan](#), [Devi Santi Fatmawati](#)

[130 DOWNLOADS](#)

[Download fulltext](#)

[Relationship Between Sleep Quality and Body Mass Index in Nursing Students in the University of Muhammadiyah Malang](#)

[2ND INTERNATIONAL CONFERENCE ON MEDICAL HEALTH SCIENCE \(2ND ICMEDH\)](#)

Pages 333–342 • [Zahid Fikri](#), [Khikmatul Mu'jizah](#), [Yuven Yoga Pratama](#)

[382 DOWNLOADS](#)

[Download fulltext](#)

[Benson's Relaxation Techniques to Improve Sleep Quality in Diabetes Mellitus Patients](#)

[2ND INTERNATIONAL CONFERENCE ON MEDICAL HEALTH SCIENCE \(2ND ICMEDH\)](#)

Pages 343–356 • [Zaqqi Ubaidillah](#), [Rani Karisma Rosul](#), [Reni Ilmiasih](#)

[140 DOWNLOADS](#)

[Download fulltext](#)

[Comparison Between the Effectiveness of Static Stretching and Effleurage Massage for Pain Reduction in Myofascial Neck Pain](#)

[2ND INTERNATIONAL CONFERENCE ON MEDICAL HEALTH SCIENCE \(2ND ICMEDH\)](#)

Pages 357–366 • [Zidni Imanurrohman Lubis](#), [Nurul Izzah Al-Islamiyah](#), [Atika Yulianti](#)

[258 DOWNLOADS](#)

[Download fulltext](#)

[Pregnancy and Neonatal Outcomes: A Study During the COVID-19 Pandemic](#)

[2ND INTERNATIONAL CONFERENCE ON MEDICAL HEALTH SCIENCE \(2ND ICMEDH\)](#)

Pages 367–373 • [Awatiful Azza](#), [Nikmaturrahmah .](#), [Ilanka Cahya Dewi](#)

[82 DOWNLOADS](#)

[Download fulltext](#)

[Knowledge, Perception, and Acceptance of COVID-19 Vaccination among the Public in Aikmel Health Care Center, East Lombok, West Nusa Tenggara, Indonesia: Cross-sectional Study](#)

[2ND INTERNATIONAL CONFERENCE ON MEDICAL HEALTH SCIENCE \(2ND ICMEDH\)](#)

Pages 374–391 • [Azrul Cholis Azzahabi](#), [Rizka Novia Atmadani](#), [Sendi Lia Yunita](#), [Mutiaratitani](#)

[90 DOWNLOADS](#)

[Download fulltext](#)

[Back to top](#)

[Issue Details](#)

[Sexual Activity of the Elderly During the COVID-19 Pandemic](#)

[2ND INTERNATIONAL CONFERENCE ON MEDICAL HEALTH SCIENCE \(2ND ICMEDH\)](#)

[Pages 392–402](#) • [Bayu Prastowo](#), [Aluf Mumtaziah Windayati](#)

[95 DOWNLOADS](#)

[Download fulltext](#)

[Effect of Red Cabbage Aqueous Extract on High-density Lipoprotein \(Hdl\) Levels of Male White Rats Induced By Atherogenic Diet](#)

[2ND INTERNATIONAL CONFERENCE ON MEDICAL HEALTH SCIENCE \(2ND ICMEDH\)](#)

[Pages 403–409](#) • [Desy Andari](#), [Mutia Nur Salsabila](#), [Meddy Setiawan](#), [Diah Hermayanti](#)

[211 DOWNLOADS](#)

[Download fulltext](#)

[Ethical Analysis of Diabetes Self-management Education: Review on Indonesian Healthcare Services](#)

[2ND INTERNATIONAL CONFERENCE ON MEDICAL HEALTH SCIENCE \(2ND ICMEDH\)](#)

[Pages 410–419](#) • [Henik Tri Rahayu](#), [Mei-Chih Huang](#)

[205 DOWNLOADS](#)

[Download fulltext](#)

[The Effectiveness of Spiritual Therapy in Reducing the Anxiety Level of Preoperative Patients](#)

[2ND INTERNATIONAL CONFERENCE ON MEDICAL HEALTH SCIENCE \(2ND ICMEDH\)](#)

[Pages 420–426](#) • [Diah Atul Angga Fiari](#), [Nur Aini](#), [Tiara Octary](#), [Muhammad Ari Arfianto](#), [Chairul Huda Al Husna](#)

[207 DOWNLOADS](#)

[Download fulltext](#)

[Identification of Parental Efforts in the Prevention of COVID-19 Infection in Children](#)

[2ND INTERNATIONAL CONFERENCE ON MEDICAL HEALTH SCIENCE \(2ND ICMEDH\)](#)

[Pages 427–434](#) • [Reni Ilmiasih](#), [Juwitasari](#) .

[154 DOWNLOADS](#)

[Download fulltext](#)

[Self-management in Asthma Patients: A Systematic Review](#)

[2ND INTERNATIONAL CONFERENCE ON MEDICAL HEALTH SCIENCE \(2ND ICMEDH\)](#)

[Pages 435–446](#) • [Titik Agustyaningsih](#), [Eka Rahayu](#), [Edi Purwanto](#), [Chairul Huda Al Husna](#)

[362 DOWNLOADS](#)

[Download fulltext](#)

[Relationship Between Physical Changes and Teen Confidence During Puberty](#)

[2ND INTERNATIONAL CONFERENCE ON MEDICAL HEALTH SCIENCE \(2ND ICMEDH\)](#)

[Pages 447–453](#) • [Desy Nurfitriana](#), [Tri Lestari Handayani](#)

[Back to top](#)

[Issue Details](#)

[223 DOWNLOADS](#)

[Download fulltext](#)

[Sedentary Behavior Levels in School-age Children During the COVID-19 Pandemic](#)

[2ND INTERNATIONAL CONFERENCE ON MEDICAL HEALTH SCIENCE \(2ND ICMEDH\)](#)

Pages 454–464 • [Aini Alifatin](#), [Linda Hindrayani](#)

[173 DOWNLOADS](#)

[Download fulltext](#)

[The Effect of Jujube Leaf Extract in Preventing Memory Scores Deficit in White Wistar Rat Hypertension Model](#)

[2ND INTERNATIONAL CONFERENCE ON MEDICAL HEALTH SCIENCE \(2ND ICMEDH\)](#)

Pages 465–472 • [Dian Yuliartha Lestari](#), [Dewi Nur Fatimah](#), [Indra Setiawan](#)

[96 DOWNLOADS](#)

[Download fulltext](#)

[Coping Strategies of Caregivers of Patients with Schizophrenia in Malang Districts](#)

[2ND INTERNATIONAL CONFERENCE ON MEDICAL HEALTH SCIENCE \(2ND ICMEDH\)](#)

Pages 473–479 • [Faizatur Rohmi](#), [Ah. Yusuf](#), [Rizky Fitriasaki](#), [Hardiyanto .](#), [Abdul Rokhim](#)

[137 DOWNLOADS](#)

[Download fulltext](#)

[Testing Mothers' Knowledge in Preventing COVID-19 in Children Through Animated Video Media and Booklets](#)

[2ND INTERNATIONAL CONFERENCE ON MEDICAL HEALTH SCIENCE \(2ND ICMEDH\)](#)

Pages 480–487 • [Ika Rizki Anggraini](#), [Puja Putri Dewi Pati](#), [Risa Herlianita](#), [Nurlailatul Masrurroh](#)

[74 DOWNLOADS](#)

[Download fulltext](#)

[The Relationship Between Body Shaming and Self-esteem in Students](#)

[2ND INTERNATIONAL CONFERENCE ON MEDICAL HEALTH SCIENCE \(2ND ICMEDH\)](#)

Pages 488–499 • [Nur Melizza](#), [Anita Rahmawati](#), [Muhammad Ari Arfianto](#), [Erma Wahyu Mashfufa](#), [Anggraini Dwi Kurnia](#), [Nur Lailaltul Masrurroh](#)

[1097 DOWNLOADS](#)

[Download fulltext](#)

[Relationship Between Work Experience and Risk of Neuropathic Pain Among Loading--Unloading Workers](#)

[2ND INTERNATIONAL CONFERENCE ON MEDICAL HEALTH SCIENCE \(2ND ICMEDH\)](#)

Pages 500–508 • [Siti Ainun Marufa](#), [Hendy Chandra Tjan](#), [Safun Rahmanto](#), [Atika Yulianti](#), [Kurnia Putri Utami](#)

[84 DOWNLOADS](#)

[Download fulltext](#)

[the Elderly with Type II DM](#)

[2ND INTERNATIONAL CONFERENCE ON MEDICAL HEALTH SCIENCE \(2ND ICMEDH\)](#)

[Pages 509–517](#) • [Sri Wahyuni Adriani](#), [Dian Ratna Elmaghfuroh](#)

[111 DOWNLOADS](#)

[Download fulltext](#)

[Optimation of Emulgel Combination of Tea Tree Oil and Lavender Oil: Evaluation and Antibacterial Study](#)

[2ND INTERNATIONAL CONFERENCE ON MEDICAL HEALTH SCIENCE \(2ND ICMEDH\)](#)

[Pages 518–530](#) • [Uswatun Chasanah](#), [Annisa Nurwiyanti](#), [Agatha Salsabilla Miftakhurrohmah](#), [Muhammad Hamid Afif](#), [Zumrotun Najihah](#), [Rovano Rizky Hanwidi Putra](#), [Dyah Rahmasari](#)

[368 DOWNLOADS](#)

[Download fulltext](#)

[Nursing Implementation Case Study: Health Education on Self-care Management of Asthma Patients During the COVID-19 Pandemic in Indonesia](#)

[2ND INTERNATIONAL CONFERENCE ON MEDICAL HEALTH SCIENCE \(2ND ICMEDH\)](#)

[Pages 530–539](#) • [Yoyok Bekti Prasetyo](#), [Adellia Putri](#)

[165 DOWNLOADS](#)

[Download fulltext](#)

[Mannitol Usage Pattern in Hemorrhagic Stroke Patients](#)

[2ND INTERNATIONAL CONFERENCE ON MEDICAL HEALTH SCIENCE \(2ND ICMEDH\)](#)

[Pages 540–548](#) • [Siti Aisyah](#), [Didik Hasmono](#), [Binti Muzayyanah](#), [Firasti Agung](#), [NS](#)

[684 DOWNLOADS](#)

[Download fulltext](#)

[Objective Structured Clinical Examination \(OSCE\) Laboratory Learning Management for Nursing Students](#)

[2ND INTERNATIONAL CONFERENCE ON MEDICAL HEALTH SCIENCE \(2ND ICMEDH\)](#)

[Pages 549–552](#) • [Sunardi .](#), [Faqih Ruhyanudin](#), [Rahayu .](#)

[138 DOWNLOADS](#)

[Download fulltext](#)

[A Systematic Review: Knowledge of Reproductive Health in Adolescents](#)

[2ND INTERNATIONAL CONFERENCE ON MEDICAL HEALTH SCIENCE \(2ND ICMEDH\)](#)

[Pages 553–564](#) • [Ririn Harini](#), [Juwitasari .](#)

[395 DOWNLOADS](#)

[Download fulltext](#)

[Association Between Door-to-Doctor Time and Discharge Against Medical Advice in Patients with COVID-19 from the ED](#)

[2ND INTERNATIONAL CONFERENCE ON MEDICAL HEALTH SCIENCE \(2ND ICMEDH\)](#)

[Pages 565–574](#) • [Risa Herlianita](#), [Indah Dwi Pratiwi](#), [Nuraini Nuraini](#), [Nani Widyadarmasari](#), [Naya Diah Salsabilla](#)

[Back to top](#)

[Issue Details](#)





Contact

Email publishing@knowledgee.com

Phone +971 4 4227043

Address Knowledge E
Office 4401-04
Jumeirah Bay X2 Tower
Jumeirah Lakes Towers (JLT)
P.O. Box 488239
Dubai, UAE

Follow us

-  [@KnePublishing](#)
-  facebook.com/KnowledgeEGlobal
-  [Youtube](#)
-  [KnowledgeEGlobal](#)

[Find out more about Knowledge E from our corporate page](#)



Platform &
workflow by
OJS / PKP



CO - Host:

CERTIFICATE OF APPRECIATION

NO: 007/ICMEDH2/FK-FIKES-UMM/IX/2022

This Certificate is Proudly Presented To

Dyah Rahmasari

as

Oral Presenter

The 2nd International Conference on Medical and Health Sciences

"Challenges During Pandemic COVID-19: How are The Education and Clinical Field Resilience"

24 September 2022

Malang, East Java, Indonesia

DEAN OF FACULTY OF MEDICINE
UNIVERSITY OF MUHAMMADIYAH MALANG



Dr. dr. H. Meddy Setiawan, Sp.PD-FINASIM

DEAN OF FACULTY OF HEALTH SCIENCE
UNIVERSITY OF MUHAMMADIYAH MALANG



Dr. Yoyok Bakti Prasetyo, M.Kep., Sp.Kom

CHAIRPERSON



Indah Dwi Pratiwi, S.Kep., Ns., M.Ng

Research Article

Enhanced Antibacterial Activity of Piper betle Extract Niosome Serum Gel and Its Irritation Effects

Santika Tri Wahyuni, Dyah Rahmasari*, Rifqi Sandi Nugroho, Ilham Agusta, Revie Dithya Kurnia Daminda, Riko Vikri Sundugesti, and Dian Ermawati

Department of Pharmacy, Faculty of Health Science, University of Muhammadiyah Malang, Indonesia

ORCID

Dyah Rahmasari: <https://orcid.org/0000-0002-2771-9985>

Abstract.

Masks are personal protective equipment essential for COVID-19 prevention, but for the use of masks has led to an increase in the severity of both acne (maskne) and rosacea (mask rosacea). Long-time mask-wearing can increase acne's flare by modifying the cutaneous facial microenvironment and triggering facial dermatoses. To minimize this, the skin needs to be protected by using an antibacterial product. This study aimed to develop and determine the antibacterial effect of *Piper betle* extract in niosome serum gel and its irritation effect. 5% *Piper betle* extract was formulated into a niosome system and incorporated into the serum gel with varying concentrations of 30%, 40%, and 50%. The niosome system was characterized by particle size, Polydispersity Index (PI), zeta potential, and pH value, and then evaluated physicochemical properties for niosome serum gel preparation. Further, the antibacterial effect against *Propionibacterium acne*, *Staphylococcus aureus*, and *Staphylococcus epidermidis* was tested using a well-diffusion test. The preparation stability was evaluated using freeze-thaw methods, and the irritation test was assessed using the HET-CAM (Hen's Egg Chorioallantoic Membrane) method. The results showed that the preparation has a good physicochemical, while the best inhibition zone diameter was $7,29 \pm 0,21$; $7,77 \pm 0,12$; and $8,24 \pm 0,40$, against *P.acne*, respectively. However, the results of the stability test of the preparation showed a significant change in the pH but had no irritation effect on CAM. It can concluded that the niosome serum gel of *Piper betle* extract has a potential antibacterial impact for acne, especially against *P.acne*.

Keywords: Piper betle, Niosome serum gel, antibacterial effect, stability, irritation effect

1. INTRODUCTION

Maskne is a form of mechanical acne resulting from the increased duration of mask wear, referred to as the "O" zone area around the mouth. It is likely a disorder of follicular occlusion and directly related to mechanical stress (pressure, occlusion, friction) and microbiome dysbiosis (heat, pH, moisture from biofluids). It modifies skin microbiota

Corresponding Author: Dyah
Rahmasari; email:
dyahrahmasari@umm.ac.id

Published 8 March 2023

Publishing services provided by
Knowledge E

© Santika Tri Wahyuni et al. This article is distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use and redistribution provided that the original author and source are credited.

Selection and Peer-review under the responsibility of the ICMEDH Conference Committee.

OPEN ACCESS

and sebum production, which has increased facial dermatoses, i.e., rosacea, contact dermatitis, seborrheic dermatitis, and acne (1,2). This phenomenon significantly impacts one's psychological state, which is also supported by a study that states that adults and adolescents suffering from acne have higher rates of low self-esteem, anxiety, and depression than individuals without acne (3). So there must be a treatment to overcome it, and botanical actives with anti-inflammatory, antioxidant, sebum regulation and antimicrobial properties are preferred (2).

One of the acne therapies uses topical antibacterial agents from a natural source, such as piper betle leaf extract (PBLE). PBLE shows antiseptic, antibacterial, and antiviral properties due to the content of alkaloids, tannins, glycosides, saponins, phenol, flavonoids, steroids, proteins, amino acids, terpenoids, and isolated bioactive compounds such as phytol, acyclic diterpene alcohol, 4-chromanol, hydroxychavicol or 4-allylpyrocatechol, and allylpyrocatechols (4,5). The essential oil content of piper betel leaf is 56.3% and has antibacterial properties. The essential oils consisted of phenols (pyrocatechol, carvacrol, safrole, eugenol, and chavibetol) and terpenoids (1, 8- cineole, cadinene, camphene, caryophyllene, limonene, pinene, chavicol) (6). These compounds work as antibacterial agents through various mechanisms, i.e., Alkaloids can inhibit growth and kill bacteria by interfering with the permeability of cell walls and membranes, inhibiting nucleic acid and protein synthesis, and inhibiting bacterial cell metabolism from causing lysis; Tannins work by coagulating bacterial protoplasm, precipitating proteins, and binding proteins to inhibit the formation of bacterial cell walls; Saponins works by disrupting the stability of the bacterial cell membrane; Phenol acts as a toxin in the protoplasm, damaging and penetrating the bacteria cell wall; etc. (7). The ethanolic extract of PBLE had an inhibitory zone against *P. acne* of about 9.8mm, 15.85mm, and 17.35mm at percentages of 5%, 10%, and 15%, respectively (8); against *S. aureus* about $13,883 \pm 1.1496$ mm and $16,767 \pm 1.8779$ mm at percentages of 10% and 30%, respectively (9); and against *S. epidermidis* about 18.0 ± 1.91 mm at the percentage of 20% (10).

The problem with natural sources is had not stable physically and chemically, which makes them not stable in the formulation. It is necessary to encapsulate PBLE in a proper system such as a niosome. Niosome is a non-ionic surfactant-based vesicle formed mainly by non-ionic surfactant and cholesterol incorporation as an excipient (11). Niosome has more excellent stability and fewer disadvantages when compared to liposome (12). Due to their entrapment efficiency percentage, the best combination of niosomal carriers was cholesterol, Tween 60, and Span 60 (13). In this study, the PBLE

niosome was incorporated into serum gel preparation because of its high content of water which can hydrate the skin (14).

2. MATERIALS AND METHOD

2.1. Materials

2.1.1. Materials

Piper betle was collected and extracted by Materia Medika Batu, East Java, Indonesia. Ethanol was purchased from Sigma Aldrich. Tween 60, Span 60, Cholesterol, PEG 400, sodium benzoate, carbopol, triethanolamine (TEA), propylene glycol, methylparaben, sodium metabisulfite, hen's egg, and distilled water were of technical grade. *Staphylococcus aureus*, *Staphylococcus epidermidis*, and *Propionibacterium acnes* were isolated from the Laboratory of Biomedical, Medical Faculty of the University of Muhammadiyah Malang.

2.1.2. Tools

Particle Size Analysis and Zetasizer (Malvern), Analytical balance (Metler Toledo), pH meter (Schott), viscometer (Brookfield), double beam UV-Vis Spectrophotometer (Shimadzu), homogenizer (Heidolph), autoclave (All American), Laminar Air Flow (Biobase), incubator (Mettler), vernier calipers, micropipette (DragonLab), petri dish and other glassware.

2.2. Methods

2.2.1. PBLE Niosome Preparation

Niosome was prepared by thin layer hydration method using the ratio of cholesterol : Tween 60 : Span 60 (0.29:3.27:2.1). In the preparation of niosome, PEG 400 is added as a solubilizer (15) and sodium benzoate as preservative. PBLE is also incorporated into this preparation. The formula can be seen in **(Table 1)**.

TABLE 1: PBLE Niosome Formula.

Ingredient	Concentration (%)
PBLE	5
Span 60	2.1
Tween 60	3.27
Cholesterol	0.29
PEG 400	15
Sodium benzoate	0.1
Distilled water	until 100%

2.2.2. Characterization of PBLE Niosome

The physical characterization of the PBLE niosome included particle size, particle distribution (polydispersity index), and zeta potential (16). All assessments were completed in triplicate.

2.2.3. PBLE Niosome Serum Gel Preparation

The formulation of niosome serum gel preparation was made according to the formula presented in **(Table 2)**. Serum gel was made in three formulas where each formula contains 30%, 40%, and 50% PBLE niosome. Carbopol was developed in an amount of distilled water and developed by the presence of TEA. Methylparaben as a preservative and sodium metabisulfite as an antioxidant dissolved in propylene glycol before being added to the carbopol solution. Lastly, PBLE niosome and fragrance were added to the mixture and stirred until homogenous. After made the niosome serum gel, the physicochemical characterization test, antibacterial activity, stability, and irritation test were conducted.

TABLE 2: PBLE Niosome Serum Gel Formula.

Ingredient	Concentration (%)		
	Formula 1	Formula 2	Formula 3
PBLE Niosome	30	40	50
Carbopol	0.5	0.5	0.5
Propylene glycol	5	5	5
Methylparaben	0.03	0.03	0.03
Sodium metabisulfite	0.01	0.01	0.01
TEA	until pH 4.50 – 5.00		
Fragrance	until enough		
Distilled water	until 100%		

2.2.4. Characterization of PBLE Niosome Serum Gel

Physicochemical characterization of PBLE niosome serum gel included organoleptic test (color, texture, odor, and homogeneity), pH value, viscosity, and spreadability measurement.

2.2.5. Antibacterial Activity

The in vitro antibacterial profile was observed using the well-diffusion method against *P. acne*, *S. aureus*, and *S. epidermidis*. Placed niosome serum gel preparations of PBLE with different levels of variation (30%, 40%, and 50%) were in 200 μ L of other wells. Furthermore, dripped the distilled water used as a negative control and clindamycin gel as a positive control into the wellbore as much as 200 μ L. Then the petri dishes were incubated at 37°C for 24 hours. Observations were made after 1x24 hours of incubation. Antibacterial activity was expressed by measuring the diameter of the inhibition zone (clear area) using a caliper. Performed each sample in triplicate (17).

2.2.6. Stability Testing

Stability testing was held using the freeze-thaw method. 10g sample of PBLE niosome serum gel was placed into vials and stored at 4 \pm 2°C for 24 hours, then transferred at 40 \pm 2°C for 24 hours (counted as one cycle). Then, repeated this for up to 6 cycles (12 days) (18). The organoleptic and pH values were evaluated at the end of the cycle.

2.2.7. Irritation Testing

Irritation testing was carried out using Hen's Egg Test Chorioallantoic Membrane (HET-CAM). About 300g sample of PBLE niosome serum gel was put into CAM and examined for about 300 seconds, then evaluated for irritant parameters (lysis, hemorrhage, and coagulation) using the score (19). This test also used sodium lauryl sulfate as positive control and distilled water as a negative control.

3. RESULTS AND DISCUSSIONS

3.1. PBLE Niosome Characterization

PBLE niosome physical characterization is shown in **(Table 3)**. The average size of the vesicle can be classified as a giant unilamellar vesicle because the size of the vesicles was more than $1.0\mu\text{m}$ (Zhang & Sun, 2021). It was also found that the particle size distribution of the PBLE niosome was a polydispersed vesicle because it had a polydispersity index value >0.7 (21). The PBLE niosome had a zeta potential value $<-30\text{mV}$. Zeta potential can be either negative or positive and can range from -200 to 200 mV, depending upon the electrochemical behavior of the particle interface. Generally, a large value (i.e., over 30 mV or below -30 mV) indicates that a sample is stable and unlikely to aggregate or coalesce. In addition, a large value means that the surfaces of particles are highly charged and repel each other. The presence of cholesterol is also made the niosome more stable (22). Increasing cholesterol content will increase the hydrophobicity and stability of bilayer vesicles and decrease the permeability (23) because the system will be more intact and ordered as a barrier for drug release and also reduce drug leakage by improving the fluidity of the bilayer membrane (24).

TABLE 3: PBLE Niosome and PBLE Niosome Serum Gel Characteristics Result.

Parameter	PBLE Niosome	PBLE Niosome Serum Gel		
		F1	F2	F3
Particle size (nm)	3400 ± 445.31			
Polydispersity Index	0.780 ± 0.19			
Zeta Potential (mV)	-146.5 ± 92.66			
pH		4.73 ± 0.006	4.80 ± 0.006	4.84 ± 0.006
Viscosity (cps)		733.33 ± 28.87	666.67 ± 57.74	616.67 ± 28.87
Spreadability (cm)		6.53 ± 0.06	5.43 ± 0.12	5.33 ± 0.06

3.2. PBLE Niosome Serum Gel Characterization

The organoleptic observations showed that PBLE niosome serum gel was blackish green, odorless, and had a viscous texture due to using a gelling agent. It is also easy to apply, has light to spread, absence of coarse particles, and shows no phase separation. Based on characteristic physicochemical measurements **(Table 3)**, the pH value of PBLE niosome serum gel remained within the acceptable pH of topical preparations ($4.5 - 6.5$) (25). The different concentrations of PBLE niosome had different viscosities. As seen in **(Table 3)**, the higher concentration of PBLE niosome resulted in serum gel preparation with lower viscosity. Likewise, the spreadability test results decrease with an increase

in PBLE. This result is not in accordance with the theory that the value of viscosity and spreadability is inversely proportional (26).

3.3. Antibacterial Activity

Based on **(Table 4)**, we can see that PBLE niosome serum gel preparations showed the diameter of the zone of inhibition against *Propionibacterium acnes*, *Staphylococcus aureus*, and *Staphylococcus epidermidis*. The inhibition zone diameter increased significantly with the addition of active ingredients, and Formula 3 (PBLE niosome 50%) has the largest inhibition zone diameter value compared to formulas 1 and 2. Formula 3 also has almost the same inhibitory diameter as the positive control used, especially against *Propionibacterium acnes*. This phenomenon is similar to the study (27), where PBLE is better at against *P. acne*.

TABLE 4: PBLE Niosome Serum Gel Antibacterial Activity Result.

Samples	Inhibition Zone Diameter (mm)		
	against <i>P. acne</i>	against <i>S. aureus</i>	against <i>S. epidermidis</i>
Positive Control (Clindamycin gel)	9.84 ± 0.50	28.17 ± 0.41	22.03 ± 0.56
Negative control	0.00 ± 0.00	0.00 ± 0.00	0.00 ± 0.00
Formula 1	7.29 ± 0.21	6.54 ± 0.43	6.30 ± 0.04
Formula 2	7.77 ± 0.12	6.82 ± 0.67	6.56 ± 0.11
Formula 3	8.24 ± 0.40	7.44 ± 1.01	7.31 ± 0.47

3.4. Stability Testing

A stability test was conducted to physically and chemically determine the system resilience of niosome serum gel when stored in extreme conditions. As we see in **(Table 5)**, there are no changes and phase separation in the organoleptic parameter. But there is a difference in pH values significantly. It can be concluded that the niosome serum gel system formed represents the instability of the niosome serum gel system in the presence of pH value change.

3.5. Irritation Testing

As we have seen in **(Table 6)**, the preparation showed a 0 irritation score, which means there is no hemorrhage, lysis or coagulation in all three formulas. This phenomenon

TABLE 5: PBLE Niosome Serum Gel Stability Activity Result.

Formula	Parameters		
	Organoleptic	pH value	
		Before	After
F1	No color change, odor change, and phase separation	4.73±0.006	4.49±0.010
F2		4.80±0.006	4.57±0.006
F3		4.84±0.006	4.61±0.006

can happen because of the addition of carbopol as a gelling agent, which has a cooling effect when used (28). This result indicates that the preparation is safe to use.

TABLE 6: PBLE Niosome Serum Gel Irritation Activity Result.

Samples	Irritation Score	Interpretation
Positive Control (SLS)	10.18 ± 2.68	Strong irritation
Negative Control (Distilled water)	0	No irritation
Formula 1	0	No irritation
Formula 2	0	No irritation
Formula 3	0	No irritation

4. CONCLUSION

Based on the research results, it can conclude that the three formula has good physico-chemical characteristics. However, the niosome system still has too large a particle size. The preparation is chemically unstable during storage using the freeze-thaw method, but they have no irritating effect on Chorioallantoic Membrane (CAM). It indicates that the preparation is safe to use. Due to the inhibition diameter zone against *Propionibacterium acnes*, *Staphylococcus aureus*, and *Staphylococcus epidermidis* formula three (50% PBLE niosome) has the best antibacterial activity, especially against *Propionibacterium acnes*. It is necessary to re-optimize the niosome formula to obtain better characteristic results.

5. AUTHORS' CONTRIBUTIONS

Santika Tri Wahyuni: Validation, Investigation, Resources, Project administration, Funding acquisition

Dyah Rahmasari: Conceptualization, Methodology, Validation, Writing, Visualization, Project administration

Rifqi Sandi Nugroho: Software, Investigation, Resources, Funding acquisition
 Ilham Agusta: Formal analysis, Investigation, Resources, Funding acquisition
 Revie Dithya Kurnia Daminda: Software, Investigation, Resources, Funding acquisition
 Riko Vikri Sundugesti: Investigation, Resources, Data curation, Funding acquisition
 Dian Ermawati: Conceptualization, Methodology, Formal analysis, Supervision

ACKNOWLEDGMENTS

The authors acknowledge that the Department of Pharmacy at the University of Muhammadiyah Malang has permitted research using its laboratory and facilities.

References

- [1] Spigariolo CB, Giacalone S, Nazzaro G. Maskne: The Epidemic within the Pandemic: From Diagnosis to Therapy. *J Clin Med*. 2022;11(3):618.
- [2] Teo WL. Diagnostic and Management Considerations for “Maskne” in The Era of COVID-19. *J Am Acad Dermatol*. 2021;84(2):520–1.
- [3] Kosasih LP. MASKNE: Mask-Induced Acne Flare During Coronavirus Disease-19. What is it and How to Manage it? | Open Access Macedonian Journal of Medical Sciences. *Open Access Maced J Med Sci*. 2020;8 T1:411–5.
- [4] Ermawati FU, Sari R, Putri NP, Rohmawati L, Kusumawati DH, Munasir, et al. Antimicrobial Activity Analysis of Piper betle Linn Leaves Extract from Nganjuk, Sidoarjo and Batu against *Escherichia coli*, *Salmonella* sp., *Staphylococcus aureus* and *Pseudomonas aeruginosa*. *J Phys Conf Ser*. 2021;1951(1):012004.
- [5] Nayaka NM, Sasadara MM, Sanjaya DA, Yuda PE, Dewi NL, Cahyaningsih E, et al. Piper betle (L): Recent Review of Antibacterial and Antifungal Properties, Safety Profiles, and Commercial Applications. *Molecules*. 2021;26(8):1–21.
- [6] Kurniasari SY, Tjahjaningsih W, Sianita N. Antibacterial Activity of Betel Leaf (Piper betle L.) Leaves Extract on *Vibrio harveyi*. *IOP Conf Ser Earth Environ Sci*. 2021;718(1):012048.
- [7] Heliawati L, Lestari S, Hasanah U, Ajiati D, Kurnia D. Phytochemical Profile of Antibacterial Agents from Red Betel Leaf (*Piper crocatum* Ruiz and Pav) against Bacteria in Dental Caries. *Molecules*. 2022;27(9):2861.
- [8] Meinisasti R, Muslim Z, Krisyanella, Sunita R. The Effectiveness Test of Betel Leaf Ethanol Extract Cream (*Piper Betle* Linn) Toward *Propionibacterium acnes* Bacterial

- Growth. *Biosci Med J Biomed Transl Res*. 2020;4(2):10–7.
- [9] Florenly F, Novelya N, Janiar M, Miranda M, Hai LQPD, Quang PM. Nano-Green Betel Leaf Extracts (*Piper betle* L.) Inhibits the Growth of *Streptococcus mutans* and *Staphylococcus aureus*. *e-GiGi*. 2022;10(2):154.
- [10] Khatun M, Hoque M. Extraction of Ethanol Soluble Compound from Betel Leaf for Antibacterial Activity. *Bangladesh J Microbiol*. 2021;38(1):15–9.
- [11] Aher P, Dandgavhal K, Bhandari D, Saindane H, Deore N, Amrutkar S. Niosomes as a Potential Drug Delivery System. *Int J Pharm Sci Rev Res*. 2021;68(1):21–7.
- [12] Purwanti T, Hariyadi DM, Silvia C, D V. Characterization and release of ibuprofen in proniosome system (Ibuprofen-span 60-cholesterol). *Int J Drug Deliv Technol*. 2018;8(2):103–6.
- [13] Ge X, Wei M, He S, Yuan WE. Advances of non-ionic surfactant vesicles (niosomes) and their application in drug delivery. *Pharmaceutics*. 2019;11(2):55.
- [14] Surini S, Mubarak H, Ramadan D. Cosmetic Serum Containing Grape (*Vitis vinifera* L.) Seed Extract Phytosome : Formulation and in vitro Penetration Study. 2018;10(2):51–5.
- [15] Nair AB, Chaudhary S, Shah H, Jacob S, Mewada V, Shinu P, et al. Intranasal Delivery of Darunavir-Loaded Mucoadhesive In Situ Gel: Experimental Design, In Vitro Evaluation, and Pharmacokinetic Studies. *Gels*. 2022;8(6):1–25.
- [16] Khan R, Irchhaiya R. In Vitro in Vivo Evaluation of Niosomal Formulation of Famotidine. *Int J Pharm Pharm Sci*. 2020;12(3):15–22.
- [17] Rahmasari D, Hendradi E, Chasanah U. Formulation and evaluation of hand sanitizer gel containing infused of binahong leaf (*Anredera cordifolia*) as antibacterial preparation. *Farmasains. J Farm dan Ilmu Kesehat*. 2020;5(1):23–30.
- [18] Kumar A, Dua J. Formulation and Evaluation of Itraconazole Niosomal Gel. *Asian J Pharm Res Dev*. 2018;6(5):76–80.
- [19] Luepke NP. Hen's egg chorioallantoic membrane test for irritation potential. *Food Chem Toxicol*. 1985;23(2):287–91.
- [20] Zhang G, Sun J. Lipid in Chips: A Brief Review of Liposomes Formation by Microfluidics. *Int J Nanomedicine*. 2021;16:7391–416.
- [21] Danaei M, Dehghankhold M, Ataei S, Hasanzadeh Davarani F, Javanmard R, Dokhani A, et al. Impact of particle size and polydispersity index on the clinical applications of lipidic nanocarrier systems. *Pharmaceutics*. 2018;10(2):1–17.
- [22] Patil VB, Tadavi SA, Pawar SP. Formulation of niosomal gel of aceclofenac and its in-vitro characterization. *Int J Pharma Chem Res*. 2017;3(3):467–73.

- [23] Asthana GS, Sharma PK, Asthana A. In Vitro and in Vivo Evaluation of Niosomal Formulation for Controlled Delivery of Clarithromycin. *Scientifica (Cairo)*. 2016;2016:1–10.
- [24] Jaiswal PH, Gujarathi NA, Rane BR, Pawar SP. Formulation of Niosomal Gel of Diclofenac Sodium and Its In-vitro Characterization. *Int J Pharm Pharm Res*. 2016;6(4):585–600.
- [25] Rahmawanty D, Yulianti N, Fitriana M. FORMULATION AND EVALUATION PEEL-OFF FACIAL MASK CONTAINING QUERCETIN WITH VARIATION CONCENTRATION OF GELATIN AND GLYCERIN. *Media Farm*. 2015;12(1):17–32.
- [26] Deuschle VC, Deuschle RA, Bortoluzzi MR, Athayde ML. Physical chemistry evaluation of stability, spreadability, in vitro antioxidant, and photo-protective capacities of topical formulations containing calendula officinalis L. Leaf extract. *Braz J Pharm Sci*. 2015;51(1):63–75.
- [27] Budiman A, Rusnawan DW, Yuliana A. Antibacterial Activity of Piper betle L. Extract in Cream Dosage Forms against *Staphylococcus aureus* and *Propionibacterium acne*. *J Pharm Sci Res*. 2018;10(3):493–6.
- [28] Khafifa IN, Shabrina A, Rochman MF. Stability and Sunscreen Activity of Nutmeg Seed Oil Emulgel With Carbopol 940 Variation As Gel Base. *J Farm Sains dan Prakt*. 2022;8(2):167–76.