

Similarity - Iswahyudi Widodo  
Warkoyo Sutanto Garfansa  
Septia - Compost  
Environmental pollution  
Microplastics Organic fertilizers  
*by Prodi Agroteknologi*

---

**Submission date:** 27-Jul-2024 08:11PM (UTC+0700)

**Submission ID:** 2423170746

**File name:** st\_Environmental\_pollution\_Microplastics\_Organic\_fertilizers.pdf (2.59M)

**Word count:** 7677

**Character count:** 40682



of fertilizers, which mostly involves aerobic composting and anaerobic digesting, significantly impacts the enrichment of MPs (Zhang, Li, et al., 2022). In several aerobic decomposition studies, the addition of plastics resulted in fragmentation, which was linked to a substantial increase in particle number (Andrady et al., 2022; Chamas et al., 2020; Dimassi et al., 2022; Liao & Chen, 2021). Furthermore, MPs can generate strong free radical reactions in the highly oxidizing environment of aerobic decomposition (Xing et al., 2022). Hydrolysis is added during anaerobic fermenting, resulting in the brittleness and fragmentation of plastics; however, the resultant plastic fragments do not completely vanish (Hale et al., 2022). The presence of MPs in the compost has the potential to cause soil contamination (Vithanage et al., 2021). Previously, MPs were reported in compost from various countries, such as southeastern Mexico and southern China (Pironti et al., 2021). It was revealed that it is possible that MPs can be consumed by humans at the same time as the consumption of agricultural products (Zhou et al., 2023). MPs can infiltrate the human body via inhalation and consumption of food and beverages. Consuming food contaminated with MPs can cause various immune system-related issues, including immunosuppression, immune activation, and aberrant inflammatory responses. In addition, it can cause stress, reproductive toxicity, and developmental problems (Wu et al., 2022). Consequently, additional research is required to investigate the potential effects of MPs on the environment and human health through more rigorous clinical investigations.

Enhancing soil fertility may be achieved using organic fertilizers, as opposed to chemical fertilizers, due to their higher organic carbon, nitrogen, and phosphorus content. Organic fertilizers are generally composed of animal dung or bacterial wastes, which are abundant in organic materials and plant nutrients, hence contributing to improved soil quality (Schwinghammer et al., 2020). However, these feedstocks frequently contain MPs (Rynk et al., 2022) and MPs experience a sequence of conditioning, breakdown, and processing steps that typically concentrate and enrich them in the final products. But threshold values for plastics are frequently absent, particularly for MPs concentrations in organic fertilizer (Braun et al., 2021).

*Enhancing soil fertility may be achieved using organic fertilizers, as opposed to chemical fertilizers, due to their higher organic carbon, nitrogen, and phosphorus content*

Insufficient data is describing the composition and distribution of MPs in organic fertilizers, limiting our understanding of the contributions of these fertilizers to soil pollution. In addition, the use of these fer-

tilizers varies significantly across provinces based on their unique environmental and economic conditions. There is an imperative need for additional research to characterize the MPs in organic fertilizers and control MPs contamination on farmlands. Thus, this study aimed to estimate the abundance of MPs in compost. The findings of this study are crucial to inform community and policy makers regarding the presence of MPs in commercial compost. Therefore, intensive use of compost containing MPs in agriculture must be minimized.

*There is an imperative need for additional research to characterize the MPs in organic fertilizers and control MPs contamination on farmlands.*

## 2 | MATERIALS AND METHODS

### 2.1 | Materials

The compost used in this study was purchased from a local agricultural store (Stand Flamboyan, Pamekasan City, East Java province, Indonesia), and the compost brand was Kompos Organik. Chemical, 30% hydrogen peroxide ( $H_2O_2$ ) (UN2014), was purchased from Kimia Farma company (Pamekasan City, East Java province, Indonesia). Classification of compost with multiple raw materials with a complex composition (a mixture of manure and agricultural waste) often contains additional ingredients.

Stainless with a mesh size of 5 mm is used to first filter compost samples by removing leaves, roots, and other larger debris to facilitate the extraction of MPs. Filter stainless, 300 mesh for second stage filtration used to be carried out after the sample is centrifuged for the identification stage. Distilled water is used to rinse the sample after it has been placed in a strong acid solution. This research also uses glass equipment, including glass beakers, measuring flasks, pipettes, glass bottles, vials bottles, glass stirrers, Petri dishes, and mortar. It also uses aluminum foil for containers in drying ovens and covers for glassware. Some label paper is also needed for sample indication. A strong acid solution,  $H_2O_2$ , breaks down and releases organic matter from the MPs samples (Aini et al., 2023; Putri et al., 2023).

*Stainless with a mesh size of 5 mm is used to first filter compost samples by removing*

leaves, roots, and other larger debris to facilitate the extraction of MPs. A strong acid solution,  $H_2O_2$ , breaks down and releases organic matter from the MPs samples

## 2.2 | Sampling method

The instrument used to collect the 50 g sample compost was a glass beaker with a diameter of 9 cm, and then first filtered using a stainless with a mesh size of 5 mm and second filtered using a stainless with a mesh of 300. Four multiple raw materials (same brand) used in this study were taken, namely sample 1 (C1), sample 2 (C2), sample 3 (C3), and sample 4 (C4). This brand of compost was chosen because it is often used by farmers, which is very crucial since MPs have the potential to contaminate the soil and be absorbed by roots. Another selection criterion is the availability of compost which can be easily purchased. The remained materials on the filter were mixed with 30%  $H_2O_2$  solution and dried at room temperature for 1 h. The solution of  $H_2O_2$  was used to degrade any organic residue so that targeted MPs could be freely from organic residue before observing by using a microscope. The method applied for MPs extraction from the compost sample was an adjustment of the method for extracting MPs from organic-rich environmental matrices (Zhang, Li, et al., 2022). The physicochemical properties of the organic fertilizers were similar to those of organic-rich soil and livestock manure, so the dried and sieved organic fertilizer samples were subjected to sequential flow separation and density flotation extraction for the identification of MPs (Corradini et al., 2021).

<sup>1</sup> The method applied for MPs extraction from the compost sample was an adjustment of the method for extracting MPs from organic-rich environmental matrices. The physicochemical properties of the organic fertilizers were

similar to those of organic-rich soil and livestock manure

## 2.3 | MPs identification

Rinse water from a stainless filter, 300 mesh is lowered into a Petri dish, for MPs identification. The microscope with 40x magnification used in this study was Trinocular Digital Ways Dw-tc-y Black Edition, Kaisi Rotation LED Lamp K-D056 for microscope, and 51-megapixel microscope camera connected to Samsung Smart TV 32. Under the microscope, the sample was counted while its shape, size, and color were carefully observed. Following, the MPs samples were analyzed using fourier transform infrared spectroscopy (FTIR) ThermoScientific Nicolet iS10 to characterize a type of polymer. The selection of the FTIR was made due to its simplicity as a method for identifying the type of polymer by examination of its vibrational spectrum, which exhibits distinctive characteristics for each polymer type (Xu et al., 2019).

## 3 | RESULTS AND DISCUSSION

### 3.1 | Number of MPs

The presence of MPs and their characteristics observed in this study is presented in Exhibit 1. The total number of MPs found was 160 particles while in compost. It is noted that the MPs in C1, C2, C3, and C4 the MPs found were 58 particles/50 g, 48 particles/50 g, 41 particles/50 g, and 13 particles/50 g, respectively. Surprisingly, the number of MPs in the C1 compost was found to be the highest compared to the others. It is important to first understand the raw materials for composting to determine MP contamination in the compost.

It is important to first understand the raw materials for composting to determine MP contamination in the compost.

The findings of this study support previous works that also observed the presence of MPs in compost produced by using different materials, which are municipal biowaste compost (Prosenč et al., 2021), municipal organic waste, and garden and greenhouse waste (van Schothorst et al., 2021). The average contaminations of MPs in compost were

## EXHIBIT 1 The presence of microplastics (MPs) in compost.

Sample	Shape	Number of MPs	Color	Size (mm)
C1	Fragment (52)	58	Blue, black, red, white, and yellow	0.1–1
	Fiber (6)			
C2	Fragment (31)	48	Black, red, and white	0.1–1
	Fiber (14)			
	Filament (3)			
C3	Fragment (35)	41	Black, red, yellow	0.1–1
	Fiber (6)			
C4	Fragment (13)	13	Red, yellow	0.06–0.6

## EXHIBIT 2 Comparison of the characteristics of microplastics (MPs) in compost in Indonesia and other countries.

Sampling	Number/weight	Size (mm)	Shape	Polymer	Reference
Compost, Indonesia	13–58/50 g	0.1–1	Fragment, fiber, and filament	Polyethylene terephthalate (PET)	Present study
Compost, Spain	5–20/g	<5	Fragment and fiber	Polyethylene, polystyrene, polyester, polypropylene, and polyvinyl chloride	(Edo et al., 2022)
Compost, China	2400 ± 358/kg	0.05–5	Fiber, film	Polyester, polypropylene, and polyethylene	(Gui et al., 2021)
Compost, China	2–34/50 g	–	Fiber and fragment	Polypropylene and polyethylene	(Wu et al., 2021)
Compost, China	1500–6615/kg	0.5–1	Fragment, fiber, film	Polypropylene, polyethylene, and polyethylene terephthalate	(Zhang et al., 2023)

2800 ± 616 particles kg<sup>-1</sup> and 1253 ± 561 particles kg<sup>-1</sup> of compost for municipal organic waste and from garden and greenhouse waste, respectively. An alternative study also reported that MPs were identified in chicken manure, sludge, and domestic waste composts with the number of particles of 14,720 ± 2468, 8600 ± 1428, and 11,640 ± 3565 particles kg<sup>-1</sup>, respectively (Zhang, Wang et al., 2022).

### 3.2 | Size of MPs

Sizes of MPs particles found in this study are shown in Exhibit 1. The current study found that identified MPs in compost have various sizes ranging from 0.06 to 1 mm. At C1, C2, and C3 MPs sizes measure around 0.1–1 mm, meanwhile, at C4, the sizes are 0.06–0.6 mm. It is witnessed that the bigger MPs are found at C1, C2, and C3, compared to C4. It is noted that smaller MPs have higher toxicity because they can easily be absorbed by the roots, impacting the inhibited nutrient uptake, reducing biomass, and contaminating fruit (Roy et al., 2022).


Exhibit 2 presents a comparison with other prior efforts. The size of MPs observed in the previous investigation conducted on compost exhibited a range covering from 0.1 to 5 mm. For instance, in the study conducted in Spain (Edo et al., 2022), MP sizes are not larger than 5 mm, while in China, the sizes are 0.05 to 5 mm (Gui et al.,

2021), and 0.5–1 mm (Zhang et al., 2023). The latest findings on MPs contamination originating from compost and its subsequent use in soil brought attention to the possible consequences of micropollutant transfer from compost (Le et al., 2023). Specifically, MPs accumulation in soils has been shown to have an impact on three key markers of soil health, namely, soil microbiological, chemical, and physical characteristics (Chia et al., 2022; Zhang, Wang et al., 2022). Therefore, the high-risk MPs sizes for the plant, especially for the root, photosynthetic pigments, and biomass are below 3 μm.

### 3.3 | Shape of MPs

The identification of MPs shapes obtained from compost is provided in Exhibit 3. Generally, there are three shapes of MPs, fragment, fiber, and filament. In compost, 81.8% of fragments, 16.2% of fiber, and 2% of filament were found. Similarly, several previous studies have reported that fragments and fibers are the predominant MPs morphologies in agricultural soil, thereby introducing this form of MPs into arable soil (Liu et al., 2018) and indicating that organic fertilizers contributed to the contamination of farmland soils with MPs (Yu, Song et al., 2021).

Previous work reported that the fiber shape of MPs was observed in municipal solid waste compost (Edo et al., 2022) and RDW compost



**EXHIBIT 3** Microplastics (MPs) shapes of (a) fiber and blue, (b) fragment and yellow, (c) fiber and black, and (d) filament and white-red. [Color figure can be viewed at [wileyonlinelibrary.com](http://wileyonlinelibrary.com)] 36


(Gui et al., 2021). The fragment shape of MPs particles was also found in livestock and poultry manure compost (Wu et al., 2021). It indicated that fiber and fragment shapes are easy to find in compost. Mostly, in composting, fragment shape was generated by the breakdown of larger pieces of MPs. Plastic fragmentation from larger size to smaller size, MPs, can occur in aerobic and anaerobic composting processes and other processes depending on environmental conditions (Zafiu et al., 2023). However, most of the MPs in organic fertilizers consisted of finer particles. Plastics are extremely difficult to degrade, and the production cycle of organic fertilizers (40 days) is frequently inadequate. Thus, MPs fragmentation during the production of organic fertilizer may be as significant as projected, and 0.1–1 mm plastic dominated the samples.

MPs in compost had various shapes due to the different sources of plastic waste that contributed to compost production. The shape of MPs in compost was influenced by the mechanical crushing, anaerobic, and aerobic processes involved in composting (Premarathna et al., 2023). The dominant shapes of MPs in compost samples were found to be fragments, fibers, and films (Sholokhova et al., 2022). These shapes were likely derived from plastic bags, packaging materials, and other plastic waste that entered the composting process (Vithanage et al., 2021). The presence of different shapes of MPs in compost highlighted the diverse types of plastic waste that were being processed and the potential for these MPs to contaminate the soil when the compost was used as a fertilizer (Schwinghammer et al., 2020).

### 3.4 | Color of MPs

Red was the most dominant color of the MPs found in compost, that is, 30, 29, and 8 particles, respectively, in C2, C3, and C4. In C1, the most dominant is yellow with 38 particles detected while in C3 is yellow with 16 MPs particles second dominant. The color of MPs found in the previous study was white and blue (Yu, Zhang et al., 2021). In China, Yang, Kang et al. (2022) witnessed MPs in transparent and white. Meanwhile, white, blue, and red were the colors of MPs found in Indonesia (Aini et al., 2023; Putri et al., 2023). Also in Brazil, the colors of MPs were transparent, red, and blue (Dantas Filho et al., 2023).

Color may also represent the presence of MPs in compost. Considering that plastics can degrade under environments with rich organic matter presented in Exhibit 3, MPs were categorized into five primary hues: red, yellow, blue, black, and white. These color categories were generally compatible with those reported by a wide number of research (Bertoldi et al., 2021; Grbić et al., 2020). Considering that plastics readily age in high organic matter conditions (Xiao et al., 2021). Yu, Zhang et al. (2021) also reported white MPs were the most prevalent in samples of fertilized soil, followed by blue MPs. The color of MPs may indicate their origin and the presence of contaminants, their colors can transform because of degradation and residence time in the terrestrial (Campanale et al., 2023). For example, white MPs are abundant in agriculture and orchards, which frequently require organic fertilizers (Chai et al., 2020). Furthermore, the color of MPs is closely related



**EXHIBIT 4** Fourier transform infrared spectroscopy (FTIR) spectra for microplastics (MPs) detected in C1, C2, C3, and C4 (identified as polyethylene terephthalate for all). [Color figure can be viewed at [wileyonlinelibrary.com](http://wileyonlinelibrary.com)]

to the contaminants on their surface. For example, black MPs are frequently associated with higher quantities of organic contaminants (Crawford & Quinn, 2017) than other MPs colors. Clear MPs had significant effects on the environment. It posed a threat to the ecological balance, water environment, food sustainability, and safety, ultimately impacting human health (Oleksiuk et al., 2023).

Materials such as anthraquinone, which could be produced quickly, had color intensity, and were transparent, were used to create yellow. Anthraquinones were frequently used in polymers including polypropylene (PP), polystyrene (PS), low-density polyethylene (LDPE), high-density polyethylene (HDPE), polymethyl methacrylate/acrylic, polycarbonate, polybutylene terephthalate, and polyethylene terephthalate (PET). In addition to yellow MPs, red MPs were found. Anthraquinone, which had medium to high color intensity and transparency, was the most common red pigment. This pigment was typically incorporated into PS, PP, LDPE, and HDPE polymers. Triphenylmethane, azo, anthraquinone, perylene, and indigoid were interesting and widely used categories of dyes, which were also the main focus of the study by (Fleischmann et al., 2015) because these compounds had a broad range of applications.

### 3.5 | Polymer type

The chemical components and arrangement of macromolecules determine the physical characteristics of polymeric materials. Numerous spectroscopic techniques are currently available to examine these properties, and FTIR-spectroscopy is one of the most popular techniques due to its versatility in determining composition; consequently, the polymer type can be determined by comparing the FTIR spectra of the polymer to the library data. Exhibit 4 shows the FTIR spectra of all compost-analyzed MPs.

It is interesting to note that the FTIR spectra for MPs from compost at local agriculture stores (see Exhibits 4 and 5) have similar characteristics. For samples C1, C2, C3, and C4 (see Exhibit 4), a peak in wavenumber 3316  $\text{cm}^{-1}$ , 1636  $\text{cm}^{-1}$ , and 1033  $\text{cm}^{-1}$ ; 3336  $\text{cm}^{-1}$ , 1636  $\text{cm}^{-1}$ , and 1031  $\text{cm}^{-1}$ ; 3288  $\text{cm}^{-1}$ , 1636  $\text{cm}^{-1}$ , and 1033  $\text{cm}^{-1}$ ; and 3284  $\text{cm}^{-1}$ , 2119  $\text{cm}^{-1}$ , and 1031  $\text{cm}^{-1}$  are related OH group (hydroxyl), stretching of C=O of carboxylic acid group, terephthalate group ( $\text{OOC}_6\text{H}_4\text{-COO}$ ), methylene group, and vibrations of the ester C-O bond, respectively, and they are the typical characteristics of PET (Kankanige & Babel, 2020; Mei et al., 2022; Pereira et al., 2017; Putri et al., 2023).

Exhibit 4 demonstrates the polymer composition of MPs in the compost from a local agricultural store. This study found that there is one type of polymer, namely PET. PET is the most often used polymeric polyester. PET polymers are extensively used in the manufacture of textiles, clothes, and wool (Islam et al., 2020). It was hypothesized that the PET in the compost came from village household garbage (Gui et al., 2021). PET is a clear polymer with excellent mechanical qualities and dimensional stability under varied loads (Wang et al., 2018). Moreover, PET offers excellent gas barrier qualities and chemical resistance. PET is a material with good physical qualities and recycling capability (Asensio et al., 2020). It accounts for about 18% of all polymers manufactured globally. More than 60% of its output is for synthetic fibers and bottles, which accounts for around 30% of the worldwide demand for PET (Padhan et al., 2013).

### 3.6 | Possible impacts of MPs on compost for human health

Generally, MPs entered the human body concluded three main routes, namely—ingestion (via food and water), inhalation (indoor and outdoor air), skin contact (via personal care products, dust, and textiles), and dermal contact (Blackburn & Green, 2022; Prata et al., 2020). Human contact with MPs could cause physical and chemical toxic effects. The type of particle and individual susceptibility might have influenced the adverse effects. Their physical effects might have had varying impacts, including increased inflammatory response, oxidative stress, cellular damage, and size-related toxicity (Prata & Dias-Pereira, 2023). Therefore, this section was organized based on the health effects caused by MPs in compost.

The acceptance of MPs in plants has been detected and plastic particles are especially absorbed on root hairs (Azeem et al., 2021). Furthermore, MPs can observe on terrestrial plant surfaces, be absorbed, and transported by plants, and accumulate in the edible parts of plants, leading to the possibility of enhancement and transmission through the food chain and threatening human health (Li et al., 2020; Wang et al., 2022). However, the fundamental mechanism remains unclear. To calculate the impact of MP on humans, measurements were made of particles that might have entered the body through agricultural food according to the scenario described by Nor et al. (2021). This model probabilistically simulated MPs concentrations in the gut, body tissue, and feces, allowing validation against empirical data. From the findings of Aydin et al. (2023) in detecting MP in most consumed fruits

**EXHIBIT 5** Comparison of the Fourier transform infrared spectroscopy (FTIR) data in compost and other studies.

Sampling	Wave number (cm <sup>-1</sup> )			Polymer	Reference
Compost, Indonesia	3.315	1.636	1.033	Polyethylene terephthalate (PET)	Present study
	3.288	1.636	1.033		
PET Composites, Brazil	3.323	1.713	1.089	PET	(Pereira et al., 2017)
Salt, Indonesia	3.352	2.915	1.692	PET	(Putri et al., 2023)
	3.336	2.915	1.643		
Bottled water, Thailand	2.982	2.906	1.285	PET	(Kankanige & Babel, 2020)
Tea filter bags, China	2.885	2.852	1.295	PET	(Mei et al., 2022)

and vegetables from Turkey, total 210 particles ( $2.9 \pm 1.6$  particle g<sup>-1</sup>) MPs found in eight fruits and vegetables samples. If the main route of exposure to humans was through food consumption, then the estimated intake was 39,000–52,000 plastic particles/person/year (Mercogliano et al., 2020). Meanwhile, the average intake level of MPs (1–5000  $\mu$ m) was 553–883 particles/capita/day (Nor et al., 2021). While definitive evidence linking MPs consumption to human health was lacking, studies suggested that MPs could have provoked immune and stress responses, induced reproductive and developmental toxicity, and increased the risk of chronic inflammation and neoplasia (Yang, Man et al., 2022). Further research was needed to fully understand the potential implications of MPs in compost on human health.

#### 4 | CONCLUSION

The objective of this was to estimate the number and characteristics of MPs in compost. The results indicated that the total number of MPs was 160 particles/200 g in compost. This study found that MPs were identified in compost with the colors of red (43.75%), yellow (38.13%), black (8.75%), white (8.75%), and blue (0.62%). The size MPs ranged from 0.06 to 1 mm and the shape of MPs was dominated by fragments (81.87%), fiber (15.36%), and filament (1.88%). FTIR analysis clarified that the types of polymers were PET. In general, this study has successfully identified the presence of MPs, and findings of this study are significant particularly to improve community awareness about MPs present in compost. Future research must be performed to develop a simple MPs removal in compost.

#### ACKNOWLEDGMENTS

The authors are grateful for all the resources provided by the Universitas Islam Madura to support this study. Collaboration from Universitas Muhammadiyah Malang is highly appreciated.

#### CONFLICT OF INTEREST STATEMENT

The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

#### DATA AVAILABILITY STATEMENT

The data that support the findings of this study are available from the corresponding author upon reasonable request.

#### ORCID

Iswahyudi Iswahyudi  <https://orcid.org/0000-0002-3576-7418>

Adi Sutanto  <https://orcid.org/0000-0002-6561-4420>

Marchel Putra Garfansa  <https://orcid.org/0000-0001-5950-9758>

#### REFERENCES

- Aini, S. A., Syafiuddin, A., & Bent, G. A. (2022). The presence of microplastics in air environment and their potential impacts on health. *Environmental and Toxicology Management*, 2(1), 31–39. <https://doi.org/10.33086/etm.v2i1.2900>
- Aini, S. A., Syafiuddin, A., & Kueh, A. B. H. (2023). Quantification, characteristics, and distribution of microplastics released from waste burning furnaces and their associated health impacts. *Environmental Quality Management*, 33(1), 303–310. <https://doi.org/10.1002/tqem.22056>
- Alimi, O. S., Claveau-Mallet, D., Kurusu, R. S., Lapointe, M., Bayen, S., & Tufenkji, N. (2022). Weathering pathways and protocols for environmentally relevant microplastics and nanoplastics: What are we missing? *Journal of Hazardous Materials*, 423, 126955. <https://doi.org/10.1016/j.jhazmat.2021.126955>
- Andrady, A. L., Barnes, P. W., Bornman, J. F., Gouin, T., Madronich, S., White, C. C., Zepp, R. G., & Jansen, M. A. K. (2022). Oxidation and fragmentation of plastics in a changing environment; from UV-radiation to biological degradation. *Science of The Total Environment*, 851, 158022. <https://doi.org/10.1016/j.scitotenv.2022.158022>
- Asensio, M., Esfandiari, P., Núñez, K., Silva, J. F., Marques, A., Merino, J. C., & Pastor, J. M. (2020). Processing of pre-impregnated thermoplastic tow-prep reinforced by continuous glass fibre and recycled PET by pultrusion. *Composites Part B: Engineering*, 200, 108365. <https://doi.org/10.1016/j.compositesb.2020.108365>
- Aydin, R. B., Yozukmaz, A., Şener, İ., Temiz, F., & Giannetto, D. (2023). Occurrence of microplastics in most consumed fruits and vegetables from Turkey and public risk assessment for consumers. *Life*, 13(8). <https://doi.org/10.3390/life13081686>
- Azeem, I., Adeel, M., Ahmad, M. A., Shakoore, N., Jiangcuo, G. D., Azeem, K., Ishfaq, M., Shakoore, A., Ayaz, M., Xu, M., & Rui, Y. (2021). Uptake and accumulation of nano/microplastics in plants: A critical review. *Nanomaterials*, 11(11), 2935. <https://doi.org/10.3390/nano11112935>
- Bao, R., Wang, Z., Qi, H., Mehmood, T., Cai, M., Zhang, Y., Yang, R., Peng, L., & Liu, F. (2022). Occurrence and distribution of microplastics in wastewater treatment plant in a tropical region of China. *Journal of Cleaner Production*, 349, 131454. <https://doi.org/10.1016/j.jclepro.2022.131454>

- Bertoldi, C., Lara, L. Z., Mizushima, F. A. D. L., Martins, F. C. G., Battisti, M. A., Hinrichs, R., & Fernandes, A. N. (2021). First evidence of microplastic contamination in the freshwater of Lake Guaíba, Porto Alegre, Brazil. *Science of The Total Environment*, 759, 143503. <https://doi.org/10.1016/j.scitotenv.2020.143503>
- Blackburn, K., & Green, D. (2022). The potential effects of microplastics on human health: What is known and what is unknown. *Ambio*, 51(3), 518–530. <https://doi.org/10.1007/s13280-021-01589-9>
- Blanke, M. (2020). GKL Tagung zur Bestandesaufnahme von Mikro- und Makroplastik im Gartenbau. *Erwerbs-Obstbau*, 62(4), 489–497. <https://doi.org/10.1007/s10341-020-00529-3>
- Braun, M., Mail, M., Heyse, R., & Amelung, W. (2021). Plastic in compost: Prevalence and potential input into agricultural and horticultural soils. *Science of The Total Environment*, 760, 143335. <https://doi.org/10.1016/j.scitotenv.2020.143335>
- Campanale, C., Savino, I., Massarelli, C., & Uricchio, V. F. (2023). Fourier transform infrared spectroscopy to assess the degree of alteration of artificially aged and environmentally weathered microplastics. *Polymers*, 15(4), 911. <https://doi.org/10.3390/polym15040911>
- Chai, B., Wei, Q., She, Y., Lu, G., Dang, Z., & Yin, H. (2020). Soil microplastic pollution in an e-waste dismantling zone of China. *Waste Management*, 118, 291–301. <https://doi.org/10.1016/j.wasman.2020.08.048>
- Chamas, A., Moon, H., Zheng, J., Qiu, Y., Tabassum, T., Jang, J. H., Abu-Omar, M., Scott, S. L., & Suh, S. (2020). Degradation rates of plastics in the environment. *ACS Sustainable Chemistry & Engineering*, 8(9), 3494–3511. <https://doi.org/10.1021/acssuschemeng.9b06635>
- Chia, R. W., Lee, J.-Y., Jang, J., Kim, H., & Kwon, K. D. (2022). Soil health and microplastics: A review of the impacts of microplastic contamination on soil properties. *Journal of Soils and Sediments*, 22(10), 2690–2705. <https://doi.org/10.1007/s11368-022-03254-4>
- Corradini, F., Casado, F., Leiva, V., Huerta-Lwanga, E., & Geissen, V. (2021). Microplastics occurrence and frequency in soils under different land uses on a regional scale. *Science of The Total Environment*, 752, 141917. <https://doi.org/10.1016/j.scitotenv.2020.141917>
- Crawford, C. B., & Quinn, B. (2017). *Microplastic pollutants*: Elsevier. <https://doi.org/10.1016/C2015-0-04315-5>
- Dantas Filho, J. V., Pedroti, V. P., Santos, B. L. T., de Lima Pinheiro, M. M., de Mira, Á. B., da Silva, F. C., e Silva, E. C. S., Cavali, J., Guedes, E. A. C., & de Vargas Schons, S. (2023). First evidence of microplastics in freshwater from fish farms in Rondônia state, Brazil. *Heliyon*, 9(4), 1–11. <https://doi.org/10.1016/j.heliyon.2023.e15066>
- Deng, Y., Wu, J., Chen, J., & Kang, K. (2023). Overview of microplastic pollution and its influence on the health of organisms. *Journal of Environmental Science and Health, Part A*, 58(4), 412–422. <https://doi.org/10.1080/10934529.2023.2190715>
- Dimassi, S. N., Hahladakis, J. N., Yahia, M. N. D., Ahmad, M. I., Sayadi, S., & Al-Ghouti, M. A. (2022). Degradation-fragmentation of marine plastic waste and their environmental implications: A critical review. *Arabian Journal of Chemistry*, 15(11), 104262. <https://doi.org/10.1016/j.arabjc.2022.104262>
- Edo, C., Fernández-Piñas, F., & Rosal, R. (2022). Microplastics identification and quantification in the composted organic fraction of municipal solid waste. *Science of The Total Environment*, 813, 151902. <https://doi.org/10.1016/j.scitotenv.2021.151902>
- Fleischmann, C., Lievenbrück, M., & Ritter, H. (2015). Polymers and dyes: Developments and applications. *Polymers*, 7(4), 717–746. <https://doi.org/10.3390/polym7040717>
- Grbić, J., Helm, P., Athey, S., & Rochman, C. M. (2020). Microplastics entering northwestern Lake Ontario are diverse and linked to urban sources. *Water Research*, 174, 115623. <https://doi.org/10.1016/j.watres.2020.115623>
- Gui, J., Sun, Y., Wang, J., Chen, X., Zhang, S., & Wu, D. (2021). Microplastics in composting of rural domestic waste: Abundance, characteristics, and release from the surface of macroplastics. *Environmental Pollution*, 274, 116553. <https://doi.org/10.1016/j.envpol.2021.116553>
- Hale, R. C., King, A. E., Ramirez, J. M., La Guardia, M., & Nidel, C. (2022). Durable plastic goods: A Source of microplastics and chemical additives in the built and natural environments. *Environmental Science & Technology Letters*, 9(10), 798–807. <https://doi.org/10.1021/acs.estlett.2c00417>
- Hernández-Arenas, R., Beltrán-Sanahuja, A., Navarro-Quirant, P., & Sanz-Lazaro, C. (2021). The effect of sewage sludge containing microplastics on growth and fruit development of tomato plants. *Environmental Pollution*, 268, 115779. <https://doi.org/10.1016/j.envpol.2020.115779>
- Islam, M. T., Rahman, M. M., & Mazumder, N.-U.-S. (2020). Polymers for textile production. In M. Shabbir, S. Ahmed & J. N. Sheikh (Eds.), *Frontiers of textile materials* (pp. 13–59). Beverly, MA: Scrivener Publishing. <https://doi.org/10.1002/9781119620396.ch2>
- Kankanige, D., & Babel, S. (2020). Smaller-sized micro-plastics (MPs) contamination in single-use PET-bottled water in Thailand. *Science of The Total Environment*, 717, 137232. <https://doi.org/10.1016/j.scitotenv.2020.137232>
- Le, V. R., Nguyen, M. K., Nguyen, H. L., Lin, C., Rakib, M. R. J., Thai, V. A., Le, V. G., Malafaia, G., & Idris, A. M. (2023). Organic composts as a vehicle for the entry of microplastics into the environment: A comprehensive review. *Science of The Total Environment*, 892, 164758. <https://doi.org/10.1016/j.scitotenv.2023.164758>
- Li, L., Yang, J., Zhou, Q., Peijnenburg, W. J. G. M., & Luo, Y. (2020). Uptake of Microplastics and Their Effects on Plants. In D. He & Y. Luo (Eds.), *Microplastics in terrestrial environments: Emerging contaminants and major challenges* (pp. 279–298). Springer International Publishing. [https://doi.org/10.1007/978-98-14-698-2020\\_465](https://doi.org/10.1007/978-98-14-698-2020_465)
- Liao, J., & Chen, Q. (2021). Biodegradable plastics in the air and soil environment: Low degradation rate and high microplastics formation. *Journal of Hazardous Materials*, 418, 126329. <https://doi.org/10.1016/j.jhazmat.2021.126329>
- Liu, M., Lu, S., Song, Y., Lei, L., Hu, J., Lv, W., Zhou, W., Cao, C., Shi, H., Yang, X., & He, D. (2018). Microplastic and mesoplastic pollution in farmland soils in suburbs of Shanghai, China. *Environmental Pollution*, 242, 855–862. <https://doi.org/10.1016/j.envpol.2018.07.051>
- Mei, T., Wang, J., Xiao, X., Lv, J., Li, Q., Dai, H., Liu, X., & Pi, F. (2022). Identification and evaluation of microplastics from tea filter bags based on Raman imaging. *Foods*, 11(18). <https://doi.org/10.3390/foods11182871>
- Mercogliano, R., Avio, C. G., Regoli, F., Anastasio, A., Colavita, G., & Santonicola, S. (2020). Occurrence of microplastics in commercial seafood under the perspective of the human food chain. A review. *Journal of Agricultural and Food Chemistry*, 68(19), 5296–5301. <https://doi.org/10.1021/acs.jafc.0c01209>
- Nirmala, K., Rangasamy, G., Ramya, M., Shankar, V. U., & Rajesh, G. (2023). A critical review on recent research progress on microplastic pollutants in drinking water. *Environmental Research*, 222, 115312. <https://doi.org/10.1016/j.envres.2023.115312>
- Nor, N. H. M., Kooi, M., Diepens, N. J., & Koelmans, A. A. (2021). Lifetime accumulation of microplastic in children and adults. *Environmental Science & Technology*, 55(8), 5084–5096. <https://doi.org/10.1021/acs.est.0c07384>
- Oleksiuk, K., Krupa-Kotara, K., Grajek, M., Wypych-Ślusarska, A., Głogowska-Ligus, J., & Stowiński, J. (2023). Health risks of environmental exposure to microplastics. *Journal of Education, Health and Sport*, 13(1), 79–84. <https://doi.org/10.12775/JEHS.2023.13.01.012>
- Padhan, R. K., Gupta, A. A., Badoni, R. P., & Bhatnagar, A. K. (2013). Poly(ethylene terephthalate) waste derived chemicals as an antistripping additive for bitumen—An environment friendly approach for disposal of environmentally hazardous material. *Polymer Degradation and Stability*, 98(12), 2592–2601. <https://doi.org/10.1016/j.polydegradstab.2013.09.019>

- Pereira, A. P. D. S., Silva, M. H. P. D., Lima, É. P., Paula, A. D. S., & Tommasini, F. J. (2017). Processing and characterization of PET composites reinforced with geopolymer concrete waste. *Materials Research*, 20, 411–420. <https://doi.org/10.1590/1980-5373-MR-2017-0734>
- Piehl, S., Leibner, A., Löder, M. G. J., Dris, R., Bogner, C., & Laforsch, C. (2018). Identification and quantification of macro- and microplastics on an agricultural farmland. *Scientific Reports*, 8(1), 17950. <https://doi.org/10.1038/s41598-018-36172-y>
- Pironti, C., Ricciardi, M., Motta, O., Miele, Y., Proto, A., & Montano, L. (2021). Microplastics in the environment: Intake through the food web, human exposure and toxicological effects. *Toxics*, 9(9), 224. <https://doi.org/10.3390/toxics9090224>
- Prata, J. C., da Costa, J. P., Lopes, I., Duarte, A. C., & Rocha-Santos, T. (2020). Environmental exposure to microplastics: An overview on possible human health effects. *Science of The Total Environment*, 702, 134455. <https://doi.org/10.1016/j.scitotenv.2019.134455>
- Prata, J. C., & Dias-Pereira, P. (2023). Microplastics in terrestrial domestic animals and human health: Implications for food security and food safety and their role as sentinels. *Animals*, 13(4), 661. <https://doi.org/10.3390/ani13040661>
- Premarathna, K. S. D., Ramanayaka, S., Navaratne, A., Wijesekara, H., Jayasanka, J., & Vithanage, M. (2023). Compost-hosted microplastics—Municipal solid waste compost. In M. Vithanage & M. N. V. Prasad (Eds.), *Microplastics in the ecosphere* (pp. 433–448). Hoboken, NJ: John Wiley & Sons. <https://doi.org/10.1002/9781119879534.ch27>
- Prosenč, F., Leban, P., Šunta, U., & Bavcon Kralj, M. (2021). Extraction and identification of a wide range of microplastic polymers in soil and compost. *Polymers*, 13(23), 4069. <https://doi.org/10.3390/polym13234069>
- Putri, E. B. P., Syafiuddin, A., Aini, S. A., Iswahyudi, I., & Garfansa, M. P. (2023). Identification and quantification of microplastics in sea water and sea salt collected from sea salt ponds. *Desalination and Water Treatment*, 300, 130–135. <https://doi.org/10.5004/dwt.2023.29719>
- Roy, T., Dey, T. K., & Jamal, M. (2022). Microplastic/nanoplastic toxicity in plants: An imminent concern. *Environmental Monitoring and Assessment*, 195(1), 27. <https://doi.org/10.1007/s10661-022-10654-z>
- Rynk, R., Schwarz, M., Richard, T. L., Cotton, M., Halbach, T., & Siebert, S. (2022). Chapter 4 - Compost feedstocks. In R. Rynk (Ed.), *The composting handbook* (pp. 103–157). Academic Press. <https://doi.org/10.1016/B978-0-323-85602-7.00005-4>
- Sathish, T., Sabarirajan, N., Ravichandran, S., Moorthy, G. M., & Dinesh kumar, S. (2022). Novel study on improvement of plastics properties by blending of waste micro plastics into ABS plastics. *Chemosphere*, 303, 134997. <https://doi.org/10.1016/j.chemosphere.2022.134997>
- Schwinghammer, L., Krause, S., & Schaum, C. (2020). Determination of large microplastics: Wet-sieving of dewatered digested sludge, co-substrates, and compost. *Water Science and Technology*, 84(2), 384–392. <https://doi.org/10.2166/wst.2020.582>
- Sholokhova, A., Ceponkus, J., Sablinskas, V., & Denafas, G. (2022). Abundance and characteristics of microplastics in treated organic wastes of Kaunas and Alytus regional waste management centres, Lithuania. *Environmental Science and Pollution Research*, 29(14), 20665–20674. <https://doi.org/10.1007/s11356-021-17378-6>
- Tang, K. H. D. (2023). Microplastics in agricultural soils in China: Sources, impacts and solutions. *Environmental Pollution*, 322, 121235. <https://doi.org/10.1016/j.envpol.2023.121235>
- van Schothorst, B., Beriot, N., Huerta Lwanga, E., & Geissen, V. (2021). Sources of light density microplastic related to two agricultural practices: The use of compost and plastic mulch. *Environments*, 8(4), 36. Retrieved from <https://www.mdpi.com/2076-3298/8/4/36>
- Vithanage, M., Ramanayaka, S., Hasinthara, S., & Navaratne, A. (2021). Compost as a carrier for microplastics and plastic-bound toxic metals into agroecosystems. *Current Opinion in Environmental Science & Health*, 24, 100297. <https://doi.org/10.1016/j.coesh.2021.100297>
- Wang, F., Feng, X., Liu, Y., Adams, C. A., Sun, Y., & Zhang, S. (2022). Micro(nano)plastics and terrestrial plants: Up-to-date knowledge on uptake, translocation, and phytotoxicity. *Resources, Conservation and Recycling*, 185, 106503. <https://doi.org/10.1016/j.resconrec.2022.106503>
- Wang, W., Yuan, W., Chen, Y., & Wang, J. (2018). Microplastics in surface waters of Dongting Lake and Hong Lake, China. *Science of The Total Environment*, 633, 539–545. <https://doi.org/10.1016/j.scitotenv.2018.03.211>
- Wu, P., Lin, S., Cao, G., Wu, J., Jin, H., Wang, C., Wong, M. H., Yang, Z., & Cai, Z. (2022). Absorption, distribution, metabolism, excretion and toxicity of microplastics in the human body and health implications. *Journal of Hazardous Materials*, 437, 129361. <https://doi.org/10.1016/j.jhazmat.2022.129361>
- Wu, R. T., Cai, Y. F., Chen, Y. X., Yang, Y. W., Xing, S. C., & Liao, X. D. (2021). Occurrence of microplastic in livestock and poultry manure in South China. *Environmental Pollution*, 277, 116790. <https://doi.org/10.1016/j.envpol.2021.116790>
- Xiao, M., Shahbaz, M., Liang, Y., Yang, J., Wang, S., Chadwick, D. R., Jones, D., Chen, J., & Ge, T. (2021). Effect of microplastics on organic matter decomposition in paddy soil amended with crop residues and labile C: A three-source-partitioning study. *Journal of Hazardous Materials*, 416, 126221. <https://doi.org/10.1016/j.jhazmat.2021.126221>
- Xing, R., Chen, Z., Sun, H., Liao, H., Qin, S., Liu, W., Zhang, Y., Chen, Z., & Zhou, S. (2022). Free radicals accelerate in situ ageing of microplastics during sludge composting. *Journal of Hazardous Materials*, 429, 128405. <https://doi.org/10.1016/j.jhazmat.2022.128405>
- Xu, J. L., Thomas, K. V., Luo, Z., & Gowen, A. A. (2019). FTIR and Raman imaging for microplastics analysis: State of the art, challenges and prospects. *TrAC Trends in Analytical Chemistry*, 119, 115629. <https://doi.org/10.1016/j.trac.2019.115629>
- Yang, L., Kang, S., Wang, Z., Luo, X., Guo, J., Gao, T., Chen, P., Yang, C., & Zhang, Y. (2022). Microplastic characteristic in the soil across the Tibetan Plateau. *Science of The Total Environment*, 828, 154518. <https://doi.org/10.1016/j.scitotenv.2022.154518>
- Yang, X., Man, Y. B., Wong, M. H., Owen, R. B., & Chow, K. L. (2022). Environmental health impacts of microplastics exposure on structural organization levels in the human body. *Science of The Total Environment*, 825, 154025. <https://doi.org/10.1016/j.scitotenv.2022.154025>
- Yu, L., Zhang, J., Liu, Y., Chen, L., Tao, S., & Liu, W. (2021). Distribution characteristics of microplastics in agricultural soils from the largest vegetable production base in China. *Science of The Total Environment*, 756, 143860. <https://doi.org/10.1016/j.scitotenv.2020.143860>
- Yu, Z. F., Song, S., Xu, X. L., Ma, Q., & Lu, Y. (2021). Sources, migration, accumulation and influence of microplastics in terrestrial plant communities. *Environmental and Experimental Botany*, 192, 104635. <https://doi.org/10.1016/j.envexpbot.2021.104635>
- Zafiu, C., Binner, E., Beigl, P., Vay, B., Ebmer, J., & Huber-Humer, M. (2023). The dynamics of macro- and microplastic quantity and size changes during the composting process. *Waste Management*, 162, 18–26. <https://doi.org/10.1016/j.wasman.2023.03.002>
- Zhang, J., Guo, N., Ding, W., Han, B., Zhao, M., Wang, X., Wang, J., Cao, B., Zou, G., & Chen, Y. (2023). Microplastic pollution and the related ecological risks of organic composts from different raw materials. *Journal of Hazardous Materials*, 458, 131911. <https://doi.org/10.1016/j.jhazmat.2023.131911>
- Zhang, J., Wang, X., Xue, W., Xu, L., Ding, W., Zhao, M., Liu, S., Zou, G., & Chen, Y. (2022). Microplastics pollution in soil increases dramatically with long-term application of organic composts in a wheat-maize rotation. *Journal of Cleaner Production*, 356, 131889. <https://doi.org/10.1016/j.jclepro.2022.131889>
- Zhang, S., Li, Y., Chen, X., Jiang, X., Li, J., Yang, L., Yin, X., & Zhang, X. (2022). Occurrence and distribution of microplastics in organic fertilizers in

China. *Science of The Total Environment*, 844, 157061. <https://doi.org/10.1016/j.scitotenv.2022.157061>

Zhou, Y., Ren, X., Tsui, T.-H., Barcelo, D., Wang, Q., Zhang, Z., & Yongzhen, D. (2023). Microplastics as an underestimated emerging contaminant in solid organic waste and their biological products: Occurrence, fate and ecological risks. *Journal of Hazardous Materials*, 445, 130596. <https://doi.org/10.1016/j.jhazmat.2022.130596>

**How to cite this article:** Iswahyudi, I., Widodo, W., Warkoyo, W., Sutanto, A., Garfansa, M. P., & Septia, E. D. (2024). Determination and quantification of microplastics in compost. *Environmental Quality Management*, 1–10. <https://doi.org/10.1002/tqem.22184>

# Similarity - Iswahyudi Widodo Warkoyo Sutanto Garfansa Septia - Compost Environmental pollution Microplastics Organic fertilizers

---

## ORIGINALITY REPORT

---

20%

SIMILARITY INDEX

10%

INTERNET SOURCES

18%

PUBLICATIONS

3%

STUDENT PAPERS

---

## PRIMARY SOURCES

---

- 1** Jiaxi Gui, Yue Sun, Jingli Wang, Xu Chen, Shuchi Zhang, Donglei Wu. "Microplastics in composting of rural domestic waste: abundance, characteristics, and release from the surface of macroplastics", Environmental Pollution, 2021  
Publication 1%

---
- 2** [www.slideshare.net](http://www.slideshare.net)  
Internet Source 1%

---
- 3** Yang Li, Lin Zhao, Yi An, Li Qin, Zhi Qiao, Daying Chen, Yihan Li, Hongzhi Geng, Yongkui Yang. "Bibliometric analysis and systematic review of the adherence, uptake, translocation, and reduction of micro/nanoplastics in terrestrial plants", Science of The Total Environment, 2024  
Publication 1%

---
- 4** [www.e3s-conferences.org](http://www.e3s-conferences.org)  
Internet Source 1%

---

5

[pubag.nal.usda.gov](http://pubag.nal.usda.gov)

Internet Source

1 %

6

Raffaelina Mercogliano, Carlo Giacomo Avio, Francesco Regoli, Aniello Anastasio, Giampaolo Colavita, Serena Santonicola.

"Occurrence of Microplastics in Commercial Seafood under the Perspective of the Human Food Chain. A Review", *Journal of Agricultural and Food Chemistry*, 2020

Publication

1 %

7

Roy Hendroko Setyobudi, Shazma Anwar, Marchel Putra Garfansa, Tony Liwang et al.

"Microplastic Debris in Palm Cooking Oil: A Call for Research", *BIO Web of Conferences*, 2024

Publication

1 %

8

Abdullah Al Mamun, Tofan Agung Eka Prasetya, Indiah Ratna Dewi, Monsur Ahmad.

"Microplastics in human food chains: Food becoming a threat to health safety", *Science of The Total Environment*, 2022

Publication

1 %

9

Md. Mocarom Hossain, Fatema- Tuj-Zohra, Sobur Ahmed. "Study of FTIR spectroscopy combined with Chemometrics in the characterization of vegetable tannin from *Cerriops decandra*", *American Chemical Society (ACS)*, 2022

1 %

10

Kalpana Patidar, Balram Ambade, Alaa M. Younis, Abdullah H. Alluhayb. "Characteristics, fate, and sources of microplastics contaminant in surface water and sediments of River water", Physics and Chemistry of the Earth, Parts A/B/C, 2024

Publication

<1 %

11

Iswahyudi Iswahyudi, Adi Sutanto, Wahyu Widodo, Warkoyo Warkoyo et al. "The effect of microplastic contaminated compost on the growth of rice seedlings", Journal of the Saudi Society of Agricultural Sciences, 2024

Publication

<1 %

12

[dalspace.library.dal.ca](https://dalspace.library.dal.ca)

Internet Source

<1 %

13

Submitted to Higher Education Commission Pakistan

Student Paper

<1 %

14

[www.rivm.nl](http://www.rivm.nl)

Internet Source

<1 %

15

Submitted to University College London

Student Paper

<1 %

16

Chao Feng, Jingchun Huang, Chenghao Yang, Chen Li, Xinyi Luo, Xiangpeng Gao, Yu Qiao. "Smouldering combustion of sewage sludge:

<1 %

# Volumetric scale-up, product characterization, and economic analysis", Fuel, 2021

Publication

17

Dunia A. Al Farraj, Mohamed Ragab Abdel Gawwad, Mohamed S. Elshikh, Selvaraj Arokiyaraj, Ponnuswamy Vijayaraghavan. " Biodegradation of 17 $\beta$ -estradiol by drug-resistant MN08 and KL10 isolated from the sediment sample ", Environmental Quality Management, 2024

Publication

<1 %

18

Mand Kamal Askar, Yaman S. S. Al-Kamaki, Ali Hassan. "Utilizing Polyethylene Terephthalate PET in Concrete: A Review", Polymers, 2023

Publication

<1 %

19

Rina Rani Ray, Smaranika Pattnaik. " : A bacterium for sustainable management of environment ", Environmental Quality Management, 2024

Publication

<1 %

20

[epub.uni-bayreuth.de](http://epub.uni-bayreuth.de)

Internet Source

<1 %

21

S. A. Aransiola, A. A. Ikhumetse, B. R. Babaniyi, O. P. Abioye, O. J. Oyedele, N. O. Falade. "Chapter 8 Phytoaccumulation of Micro- and Nanoplastics: Root Uptake", Springer Science and Business Media LLC, 2023

<1 %

22

Wenpo Xu, Chengshuai Liu, Jian-Ming Zhu, Hongling Bu, Hui Tong, Manjia Chen, Decan Tan, Ting Gao, Yizhang Liu. "Adsorption of cadmium on clay-organic associations in different pH solutions: The effect of amphoteric organic matter", *Ecotoxicology and Environmental Safety*, 2022

Publication

---

<1 %

23

Yuchen Zhang, Jianping Tao, Yudan Bai, Feng Wang, Bing Xie. "Incomplete degradation of aromatic-aliphatic copolymer leads to proliferation of microplastics and antibiotic resistance genes", *Environment International*, 2023

Publication

---

<1 %

24

[ebin.pub](https://www.ebin.pub)  
Internet Source

<1 %

---

25

Nawaf S. Alhajeri, Alanood M. Alrashidi, Mohamed F. Yassin, Layla Al-Awadi. "Optimizing indoor air quality: Investigating particulate matter exposure in household kitchens and source identification", *Environmental Quality Management*, 2024

Publication

---

<1 %

26

Nur Hazimah Mohamed Nor, Merel Kooi, Noël J. Diepens, Albert A. Koelmans. "Lifetime Accumulation of Microplastic in Children and

<1 %

# Adults", Environmental Science & Technology, 2021

Publication

---

27

Submitted to University of Wales Institute,  
Cardiff

Student Paper

---

<1 %

28

Burhan Basaran, Ülgen Aytan, Yasemen  
Şentürk, Zehra Özçifçi, Hakkı Türker Akçay.  
"Microplastic contamination in some  
beverages marketed in türkiye:  
Characteristics, dietary exposure and risk  
assessment", Food and Chemical Toxicology,  
2024

Publication

---

<1 %

29

Jeyaraj Jeyavani, Khalid A. Al-Ghanim,  
Marimuthu Govindarajan, Marcello Nicoletti,  
Guilherme Malafaia, Baskaralingam  
Vaseeharan. "Bacterial screening in Indian  
coastal regions for efficient polypropylene  
microplastics biodegradation", Science of The  
Total Environment, 2024

Publication

---

<1 %

30

Nageen Bostan, Noshin Ilyas, Nosheen  
Akhtar, Sabiha Mehmood et al. "Toxicity  
assessment of microplastic (MPs); a threat to  
the ecosystem", Environmental Research,  
2023

Publication

---

<1 %

31

Olumide Moses Ogundipe. "The Use of Polyethylene Terephthalate Waste for Modifying Asphalt Concrete Using the Marshall Test", Slovak Journal of Civil Engineering, 2019

Publication

&lt;1 %

32

Xiao Chang, Yi Fang, Ying Wang, Fei Wang, Liyuan Shang, Rongzhen Zhong. "Microplastic pollution in soils, plants, and animals: A review of distributions, effects and potential mechanisms", Science of The Total Environment, 2022

Publication

&lt;1 %

33

Xin-yu Li, Hong-tao Liu, Li-xia Wang, Hao-nan Guo, Jun Zhang, Ding Gao. "Effects of typical sludge treatment on microplastics in China—Characteristics, abundance and micro-morphological evidence", Science of The Total Environment, 2022

Publication

&lt;1 %

34

Agnieszka Cydzik-Kwiatkowska, Natalia Milojevic, Piotr Jachimowicz. "The fate of microplastic in sludge management systems", Science of The Total Environment, 2022

Publication

&lt;1 %

35

Andrea Paluselli, Vincent Fauvelle, François Galgani, Richard Sempéré. "Phthalate Release from Plastic Fragments and Degradation in

&lt;1 %

# Seawater", Environmental Science & Technology, 2018

Publication

---

36

Deachen Angmo, Rahil Dutta, Jaswinder Singh, Anu Bala Chowdhary et al.

"Biochemical responses, growth and reproduction of earthworm in low density polyethylene (LDPE)", Environmental Quality Management, 2023

Publication

---

<1 %

37

Oju R. Ibor, Nten-Osowo L. Mpama, Chukwunonso P. Okoli, Dinah M. Ogarekpe et al. "Occurrence, identification and characterization of plastic pollution from an open solid waste dumpsite in Calabar, Southern Nigeria", Environmental Advances, 2022

Publication

---

<1 %

38

Hana Brtková, Jana Růžičková, Karolina Slamová, Helena Raclavská et al. "Plastic particles in urban compost and their grain size distribution", Environmental Pollution, 2024

Publication

---

<1 %

39

Sarra N. Dimassi, John N. Hahladakis, Mohamed Chamkha, Mohammad I. Ahmad, Mohammad A. Al-Ghouti, Sami Sayadi. "Investigation on the effect of several

<1 %

parameters involved in the biodegradation of polyethylene (PE) and low-density polyethylene (LDPE) under various seawater environments", Science of The Total Environment, 2024

Publication

---

40

Wenyu Zhao, Jing Li, Mengyue Liu, Rui Wang, Boxuan Zhang, Xiang-Zhou Meng, Shengwei Zhang. "Seasonal variations of microplastics in surface water and sediment in an inland river drinking water source in southern China", Science of The Total Environment, 2024

Publication

---

<1 %

41

Zhaoqing Wang, Yulan Zhang, Shichang Kang, Ling Yang et al. "Long-range transport of atmospheric microplastics deposited onto glacier in southeast Tibetan Plateau", Environmental Pollution, 2022

Publication

---

<1 %

42

Zhiheng Yue, Xiaodan Liu, Tingna Mei, Yanpeng Zhang, Fuwei Pi, Huang Dai, Yi Zhou, Jiahua Wang. "Reducing microplastics in tea infusions released from filter bags by pre-washing method: Quantitative evidences based on Raman imaging and Py-GC/MS", Food Chemistry, 2024

Publication

---

<1 %

43

[ir.gu.ac.ug](http://ir.gu.ac.ug)

Internet Source

&lt;1 %

44

[riunet.upv.es](http://riunet.upv.es)

Internet Source

&lt;1 %

45

Benjamin van Schothorst, Nicolas Beriot, Esperanza Huerta Lwanga, Violette Geissen. "Sources of Light Density Microplastic Related to Two Agricultural Practices: The Use of Compost and Plastic Mulch", Environments, 2021

Publication

&lt;1 %

46

Jiajia Zhang, Xuexia Wang, Wentao Xue, Li Xu, Wencheng Ding, Meng Zhao, Shanjiang Liu, Guoyuan Zou, Yanhua Chen. "Microplastics pollution in soil increases dramatically with long-term application of organic composts in a wheat-maize rotation", Journal of Cleaner Production, 2022

Publication

&lt;1 %

47

Jiaxin Lu, Yizhan Qiu, Atif Muhmood, Luxi Zhang, Pan Wang, Lianhai Ren. "Appraising co-composting efficiency of biodegradable plastic bags and food wastes: Assessment microplastics morphology, greenhouse gas emissions, and changes in microbial community", Science of The Total Environment, 2023

Publication

&lt;1 %

48

K. S. D. Premarathna, N. Gayara Degamboda, B. H. R. Fernando, Sandun Sandanayake et al. "Plastics and plastic-bound toxic metals in municipal solid waste compost from Sri Lanka", Environmental Geochemistry and Health, 2024

Publication

---

<1 %

49

Samuel J. Cusworth, William J. Davies, Martin R. McAinsh, Carly J. Stevens. "A nationwide assessment of microplastic abundance in agricultural soils: The influence of plastic crop covers within the United Kingdom", PLANTS, PEOPLE, PLANET, 2023

Publication

---

<1 %

50

Yanting Zhou, Xiuna Ren, To-Hung Tsui, Damia Barcelo, Quan Wang, Zengqiang Zhang, Ding Yongzhen. "Microplastics as an Underestimated Emerging Contaminant in Solid Organic Waste and Their Biological Products: Occurrence, Fate and Ecological Risks", Journal of Hazardous Materials, 2022

Publication

---

<1 %

51

Yuannan Long, You Zhang, Zhenyu Zhou, Ruyi Liu et al. "Are microplastics in livestock and poultry manure an emerging threat to agricultural soil safety?", Environmental Science and Pollution Research, 2024

Publication

---

<1 %

52

[academic.hep.com.cn](http://academic.hep.com.cn)

Internet Source

&lt;1 %

53

[nap.nationalacademies.org](http://nap.nationalacademies.org)

Internet Source

&lt;1 %

54

[prosiding.fp.uniska-kediri.ac.id](http://prosiding.fp.uniska-kediri.ac.id)

Internet Source

&lt;1 %

55

[www.sweetstudy.com](http://www.sweetstudy.com)

Internet Source

&lt;1 %

56

Abu Reza Md Towfiqul Islam, Mehedi Hasan, Moriom Rahman Sadia, Al-Nure Mubin et al. "Unveiling microplastics pollution in a subtropical rural recreational lake: A novel insight", Environmental Research, 2024

Publication

&lt;1 %

57

Jabed Hasan, Evana Yesmin Dristy, Anjumanara, Pronoy Mondal et al. "Dried fish more prone to microplastics contamination over fresh fish – Higher potential of trophic transfer to human body", Ecotoxicology and Environmental Safety, 2023

Publication

&lt;1 %

58

Sarbanee Mahapatra, Jyoti Prakash Maity, Shuvendu Singha, Tanisha Mishra et al. "Microplastics and nanoplastics in environment: Sampling, characterization and

&lt;1 %

# analytical methods", Groundwater for Sustainable Development, 2024

Publication

---

59

Farrah Aini Dahalan, Ong Soon An, Nor Azizah Parmin, Mohd Fadhil Md Din, Shahalbaldin Rezania, Achmad Syafiuddin. "Elemental distribution of latex-based aerobic granules and its effects on micromorphological properties and settling performance", Environmental Quality Management, 2022

Publication

---

<1 %

60

Muhittin Onur Akca, Sedat Gündoğdu, Hanife Akca, Rabia Albayrak Delialioğlu, Cenk Aksit, Oguz Can Turgay, Naoki Harada. "An evaluation on microplastic accumulations in Turkish soils under different land uses", Science of The Total Environment, 2023

Publication

---

<1 %

---

Exclude quotes      On

Exclude matches      Off

Exclude bibliography      On