

PERBEDAAN KEJADIAN BAYI BERAT LAHIR RENDAH PADA IBU HAMIL DENGAN KUNJUNGAN ANTENATAL CARE LENGKAP DAN TIDAK LENGKAP DI PUSKESMAS SEDATI KABUPATEN SIDOARJO

Oleh: Dedy Irawan (02020009)

Medical

Dibuat: 2008-05-12 , dengan 3 file(s).

Keywords: Perbedaan, Bayi Berat Lahir Rendah, Antenatal care

Kondisi bayi yang dilahirkan dengan berat badan lahir rendah dapat menyebabkan timbulnya kasus lain yang lebih kompleks dengan biaya yang jauh lebih tinggi untuk perawatannya. Oleh karena itu, diperlukan perhatian ekstra pada masa kehamilan, salah satunya adalah dengan cara melakukan pemeriksaan Antenatal Care secara rutin. Penelitian ini merupakan penelitian observasional analitik dengan studi kasus kontrol. Data yang digunakan adalah data dari rekam medik. Setelah itu, data dianalisa dengan menggunakan statistik deskriptif dan disajikan dalam bentuk tabel frekuensi distribusi. Hubungan antara kejadian bayi berat lahir rendah pada Ibu hamil dengan kunjungan antenatal care (ANC) diuji dengan menggunakan uji Chi-Square. Hasil yang diperoleh yaitu 46 orang ibu yang melahirkan bayi dengan berat badan lahir rendah (BBLR) dari 714 kelahiran bayi dalam kurun waktu 2 tahun. Dari hasil uji Chi-square menunjukkan terdapat hubungan yang signifikan (nyata) antara kejadian bayi berat lahir rendah (BBLR) pada Ibu hamil dengan kunjungan antenatal care (ANC)

The condition of Low Birth Weight infant can induce the other cases which more complex with expense wich much higher for the treatment. Therefore, it needed extra attention at a pregnancy period, one of them is by doing Antenatal Care routinely. This research represent of analytic observasional with case control study. The data that used are from medical record. Afterwards, data analyzed uses descriptive statistic and presented in tabulation of distribution frequency. The relation between the occurence of heavy baby born to lower at a pregnant Mother with visiting to antenatal care (ANC), tested by Chi-Square test.

The outcome of the research is 46 mother who born the low birth weight baby from 714 born baby for a two years period. From the result of Chi-Square test show there is significant relation between the occurence of heavy baby born to lower at a pregnant Mother with visiting to antenatal care (ANC).