

Digital Receipt

This receipt acknowledges that <u>Turnitin</u> received your paper. Below you will find the receipt information regarding your submission.

The first page of your submissions is displayed below.

Submission author: Turnitin Instructor

Assignment title: Muhamad Salis Yuniardi Artikel 5

Submission title: Application of Negative Reinforcement and Reward Techniq...

File name: ila_Yuniardi_Latipun_-_Application_of_Negative_Reinforceme...

File size: 2.51M

Page count: 10

Word count: 4,324

Character count: 22,321

Submission date: 09-Oct-2023 09:01AM (UTC+0700)

Submission ID: 2189688899



Application of Negative Reinforcement and Reward Technique to Reduce Behavior of Collecting Goods in a Patient With Schizophrenia

by Turnitin Instructor

Submission date: 09-Oct-2023 09:01AM (UTC+0700)

Submission ID: 2189688899

File name: ila Yuniardi Latipun - Application of Negative Reinforcement.pdf (2.51M)

Word count: 4324 Character count: 22321

ase Reaport:

Application of Negative Reinforcement and Reward Technique to Reduce Behavior of Collecting Goods in a Patient With Schizophrenia





<mark>*Karisma</mark> Dewi Puspasari Karisma¹ ⊚, <mark>Zulfany</mark> Safira Nabila Zulfany¹ ⊚, Muhammad Salis Yuniardi Salis² [⊚], Latipun Latipun²

1. Department of Professional Psychology, School of Psychology Education, University of Muhammadiyah Malang, Indonesia.



Citation Dewi Puspasari Karisma K, Safira Nabila Zulfany Z, Salis Yuniardi Salis M, Latipun L. [Application of Negative Reinforcement and Reward Technique to Reduce Behavior of Collecting Goods in a Patient With Schizophrenia (Persian)]. Iranian Journal of Psychiatry and Clinical Psychology. 2021; 27(1):128-137. http://dx.doi.org/10.32598/ijpep.27.1.3233.1 http://dx.doi.org/10.32598/ijpcp.27.1.3233.1



Received: 03 Oct 2019 Available Online: 01 Apr 2021

Negative reinforcement, Reward, Behavior therapy, Schizophrenia

ABSTRACT

Our subject is a 55-year-old man and a former civil servant. He claimed to have seen someone who others could not see. He believed that he is an important person. He had strange behavior such as separating himself from others, speaking and laughing alone, and collecting rubbish. Based on the assessment through observation, interviews, and psychological tests, the subject was diagnosed with schizophrenia and behavioral problems such as collect things. The subject's behavior appears because he feels pleasure after collecting goods. He did not do other activities that make him feel good; thus, the behavior was repeated. The intervention aims to reduce the frequency of collecting things through negative reinforcement and rewards techniques. The intervention eventually suppressed the behavior of collecting things carried out by the subject gradually.

Extended Abstract

1. Introduction

chizophrenia is a persistent psychotic disorder where the affected person is characteristics, such as disordered thinking, emotions, perceptions, and behavior. Also, acute episodes of schizophrenia are char-

acterized by delusions, hallucinations, illogical thoughts, incoherent speech, and strange behavior [1].

The symptoms of schizophrenia can be explained through the theory of the diathesis-stress model. This model combines biological, psychosocial, and environmental factors

that specifically affect a person to cause the development of symptoms of schizophrenia [2].

People with schizophrenia have problems in executing their functional abilities. Individuals with schizophrenia often have strange or unnatural behavioral habits. One of the behaviors is collecting goods. Our patient was interested in collecting goods, especially second-hand, and useless goods such as old newspapers, cigarettes, and food wrappers. Then, he stored goods in his pants and room. This behavior certainly disturbs him and others around him. This behavior is usually based on the pleasure in carrying out such strange behavior. He did not feel pleasure when doing other activities, so that odd behavior tended to be repeated.

* Corresponding Author:

Karisma Dewi Puspasari Karisma

Address: Department of Professional Psychology, School of Psychology Education, University of Muhammadiyah Malang, Indonesia.

Te: +26 (341) 562124

Tabel. Content of Sessions

Sessions	Content of Sessions				
1	Determine the targeted behavior	In this session, the behavior targeted by the intervention is defined as reducing the frequency of collecting second-hand and useless goods by the subject.			
2	Determining negative re- inforcement and reward	This session aims to set negative reinforcer versus reward favored by the subject. The reward was telling about psychology as a reinforcement of the subject's new behavior. Also, the negative reinforcement was the prohibition to drink coffee.			
3	Implementation phase	At this stage, the techniques of negative and positive reinforcement were applied during five meetings. Every day, the subject has 4 targets for not collecting goods. If the subject were still collecting goods from the four targets, the subject would get a negative reinforcement, which was depriving him from drinking coffee the next day. If the subject's bad behavior decreased from the 4 targets, then the subject would get a reward and was told a story about psychology.			
4	Evaluation	At this stage, the intervention carried out for 5 days is evaluated as to whether the target set had been met. Also, obstacles that the subject went through during the intervention are evaluated.			
5	Stopping the program	When the subject experiences a behavior change, the frequency of collecting the second-hand and unused goods should be reduced. The subject knows that he should not collect these goods, and then the intervention can be stopped. In this session, the changes in the subject's behavior during the intervention are discussed, that the subject has changed for the better so that he gets motivated and knows that he can always reduce the behavior of collecting things.			

PSYCHIATRY AND CLINICAL PSYCHOLOGY

The principles of behavior can be applied to individuals with schizophrenia, where the behavior tends to be repeated because there is a feeling of pleasure. This outcome is in accordance with the principle of operant conditioning that pleasure in collecting goods is a reinforcement for the subject to repeat his behavior.

Appropriate interventions for handling this case are operant conditioning: a technique based on a learning approach involving rewarding individuals for the expected emergence of behavior [3]. If a reinforcing stimulus follows the appearance of an operant, the strength of the behavior will increase so that the behavior will become persistent [4].

Negative reinforcement is given as a consequence received by the subject if he cannot reduce the frequency of collecting goods. It aims to reduce the behavior of collecting goods carried out by the subject. In contrast, a reward reinforces a new subject's behavior if the subject can reduce the frequency of collecting rubbish.

2. Methods

The initial assessment was carried out to obtain information about the subject through interviews, observations, and psychological tests. Also, informed consent was obtained from the subject's family. Interviews were conducted with the subject, the subject's family, and the officer in the subject's care area.

Observations were made to observe the subject's maladaptive behavior. The Wechsler Adult Intelligence Scale (WAIS) was implemented to determine the intelligence level of the subject. The personality tests of DAP, BAUM, HTP, and WARTEGG were performed to find out the subject's personality. Also, the Thematic Apperception Test (TAT) test was done to determine the press and needs experienced and needed by the subject. Finally, Woodworth's questionnaire was introduced to determine the clinical condition of the subject.

Diagnosis

Based on the assessment, the subject was an introverted person, organized and bound by rules, and impulsive. The subject had schizophrenic tendencies, experienced hallucinations, had wrong beliefs about himself, and behaved strangely; however, he had an average level of intelligence. It can be concluded that the subject meets the criteria of the Diagnostic and Statistical Manual of Mental Disorder Fifth Edition [5] for schizophrenic disorders (295.90) with behavioral problems of collecting goods.

Intervention

Negative reinforcement is often felt like a punishment or something that is a burden on the subject, increasing desired behavior [6]. A reward is given to increase or repeat the expected behavior [7]. This intervention consisted of 5 sessions (Table 1).

3. Results

The results of the interventions were evaluated based on the number of observations of the behavior of collecting goods by the subject at one meeting. The list of observed behaviors consists of four behaviors because these they are always carried out by the subject every morning.

Optimal intervention result is achieved if the subject has a total value of 0 in each day which means that the subject does not collect goods at all. But this is quite difficult for the subject because the habit of collecting goods has been made for a long time. Therefore, a gradual decrease is a significant improvement gained from the intervention process. The intervention results to reduce the behavior of collecting used and useless goods by the subject can be seen in Figure 1. Based on Figure 1, there is a decrease in the behavior of collecting goods.

The subject has the initiative to abandon collecting goods in some situations after implementing the fifth session. So, this outcome is considered as the subject's progress during the intervention, and the intervention can be ended even if the subject has not gotten the maximum results or get a score of 0.

At first, the subject was angry and did not want to follow the intervention because it interfered with his habits. But after receiving the proper explanation, he followed the intervention at the next meeting.

After the intervention, the subject could resist collecting cigarettes and rubbish. This result can be interpreted as the subject began to form the new behavior of no longer collecting the goods. Now, the subject feels that by not collecting those rubbish, his body has become cleaner than before.

One month after the intervention, the subject can hold his behavior of not collecting cigarettes and rubbish. However, collecting coffee packs and newspapers was still done by the subject because he still considers them valuable objects.

4. Discussion and Conclusion

Applying positive and negative reinforcement techniques can reduce the behavior of collecting goods carried out by the subject. By using operant conditioning, the subject's behavior can be conditioned. Negative reinforcement given to the subject is something that is not liked by the subject. The undesirable things will reduce the probability of the occurrence of undesirable behavior. This fact is supported by research that states that schizophrenic patients can respond to negative reinforcement, which is what they dislike [8]. Giving rewards as a positive reinforcer and negative reinforcement has a large influence on the behavior of schizophrenic patients so that by providing rewards and punishment, the behavior of schizophrenic patients can be changed [9].

Reward or punishment given to the subject can make the subject happy and motivated not to collect goods. This fact is supported by research that schizophrenic patients can feel positive emotions when confronted with stimuli that make them remember pleasant things [10], which in this case is telling about psychology.

Giving rewards in the form of stories about psychology can also be categorized as social interaction. Social interactions occur between therapists and schizophrenic patients, making patients feel happy [11]. They also feel to be more valuable persons. Through the interactions, an individual with schizophrenia will not feel too different from others. This issue can encourage their willingness to follow the treatment [12].




Figure 1. Behavior progress

PSYCHIATRY AND CLINICAL PSYCHOLOGY

Interventions using a behavioral approach through punishment and reward techniques can reduce the subject's maladaptive behavior. Based on the evaluation results of each session on four behavior targets to collect goods, the subject changed gradually. The main change in the subject after the intervention was that he no longer collected used goods and cigarettes from the streets. This gradual change was judged as the success of the intervention process even though the subject could not collect goods at all.

Suggestions for further researchers are to conduct studies in a more extended period to see changes in the subject's behavior and giving psychoeducational to the people around the subject about preventing relapse in schizophrenia patients. Especially, the researchers should pay attention to routine drug administration and provide social support to provide activities that can make the subject feel happy and valuable.

Ethical Considerations

Compliance with ethical guidelines

This study was approved by The Ethics Committee of the Master of Professional Psychology, University of Muhammadiyah Malang.




This research did not receive any grant from funding agencies in the public, commercial, or non-profit sectors.

Authors contributions

All authors equally contributed to preparing this article.

Conflicts of interest

The author declared no conflict of interests.



مقاله موردي:

استفاده از تکنیک تقویت و پاداش منفی برای کاهش رفتار جمع آوری اشیا در مبتلایان به اسکیزوفرنی

كاريسما دئو پوسپاساري' ⊙، زولفاني سفيرا نابيلا' ⊙، محمد ساليس يونياردي' ⊙، لتيپون لتيپون' ⊙

۱. گروه روانشناسی حرفه ای، دانشکده آموزش روانشناسی، دانشگاه محمدیه مالنگ، اندونزی.

تاریخ دریافت: ۲۱ مهر ۱۳۹۸ تاریخ پذیرش: ۸ مهر ۱۳۹۹

تاریخ انتشار: ۱۲ فروردین ۱۴۰۰

كليدواژهها:

تقویت منفی، پاداش، رفتاردرمانی، اسکیزوفرنی

حکيد

آزمونی یک مرد ۵۵ساله و کارمند سابق دولت بود. او ادعا کرد کسی را دیده است که دیگران او را نمیبینند. آزموننی معتقد است که وی فرد مهمی است. او رفتارهای عجیبی دارد مانند جدا شدن از دیگران، صحبت کردن و خندیدن به تنهایی و جمع آوری اشیای غیرمفید، بر اساس نتایج ارزیابی از طریق مشاهده، مصاحبه و آزمایشهای روانشناختی، افراد مبتلا به اسکیزوفرنیا با مشکلات رفتاری مانند جمع آوری اشیا تشخیص داده شدند رفتار آزمودنی به نظر می رسد به علت احساس لذت جمع آوری اشیاست. او فعالیت دیگری ندارد که باعث شود احساس لذت کند به همین دلیل این رفتار را تکرار می کند. هدف از مداخله کاهش دفعات جمع آوری اشیا از طریق تقویت منفی و تکنیک.های پاداش برای تقویت رفتارهای جدید در آزمودنی است. نتیجه پژوهش این است که مداخله می تواند رفتار جمع آوری اشیا را به تدریج کاهش دهد.

مقدمه

اسکیزوفرنی نوعی اختلال روان پریشی مداوم است که فرد مبتلا به آن دارای خصوصیاتی مانند اختلال در تفکر، عواطف، ادراکات و رفتار است. قسمتهای حاد اسکیزوفرنی با توهم، هذیان، افکار غیرمنطقی، گفتار ناسازگار و رفتار عجیب همراه است [۱].

علائم اسکیزوفرنی را میتوان از طریق تئوری مدل استرس دیاتزیس توضیح داد. مدل استرس دیاتز بیان میکند که این تئوری ترکیبی از عوامل بیولوژیکی، روانی اجتماعی و محیطی است که به طور خاص بر فرد تأثیر میگذارد، به طوری که میتواند باعث بروز علائم اسکیزوفرنی شود [۲].

در اسکیزوفرنیها انسداد در تواناییهای عملکردی وجود دارد. افراد مبتلا به اسکیزوفرنی اغلب عادات رفتاری عجیب یا غیرطبیعی دارند. یکی از این رفتارها جمعآوری اشیاست.

آزمودنی این پژوهش دوست دارد اشیا را جمعآوری کند؛ مخصوصاً اشیای مستعمل و بیفایده مانند روزنامههای قدیمی، سیگارهای دست دوم و بستهبندی مواد غذایی. او پس از جمعآوری کالاها را در شلوار و در اتاق خود ذخیره می کند. این رفتار مطمئناً برای خود او و اطرافیان مزاحمت ایجاد می کند. این رفتار معمولاً بر اساس لذتی است که هنگام انجام چنین رفتار

عجیبی ایجاد میشود. او هنگام انجام فعالیتهای دیگر احساس لنت نمی کند، بنابراین تمایل به تکرار این رفتار لذت بخش دارد.

اصول رفتاری را می توان درباره مشکل مبتلایان به اسکیزوفرنی که در آن به دلیل احساس لذت رفتار تمایل به تکرار دارد، به کار برد. این مطابق با اصل شرطی سازی عملیاتی است که وجود لذت هنگام جمع آوری اشیا تقویت کنندهای برای تکرار رفتار وی است.

مداخلات مناسب برای رسیدگی به این مورد شرطیسازی عملیاتی است که روشی مبتنیبر یک رویکرد یادگیری شامل پاداش دادن به افراد برای بروز رفتار مورد انتظار است [۳]. اگر ظاهر یک عامل با ارائه یک محرک تقویتکننده همراه باشد، قدرت افزایش مییابد تا رفتار به طور مداوم ادامه یابد [۴].

اگر او نتواند دفعات جمعآوری اشیا را کاهش دهد، تقویت منفی به شکل نتیجه دریافتشده آزمودنی با هدف کاهش رفتار جمعآوری اشیا انجام داده میشود. در حالی که اگر شخص بتواند دفعات جمعآوری اشیا را کاهش دهد پاداش برای رفتار جدید آزمودنی تقویت میشود.

روش

ارزیابی برای به دست آوردن اطلاعات درباره آزمودنی از

ه نویسنده مسئول

کاریسما دئو پوسپاساری

نشانی: اندونزی، دانشگاه محمدیه مالنگ، دانشکده آموزش روانشناسی،گروه روانشناسی حرفهای.

تلفن: ۵۶۲۱۲۴ (۳۴۱) ۶۲

پست الکترونیکی: krsmdw@gmail.com

جدول ۱. محتوای جلسات

محتواى جلسات		جلسه
در این جلسه از مداخله رفتار هدفمند برای کاهش دفعات جمعآوری اشیا استفاده شد و فرد در ابتدا آن را بی فایده تعریف می کند.	تعيين رفتار هدفمند	١
هدف این جلسه تمیین تقویت کننده منفی و پاداش مورد علاقه آزمودنی است که در روانشناسی با نام تقویت کننده رفتار جدید آزمودنی از آن یاد میشود و همچنین تقویت منفی را تنظیم می کند که مورد علاقه آزمودنی نیست که در اینجا ممنوعیت نوشیدن قهوه است.	تعیین تقویت و پاداش منفی	۲
در این مرحله استفاده از تکنیکسهای تقویت و پاداش منفی طی پنج جلسه انجام شد. هر روز آزمودنی چهار هدف برای جمع نکردن اشیا دارد. اگر آزمودنی همچنان در حال جمعآوری اشیا باشد، آزمودنی تقویت منفی میشود یمنی نوشیدن قهوه در روز بعد برای او مجاز نیست. اگر رفتار آزمودنی از چهار رفتار هدفمند کاهش یابد، آنگاه پاداش در قالب داستانی درباره روان شناسی به او ارائه میشود.	مرحله اجرا	٣
در این مرحله مناخلاتی که به مدت پنج روز انجام شده است ارزیابی میشود. در بررسی مناخله سنجیده شد که آیا هدف تعیینشده برآورده شده است؟ همچنین مواتعی که آزمودنی در طول مناخله از آن عبور کرده ارزیابی شد.	ارزيابى	۴
وقتی آزمودنی تغییر رفتاری را تجربه کرد، دفعات جمعآوری اشیای استفادهشده و بیاستفاده را کاهش داد و از جمع نکردن این اشیا آگاهی یافت، می توان مداخله را متوقف کرد. در این جلسه همچنین درباره تغییر رفتار فرد در طول مداخله بحث شد این که آیا آزمودنی به سمت بهتر تغییر کرده است؟ به طوری که فرد انگیزه پیدا کند و رفتار جمعآوری اشیا را برای همیشه کاهش دهد.	توقف برنامه	۵

مجلهروان يزشك وروان شناس بالينايران

طریق مصاحبه، مشاهدات و آزمایشهای روانشناسی انجام شد، همچنین رضایت آگاهانه از خانواده آزمودنی به دست آمد.

مراحل کار به صورت زیر است:

 مصاحبه با خانواده آزمودنی و همچنین کارمند حوزه مراقبت از آزمودنی؛

۲. مشاهدات برای سنجش رفتار ناسازگار آزمودنی؛

۳. WAIS برای تعیین سطح هوش آزمودنی؛

۴. تست شخصیت به صورت HTP، DAP، BAUM و همچنین
 ۳. سرای پی بردن به شخصیت آزمودنی؛
 ۳. WARTEGG

۵. آزمون TAT برای آگاهی از فشار و نیازهای تجربهشده و مورد نیاز آزمودنی؛


۶. پرسشنامه وودورث برای تعیین وضعیت بالینی آزمودنی.

تشخيص

طبق نتیجه ارزیابی آزمودنی فردی درونگرا، سازمانیافته و مقیدبه قوانین و تحریکشونده است. افراد با تمایل به اسکیزوفرنی دچار توهم میشوند، اعتقادات غلط نسبت به خود دارند و رفتارهای عجیبوغریبی بروز می دهند، حتی دارای هوش سطح متوسط هستند. میتوان نتیجه گرفت که آزمودنی معیارهای راهنمای تشخیصی و آماری اختلال روانی ویرایش پنجم [۵] برای اختلالات اسکیزوفرنیک (۲۹۵/۹۰) با مشکلات رفتاری در جمعآوری اشیا را داراست.

داخله

تقویت منفی عبارت است از حذف برخی تقویتها که اغلب به عنوان مجازات یا چیزی که باری برای آزمودنی احساس میشود و در نتیجه باعث افزایش رفتار مطلوب میشود [۶]. پاداش با هدف افزایش یا تکرار رفتار مورد انتظار اعطا میشود [۷]. این مداخله



تصویر ۱.نتایچ مداخله برای کاهش رفتار جمعآوری اشیای فرسوده و بیمصرف توسط آزمودنی

مجلهروان يزشك وروان شناس بالين إيران

شامل پنج جلسه بود (جدول شماره ۱).

بافتهها

نتایج مداخلات بر اساس تعداد مشاهدات رفتار جمع آوری اشیا توسط آزمودنی ها در یک جلسه ارزیابی شد. لیست رفتارهای مشاهده شده شامل چهار رفتار است، زیرا این ها رفتارهایی هستند که همیشه هر روز صبح آزمودنی انجام می داد.

اگر ارزش موضوع در هر روز صفر مورد باشد، مداخله بهینه نتیجه می گیرد، این بدان معناست که فرد اصلاً شیئی را جمع نمی کند اما این موضوع برای آزمودنی کاملاً دشوار است زیرا عادت جمع آوری اشیا مدتهاست که انجام می شود؛ بنابراین، کاهش تدریجی هر روز پیشرفت قابل توجهی در روند مداخله دارد. نتایج مداخله برای کاهش رفتار جمع آوری اشیای فرسوده و بی مصرف توسط آزمودنی در تصویر شماره ۱ مشاهده می شود. بر اساس تصویر شماره ۱ رفتار جمع آوری اشیا کاهش یافته است.

آزمودنی پس از اجرای روز پنجه، ابتکار عمل دارد تا در برخی شرایط رفتار جمعآوری اشیا را انجام ندهد. بنابراین، این پیشرفت آزمودنی در طول مداخله در نظر گرفته میشود و حتی اگر آزمودنی حداکثر نتیجه را نگرفته باشد یا نمره صفر را کسب کند، می توان مداخله را پایان داد.

در آغاز مداخله، آزمودنی عصبانی بود و نمیخواست مداخله را دنبال کند زیرا این امر در عادات وی تداخل ایجاد می کرد، اما پس از توضیح دادن، توانست کار را در جلسه بعدی دنبال کند.

پس از مداخله، آزمودنیها می توانند در برابر جمع آوری سیگار و زباله مقاومت کنند. این می تواند این گونه تفسیر شود که در آزمودنی رفتاری شکل می گیرد که دیگر اشیا جمع نکند و احساس می کند که با جمع نکردن آنها بدنش تمیزتر از قبل می شود.

یک ماه پس از گذراندن مداخله به صورت اعمال پاداش و تقویت منفی، آزمودنی می تواند رفتار خود را نسبت به جمع آوری سیگار و زباله حفظ کند. در حالی که رفتار جمع آوری بستههای قهوه و همچنین جمع کردن روزنامه هنوز انجام می شود، زیرا آزمودنی هنوز آنها را اشیای باارزش در نظر می گیرد.

يحث

استفاده از تکنیکهای پاداش و تقویت منفی می تواند رفتار جمع آوری اشیا را در آزمودنی کاهش دهد. با استفاده از شرطی کردن عملگر می توان رفتار وی را شرطی کرد. تقویت منفی که به آزمودنی داده می شود چیزی است که موردپسند آزمودنی قرار نمی گیرد. مواردی که پسند نشوند، احتمال وقوع یک رفتار نامطلوب را کاهش می دهد. این موضوع با تحقیقاتی که بیان

می کند بیماران اسکیزوفرنی میتوانند به ارائه تقویت منفی که موردپسند آنها نیست پاسخ دهند، تأیید میشود [۸]. دادن پاداش به منزله تقویت کننده مثبت و تقویت منفی تأثیر زیادی در رفتار بیماران اسکیزوفرنی دارد، به طوری که با ارائه پاداش و تقویت منفی می توان رفتار بیماران اسکیزوفرنیک را تغییر داد [۹].

پاداش یا تقویتی که داده میشود، میتواند او را برای جمع نکردن اشیا خوشحال و باانگیزه کند. این امر با تحقیق ثابت میشود که بیماران اسکیزوفرنی را هنگام مواجهه با محرکهایی که باعث میشوند چیزهای دلپذیری برای خود به خاطر آورند، میتوانند احساسات مثبتی داشته باشند [۱۰] که در چنین موردی داستانی درباره روانشناسی گفته میشود.

دادن پاداش در قالب داستانهایی درباره روانشناسی نیز می تواند به عنوان تعامل اجتماعی دستهبندی شود. تعاملات اجتماعی بین درمانگران و بیماران اسکیزوفرنی ایجاد می شود که باعث می شود بیماران احساس خوشحالی کنند [۱۱] و همچنین احساس می کنند فرد باارزش تری هستند از طریق این تعاملات، فرد مبتلا به اسکیزوفرنی بیش از حد از دیگران احساس تفاوت نخواهد کرد. این امر می تواند تمایل آنها را برای پیگیری درمان بهخوبی تشویق کند [۱۲].

نتيجهگيري

مداخلات با استفاده از رویکرد رفتاری از طریق تقویت منفی و تکنیکهای پاداش می تواند رفتار ناسازگار آزمودنی را کاهش دهد. بر اساس نتایج ارزیابی هر جلسه در چهار لیست رفتار درباره جمع آوری اشیا که عادت آزمودنی بود، به تدریج تغییر مشاهده شد. تغییر اصلی پس از مداخله این است که فرد دیگر اشیای دست دوم و همچنین سیگار را از خیابان جمع نمی کند. این تغییر تدریجی به عنوان موفقیت در روند مداخله ارزیابی شد، حتی اگر افراد واقعاً قادر به جمع آوری اشیا نبودند.

پیشنهاد برای محققان دیگر انجام تحقیقات در مدتزمان طولاتی، برای مشاهده تغییر در رفتار آزمودنی و دادن آموزش روان به افراد پیرامون آزمودنی در مورد جلوگیری از عود در بیماران اسکیزوفرنی، بهویژه توجه به تجویز معمول دارو و تأمین حمایت اجتماعی در قالب ارائه فعالیتهایی است که می توانند آزمودنی را خوشحال کنند.

ملاحظات اخلاقي

پیروی از اصول اخلاق پژوهش

این مطالعه توسط کمیته اخلاق استاد روانشناسی حرفهای، دانشگاه محمدیه ملنگ تأیید شده است.

حامی مالی 4

این تحقیق هیچ گونه کمک مالی از سازمانهای تأمین مالی در بخشهای عمومی ، تجاری یا غیرانتفاعی دریافت نکرد.

مشاركت نويسندگان

نویسندگان به یک اندازه در نگارش مقاله مشارکت داشتهاند.

تعارض منافع

بنابر اعلام نويسندگان اين مقاله هيچ تعارض منافعي ندارد.

References

- Nevid JS, Rathus SA, Greene BS. Abnormal psychology in a changing world. 10th ed. Upper Saddle River, NJ: Pearson; 2017. https://www.pearsonhighered.com/assets/preface/0/1/3/5/0135821770.pdf
- [2] Kaplan HI, Sadock BJ, Grebb JA. Kaplan and Sadock's synopsis of psychiatry: Behavioral sciences, clinical psychiatry. Williams & Wilkins Co.; 1994. https://www.psychiatrist.com/read-pdf/11671/
- [3] Corey G. Theory and practice of counseling and psychotherapy. 8th ed. Belmont, USA: Thomson Brooks/Cole; 2009. https://books.google.com/books?hl=en&dr=&id=2YcJAAAAQBAJ&oi=
- [4] Hergenhahn BR, Olson MH. An introduction to theories of personality, 5th ed. Upper Saddle River, NJ: Prentice-Hall, Inc.; 1999. https://psycnet.apa.org/record/1998-08082-000
- [5] American Psychological Association. Diagnostic and statistical manual of mental disorders, 5th ed. Washington, DC.: American Psychological Association; 2013. https://books.google.com/ books?id=
- [6] Ormrod JE, Anderman EM, Anderman LH. Educational psychology: Developing learners. Upper Saddle River, NJ: Pearson; 2008. https://www.pearson.com/us/higher-education/program/Ormrod-Ed ucational-Psychology-Developing-Learners-6th-Edition/PGM2815465.html
- [7] Pomerantz AM. Clinical psychology: Science, practice, and culture. New York: Sage Publications; 2016. https://books. google.com/books/about/Clinical_Psychology.html?id= 16HzWp9XKloC&printsec=frontcover&source=kp_read_ button#v=onepage&q&f=false
- [8] Cheng GLF, Tang JCY, Li FWS, Lau EYY, Lee TMC. Schizophrenia and risk-taking: Impaired reward but preserved punishment processing. Schizophrenia Research. 2012; 136(1-3):122-7. [DOI:10.1016/j.schres.2012.01.002] [PMID]
- [9] Dowd EC, Barch DM. Pavlovian reward prediction and receipt in schizophrenia: Relationship to anhedonia. PLoS One. 2012; 7(5):e35622. [DOI:10.1371/journal.pone.0035622] [PMID] [PMCID]
- [10] Gold JM, Waltz JA, Prentice KJ, Morris SE, Heerey EA. Reward processing in schizophrenia: A deficit in the representation of value. Schizophrenia Bulletin. 2008; 34(5):835-47. [DOI:10.1093/ schbul/sbn068] [PMID] [PMCID]
- [11] Chen F, Greenberg JS. A positive aspect of caregiving: The influence of social support on caregiving gains for family members of relatives with schizophrenia. Community Mental Health Journal. 2004; 40(5):423-35. [DOI:10.1023/B:COMH.0000040656.89143.82] [PMID]
- [12] Yaseen M, Jokerst T, Faiz Z. Observed social support and willingness for the treatment of patients with schizophrenia. Psychology Research and Behavior Management. 2020; 13:193-201. [DOI:10.2147/PRBM.S243722] [PMID] [PMCID]

Application of Negative Reinforcement and Reward Technique to Reduce Behavior of Collecting Goods in a Patient With Schizophrenia

ORIGINALITY REPORT							
5% SIMILARITY INDEX		4% INTERNET SOURCES	3% PUBLICATIONS	3% STUDENT PAPERS			
PRIMAR	Y SOURCES						
1	Omid Sa Motame Niacin S Schizop	mad Arzanlou, A aed, Faramarz D ed, Akefeh Ahma kin Flush Test fo hrenia", Iranian ical Psychology,	obakhti, Nima adiafshar. "Acc or Diagnosing Journal of Psy	a curacy of			
2	jpr.mazu Internet Sour	ıms.ac.ir		1 %			
3	Submitted to ECPI College of Technology Student Paper						
4	4 medrehab.sbmu.ac.ir Internet Source						
5	digilib.unisayogya.ac.id Internet Source						
6	Submitted to Adtalem Global Education Student Paper						

Exclude quotes On Exclude matches < 1%

Exclude bibliography On